## Список литературы

- 1. Action for Children and New Economics Foundation (2009). *Backing the Future: why investing in children is good for us all.* London: Action for Children/NEF.
- 2. Adams, S., Kuebli, J., Boyle, P. and Fivush, R. (1995). Gender differences in parent–child conversations about past emotions: a longitudinal investigation. *Sex Roles*, 33(5–6), 309–23.
- 3. Ainscough, C. and Toon, K. (1998). *Breaking Free: help for survivors of child sexual abuse*. London: Sheldon Press.
- 4. Allard, R., Marshall, M. and Plante, M. (1992). Intensive follow up does not decrease the risk of repeat suicide attempts. *Suicide Life Threatening Behaviours*, (22), 302–14.
- 5. Altschul, A. (1997). A personal view of psychiatric nursing. In Tilley, S. (ed) *The Mental Health Nurse: views of practice and education.* Oxford: Blackwell Science.
- 6. American Psychiatric Association (1994). *Diagnostic and Statistical Manual of Mental Disorders* (4th edition). Washington, DC: APA.
- 7. Anderson, M., Armstrong, M., Armstrong, S., Nadkarni, A. and Pluck, G. (2009). Self Harm and Repeat Self Harm in Young People: a comparative study of social and psychological factors. Not yet published.
- 8. Anderson, M., Woodward, L. and Armstrong, M. (2004). Self harm in young people: a perspective for mental health nursing care. *International Nursing Review*, 51, 222–8.
- 9. Angold, A. (1994). Clinical interviewing with children and adolescents. In Rutter, M., Taylor, E. and Hersov, L. (eds) *Child and Adolescent Psychiatry: modern approaches* (3rd edition). London: Blackwell.
- 10. Antretter, E., Dunkel, D., Haring, C., Corcoran, P., De Leo, D., Fekete, S., Hawton, K., Kerkhof, A. J. F. M., Lonnqvist, J., Salander Renberg, E., Schmidtke, A., Van Heeringen, K. and Wasserman, D. (2008). The factorial structure of the Suicidal Intent Scale: a comparative study in clinical samples from 11 European regions. *International Journal of Methods in Psychiatric Research*, (7), 63–79.
- 11. Armstrong, M. (1995). The Management of Self-harm in Children and Adolescents. Unpublished thesis: University of Lancaster.
- 12. Armstrong, M. (2006). Self harm, young people and nursing. In McDougall, T. (ed) *Child and Adolescent Mental Health Nursing*. London: Blackwell Publishing.
- 13. Arnold, L. (1995). Women and Self Injury: a survey of 76 women. A report on women's experience of self injury and their views on service provision. Bristol: Bristol Crisis Service for Women.

- 2
- 14. Asarow, J., Carlson, G. and Guthrie, D. (1987). Coping strategies, self perceptions, hopelessness and perceived family environments in depressed and suicidal children. *Journal of Consulting and Clinical Psychiatry*, (55), 361–6.
- 15. Asen, E. (2002). Outcome research in family therapy. *Advances in Psychiatric Treatment*, (8), 230–8.
- 16. Austin, L. and Kortum, J. (1996). Self injury: the secret language of pain for teenagers. *Education*, 22 March 2004.
- 17. Avan, G. and Bakshi, N. (2004). Young Black and Ethnic Minority Women and Self Esteem: a report to the Glasgow Anti-Racist Alliance. Glasgow: Glasgow Anti Racist Alliance.
- 18. Babiker, G. and Arnold, L. (1997). *The Language of Injury: comprehending self mutilation*. Leicester: BPS Books.
- 19. Baker, D. and Fortune, S. (2008). Understanding self-harm and suicide websites. *Crisis: Journal of Crisis Intervention and Suicide Prevention*, 29(3), 118–22.
- 20. Barish, K. (2004). What is therapeutic in child therapy? Therapeutic engagement. *Psychoanalytic Psychology*, 21, 385–401.
- 21. Barker, P. (2004). Assessment in Psychiatric and Mental Health Nursing: in search of the whole person. Cheltenham: Nelson Thornes.
- 22. Barley, W., Buie, S., Peterson, E., Hollingsworth, A., Griva, M., Hickerson, S., Lawson, J. and Bailey, B. (1993). Development of an in–patient cognitive behavioural treatment programme for borderline personality disorder. *Journal of Personality Disorders*, 7(3), 232–40.
- 23. Barnardo's and Mind (2007). About Self Harm: a guide for young people: when you self harm and how to seek help. London: Barnardo's.
- 24. Basement Project (1997). What's the Harm? A book for young people who self harm or self injure. Manchester: Lois Arnold and Anne Magill.
- 25. Bates, T. (2005). 'Suicide Prevention: everyone's problem'. Summary of the Forum for Integration and Partnership of Stakeholders in Suicide Prevention: Dublin.
- 26. Beautrais, A. (2001). Child and young adolescent suicide in New Zealand. *Australian and New Zealand Journal of Psychiatry*, 35(5), 647–53.
- 27. Beautrais, A., Joyce, P. and Mulder, R. (1998). Psychiatric illness in a New Zealand sample of young people making serious suicide attempts. *New Zealand Medical Journal*, 27, 44–8.
- 28. Beck, A., Steer, A. and Beck, K. (1993). Hopelessness, depression, suicidal ideation and clinical diagnosis of depression. *Suicide and Life Threatening Behavior*, 23(2), 139–45.
- 29. Bennewith, O., Hawton, K., Simkin, S., Sutton, L., Kapur, N., Turnbull, P. and Gunnell, D. (2005). The usefulness of coroners' data on suicides for

- providing information relevant to prevention. Suicide and Life Threatening Behavior, (35), 607–14.
- 30. Bennewith, O., Stocks, N. and Gunnell, D. (2002). General practice based intervention to prevent repeat episodes of deliberate self harm: cluster randomised controlled trial. *British Medical Journal*, (324), 1254–7.
- 31. Bergen, H., Hawton, K., Murphy, E., Cooper, J., Kapur, N., Stalker, C. and Waters, K. (2009). Trends in prescribing and self–poisoning in relation to UK regulatory authority warnings against use of SSRI antidepressants in under–18–year–olds. *British Journal of Clinical Pharmacology*, (68), 618–29.
- 32. Berman, A. and Carroll, T. (1984). Adolescent suicide: a critical review. *Death Studies*, (8), 53–63.
- 33. Bernstein, D., Cohen, P. and Velez, C. (1993). Prevalence and stability of the DSM-III-R personality disorders in a community based survey of adolescents. *American Journal of Psychiatry*, (150), 1237–43.
- 34. Best, R. (2005). Self Harm: a challenge for pastoral care. *Pastoral Care in Education*, 23(3), 3–11.
- 35. Bhugra, D., Thompson, N., Singh, J. and Fellow–Smith, E. (2004). Deliberate self harm in adolescents in West London: socio–cultural factors. *European Journal of Psychiatry*, 18(2), 91–8.
- 36. Biddle, L., Donovan, J., Hawton, K., Kapur, N. and Gunnell, D. (2008). Suicide and the internet. *British Medical Journal*, (336), 800–2.
- 37. Bille–Brahe, U., Kerkhof, A., De Leo, D. and Schmidtke, A. (2004). Definitions and terminology used in the WHO/EURO Multicentre study in Suicidal Behaviour in Europe: Results from the WHO/EURO Multicentre Study on Suicidal Behaviour, 1, 11–14, Schmidtke, A., Bille–Brahe, U., De Leo, D. and Kerkhof, A. (eds) Australian Institute for Suicide Research and Prevention.
- 38. Black, D. (1992). Mental health services for children. *British Medical Journal*, (305), 971–2.
- 39. Blood, R., Pirkis, J. and Holland, K. (2007). Media reporting of suicide methods. *Crisis*, 28(1), 64–9.
- 40. Blumenthal, S. and Kupfer, D. (1990). Suicide over the Life Cycle. Washington, DC: American Psychiatric Press.
- 41. Bohus, M., Haaf, B., Stiglmayr, C., Pohl, U., Bohme, R. and Linehan, M. (2001). Evaluation of in–patient dialectical behavioural therapy for borderline personality disorder: a prospective study. *Behavior Research and Therapy*, (38), 875–87.
- 42. Bond, F. and Bruch, M. (1998). Beyond Diagnosis: case formulation approaches in CBT. New York: Wiley.

- 43. Bracken, K., Berman, M., McCloskey, M. and Bullock, J. (2008). Deliberate self harm and state dissociation: an experimental investigation. *Journal of Aggression, Maltreatment and Trauma*, 17(4), 520–32.
- 44. Bradley, K. (2009). The Bradley Report: review of people with mental health problems or learning disabilities in the criminal justice system. London: HMSO.
- 45. Brent, D. (1997). Practitioner Review: the aftercare of adolescents with deliberate self-harm. *Journal of Child Psychology and Psychiatry*, 38(3), 277–86.
- 46. Brent, D., Bridge, J. and Johnson, B. (1996). Suicidal behaviour runs in families: a controlled family study of adolescent suicide victims. *Archives of General Psychiatry*, 53(12), 1145–52.
- 47. Brent, D., Holder, D., Kolko, D., Birmaher, B., Braugher, M. and Roth C. (1997). A clinical psychotherapy trial for adolescent depression comparing cognitive, family and supportive treatments. *Archives of General Psychiatry*, (54), 877–85.
- 48. Brent, D., Kerr, M., Goldstein, C., Bozigar, J., Wartella, M. and Allan, M. (1989). An outbreak of suicide and suicidal behaviour in high school. *Journal of the American Academy of Child and Adolescent Psychiatry*, (28), 918–24.
- 49. Brent, D., Perper, J., Mortiz, G., Baugher, M., Schweers, J. and Roth, C. (1994). Suicide in affectively ill adolescents: a case control study. *Journal of Affective Disorders*, 31(3), 193–202.
- 50. British Medical Association (2003). Adolescent Health. London: BMA.
- 51. Brodie, I., Berridge, D. and Beckett, W. (1997). The health of children looked after by local authorities. *British Journal of Nursing*, 6(7), 386–90.
- 52. Brown, J., Cohen, P., Johnson, J. and Smaile, E. (1999). Childhood abuse and neglect: specificity of effects on adolescent and young adult depression and suicidality. *American Academy of Child and Adolescent Psychiatry*, 38(12), 1490–6.
- 53. Brown, R. (2002). Self harm and suicide risk for same sex attracted young people: a family perspective. *Australian e-journal for the Advancement of Mental Health*, 1(1).
- 54. Burke, M., Duffy, D., Trainor, G. and Shinner, M. (2008) *Self injury toolkit*, Manchester: Greater Manchester West Mental Health Foundation Trust.
- 55. Byrne, S., Morgan, S., Fitzpatrick, C., Boylan, C., Crowley, S., Gahan, H., Howley, J., Staunton, D. and Guerin, S. (2008). Deliberate self—harm in children and adolescents: a qualitative study exploring the needs of parents and carers. *Clinical Psychology and Psychiatry*, October, 13(4), 493–504.
- 56. Bywaters, P. and Rolfe, A. (2002). Look Beyond the Scars: understanding and responding to self injury and self harm. London: NCH.

- 57. Carter, G., Clover, K. and Whyte, I. (2005). Postcards from the Edge project: randomised controlled trial of an intervention using postcards to reduce repetition of hospital treated deliberate self poisoning. *British Medical Journal*, (331), 805.
- 58. Cathcart, B. (2007). Deepcut: the media messed up. *British Journalism Review*, 18(1), 7–12.
- 59. Centers for Disease Control (1990). Attempted suicide among high school students United States 1990. *Morbidity and Mortality Weekly Report* (MMWR) 1991, 40, 633–5.
- 60. Centers for Disease Control (1992). *Youth Suicide Prevention Programs: a resource guide*. Atlanta: US Department of Health and Human Services.
- 61. Cheng, A. T. A., Hawton, K., Chen, T. H. H., Yen, A. M. F., Chang, J.–C., Chong, M.–Y., Liu, C.–Y., Lee, Y., Teng, P.–R., Chen, L.–C. (2007a). The influence of media reporting of a celebrity suicide on suicidal behaviour in patients with a history of depressive disorder. *Journal of Affective Disorders*, (103), 69–75.
- 62. Cheng, A. T. A., Hawton, K., Chen, T. H. H., Yen, A. M. F., Chen, C.-Y., Chen, L.-C., Teng, P.-R. (2007b). The influence of media coverage of a celebrity suicide on subsequent suicide attempts. *Journal of Clinical Psychiatry*, (68), 862–6.
- 63. Children's Society (2009). *A Good Childhood: searching for values in a competitive age*. London: Children's Society.
- 64. Chitsabesan, P., Harrington, R., Harrington, V. and Tomenson, B. (2003). Predicting repeat self–harm in children. How accurate can we expect to be? *European Child and Adolescent Psychiatry*, 12, 23–9.
- 65. Chowdhury, N., Hicks, R. and Kreitman, N. (1973). Evaluation of an after care service for parasuicide (attempted suicide) patients. *Social Psychiatry and Psychiatric Epidemiology*, (8), 67–81.
- 66. Christofferson, M., Poulsen, H. and Nielson, A. (2003). Attempted suicide among young people: risk factors in a prospective register based study of Danish children born in 1966. *Acta Psychiatrica Scandinavica*, 108(5), 350–8.
- 67. Clark, T., Sherr, L. and Watts, C. (2000). *Young People and Self Harm: pathways in care*. Public Health Research Report 140. Barking and Havering Health Authority. Public Health Directorate.
- 68. Clarke, J. (2003). Women's Experiences of Attending a Self Harm Self Help Group. Unpublished work.
- 69. Coleman, J., Hendry, L. and Kloep, M. (2007). *Adolescence and Health*. London: Wiley.
- 70. Cotgrove, A. (2005). Depression and self harm. In Gowers, S. (ed) *Seminars in Child and Adolescent Psychiatry*. (2nd edition). London: Gaskell.

- 71. Cotgrove, A. (2007). Should young people be given antidepressants? Yes. *British Medical Journal*, (335), 750.
- 72. Cotgrove, A., McLaughlin, R., O'Herlihy, A. and Lelliot, P. (2007). The ability of adolescent psychiatric units to accept emergency admissions: changes in England and Wales between 2000 and 2005. *Psychiatric Bulletin*, (31), 457–9.
- 73. Cotgrove, A., Zirinsky, L., Black, D. and Weston, D. (1995). Secondary prevention of attempted suicide in adolescence. *Journal of Adolescence*, (18), 569–77.
- 74. Cousins, W., McGowan, I. and Milner, S. (2008). Self harm and attempted suicide in young people looked after in state care. *Journal of Children's and Young People's Nursing*, 2(2), 51–4.
- 75. Cowdery, G., Iwata, B. and Pace, G. (1990). Effects and side effects of DRO as treatment for self-injurious behavior. *Journal of Applied Behavioral Analysis*, (23), 497–506.
- 76. Crawford, M. (1998). Deliberate self harm assessment by accident and emergency staff: an interventional study. *Journal of Accident and Emergency Medicine*, 15(1), 18–20.
- 77. Cullen, J. (2006). Meanings, Messages and Myths: the coverage and treatment of suicide in the Irish print media. Dublin: National Office for Suicide Prevention.
- 78. Daniel, B. and Wassell, S. (2002). Assessing and Promoting Resilience in Vulnerable Children. London: Jessica Kingsley Publishers.
- 79. de Wilde, E., Kienhorst, I. and Diekstra, R. (2001). Suicidal behaviour in adolescents. In Goodyer, I. (ed) *The Depressed Child and Adolescent* (2nd edition). London: Cambridge University Press.
- 80. Dennehy, J., Appelby, L. and Thomas, C. (1996). Case control study of suicide by discharged psychiatric patients. *British Medical Journal*, 312(7046), 1580.
- 81. Department for Children, Schools and Families (2008). *The Children Act* 1989: guidance and regulations. Volume 1: court orders. London: TSO.
- 82. Department For Education and Skills (2002). *Bullying: don't suffer in silence*. London: HMSO.
- 83. Department for Education and Skills (2003). *Every Child Matters*. London: HMSO.
- 84. Department for Education and Skills (2005a). *Excellence and Enjoyment:* social and emotional aspects of learning. London: TSO.
- 85. Department for Education and Skills (2005b). *National Healthy Schools Status: a guide for schools*. London: TSO.
- 86. Department for Education and Skills (2006a). Working Together to Safeguard Children: a guide to interagency working to safeguard and promote the welfare of children. London: HMSO.

- 87. Department for Education and Skills (2006b). *Information Sharing: practitioners guide*. London: HMSO.
- 88. Department of Health (1999). Saving Lives: our healthier nation. London: HMSO.
- 89. Department of Health (2002a). *National Suicide Prevention Strategy for England*. London: HMSO.
- 90. Department of Health (2002b). Women's Mental Health: Into the Mainstream: strategic development of mental health care for women. London: HMSO.
- 91. Department of Health (2003). *Confidentiality: NHS Code of Practice*. London: HMSO.
- 92. Department of Health (2004). *National Service Framework for Children, Young People and Maternity Services*. London: HMSO.
- 93. Department of Health (2006). Standards for Better Health. London: HMSO.
- 94. Department of Health (2007a). Best Practice in Managing Risk: principles and guidance for best practice in the assessment and management of risk to self and others in mental health services. London: HMSO.
- 95. Department of Health (2007b). Promoting Mental Health for Children Held in Secure Settings: a framework for commissioning services. London: HMSO.
- 96. Department of Health (2008). *Refocusing the Care Programme Approach*. London: HMSO.
- 97. Department of Health (2009). *Healthy Lives, Brighter Futures: the strategy for children and young people's health.* London: HMSO.
- 98. Department of Health and Children (1999). Report of the National Task Force on Suicide. Dublin: Stationary Office.
- 99. Department of Health, Social Services and Public Safety (2001). Review of Nursing, Midwifery and Health Visiting Workforce: report of KPMG consulting and DHSSPS nursing and midwifery workforce planning initiative steering group. Belfast: DHSSPS.
- 100. Department of Health, Social Services and Public Safety (2003). *Promoting Mental Health: strategy and action plan 2003–8*. Belfast: DHSSPS.
- 101. Diekstra, R. (1995). Depression and suicidal behaviours in adolescence: sociocultural and time trends. In Rutter, M. (ed) *Psychosocial Disturbances in Young People*. Cambridge: Cambridge University Press.
- 102. Diekstra, R. and Hawton, K. (1987). *Suicide in Adolescence*. Dordrecht/Canberra: Kluwer Academic Publishers.
- 103. Dimeff, L., Koerner, K. and Linehan, M. (2002). Summary of Research on Dialectical Behaviour Therapy. Seattle: The Behavioral Technology Transfer Group.
- 104. Dorer, C. (1998). An evaluation of protocols for child and adolescent deliberate self harm. *Child Psychology and Psychiatry Review*, 3(4), 156–60.

- 105. Dow, P. (2004). *I Feel Like I'm Invisible: children talking to ChildLine about self harm.* London: Mental Health Foundation and Camelot Foundation.
- 106. Eddleston, M., Sheriff, M. and Hawton, K. (1998). Deliberate self harm in Sri Lanka: an overlooked tragedy in the developing world. *British Medical Journal*, (317), 133–5.
- 107. Edwards, L. (2003). Promoting Young People's Wellbeing: a review of research on emotional health. SCRE Centre: University of Glasgow.
- 108. Edwards, V. (2007). Therapeutic issues in working individually with vulnerable children and young people. In Vostanis, P. (ed) *Mental Health Interventions and Services for Vulnerable Children and Young People*. London: Jessica Kingsley Publishers.
- 109. Egmond, M. and van Diekstra, R. (1989). The predictability of suicidal behaviour: the results of a meta–analysis of published studies. In Diekstra, R., Platt, S., Schmidt, K. and Sonneck, G. (eds) *Suicide Prevention: the role of attitude and imitation.* The Netherlands: Leides.
- 110. Emerson, L. (1913). The case of Miss A: a preliminary report of a psychoanalysis study and the treatment of a case of self mutilation. *Psychoanalytic Review*, (1), 41–54.
- 111. Erikson, E. (1968). Identity, Youth and Crisis. New York: Norton.
- 112. Evans, J., Platts, H. and Liebenau, A. (1996). Impulsiveness and deliberate self harm: a comparison of 'first timers' and 'repeaters'. *Acta Scandinavica Psychiactrica*, 93(5), 378–80.
- 113. Evans, K., Tyrer, P. and Catalan, J. (1999). Manual assisted cognitive behaviour therapy (MACT): a randomised controlled trial of a brief intervention with bibliotherapy in the treatment of recurrent deliberate self harm. *Psychological Medicine*, (29), 19–25.
- 114. Fagin, L. (2006). Repeated self injury: perspectives from general psychiatry. *Advances in Psychiatric Treatment*, 12, 193–201.
- 115. Faith, K. (2002). Addressing issues of autonomy and beneficence in the treatment of eating disorders. Available at www.nedic.ca.
- 116. Farber, S. (2008). Dissociation, traumatic attachments, and self harm: eating disorders and self mutilation. *Clinical Social Work Journal*, 36(1), 63–72.
- 117. Farley, A., Hendry, C. and Napier, P. (2005). Paracetamol and poisoning: physiological aspects and management strategies. *Nursing Standard*, 19(38), 58–64.
- 118. Favaro, A. and Santonastaso, P. (2000). Self injurious behaviour in anorexia nervosa. *Journal of Nervous and Mental Disease*, 188(8), 537–42.
- 119. Favazza, A. (1996). Bodies Under Siege: self mutilation and body modification in culture and psychiatry. New York: Johns Hopkins University Press.
- 120. Favazza, A. (1998). The coming of age of self mutilation. *Journal of Nervous and Mental Disease*, 186(5), 259–68.

- 121. Favazza, A., DeRosear, L. and Conterio, K. (1989). Self mutilation and eating disorders. *Suicide and Life Threatening Behaviour*, 19(4), 352–61.
- 122. Favazza, A. and Rosenthal, R. (1993). Diagnostic issues in self mutilation. *Hospital and Community Psychiatry*, 44, 134–40.
- 123. Fivush, R., Brotma, M., Buckner, J. and Goodman, S. (2004). Parent-child emotion narratives. *Sex Roles*, 42(3–4), 233–53.
- 124. Fonagy, P. (2003). A review of the outcomes of all treatments of psychiatric disorder in childhood: (MCH 17–33). London: HMSO.
- 125. Fonagy, P., Target, M., Cottrell, D., Phillips, J. and Kurtz, Z. (2002). What Works for Whom? a critical review of treatments for children and adolescents. London: Guilford Press.
- 126. Fortune, S., Sinclair, J. and Hawton, K. (2005). Adolescents' views on prevention of self harm, barriers to help seeking for self harm and how quality of life might be improved: a qualitative and quantitative study. University of Oxford: Centre for Suicide Research.
- 127. Fox, C. and Hawton, K. (2004). *Deliberate Self Harm in Adolescence*. London: Jessica Kingsley Publishers.
- 128. Gale, F. (2007). Tackling the stigma of mental health in vulnerable children and young people. In Vostanis, P. (ed) *Mental Health Interventions and Services for Vulnerable Children and Young People*. London: Jessica Kingsley Publishers.
- 129. Garcia, I., Vasiliou, C. and Penketh, K. (2007). Listen up!: person centred approaches to help young people experiencing mental health and emotional problems. London: Mental Health Foundation.
- 130. Garthwaite, T. (2009). Trial by Media. YoungMinds, (100), 16–17.
- 131. Gibbons, J., Butler, J., Urwin, P. and Gibbons, J. (1978). Evaluation of a social work service for self poisoning patients. *British Journal of Psychiatry*, (133), 111–18.
- 132. Gilbert, P., Gilbert, J. and Sanghera, J. (2004). A focus group exploration of the impact of izzat, shame, subordination and entrapment on mental health and service use in South Asian women living in Derby. *Mental Health, Religion and Culture*, 7(2), 109–30.
- 133. Gispert, M., Davis, M., Marsh, L. and Wheeler, K. (1987). Predictive factors in repeated suicide attempts by adolescents. *Hospital Community Psychiatry*, (38), 390–3.
- 134. Gladstone, G., Parker, G., Mitchell, P., Malhi, G., Wilhelm, K. and Austin, M. (2004). Implications of childhood trauma for depressed women: an analysis of pathways from childhood sexual abuse to deliberate self harm and revictimization. *American Journal of Psychiatry*, (161), 1417–25.
- 135. Glasgow Violence Against Women Partnership. (2008). Self Harm and Suicide Among Black and Minority Ethnic Women. Glasgow: GVAWP.

- 136. Goffman, E. (1963). *Stigma: notes on the management of spoiled identity.* Englewood Cliffs, NJ: Prentice Hall.
- 137. Goldacre, M. and Hawton, K. (1988). Repetition of self poisoning and subsequent death in adolescents who take overdoses. *British Journal of Psychiatry*, (146), 395–8.
- 138. Goodman, R. (1997). The strengths and difficulties questionnaire: a research note. *Journal of Child Psychology and Psychiatry*, 38, 581–6.
- 139. Goodyer, I., Dubicka, B., Wilkinson, P., Kelvin, R., Roberts, C., Byford, S., Breen, S., Ford, C., Barrett, B., Leech, A., Rothwell, J., White, L. and Harrington, R. (2007). Selective serotonin reuptake inhibitors (SSRIs) and routine specialist care with and without cognitive behaviour therapy in adolescents with major depression: randomised controlled trial. *British Medical Journal*, 335, 142.
- 140. Gosney, H. and Hawton, K. (2007). Inquest verdicts: youth suicides lost. *Psychiatric Bulletin*, 31, 203–5.
- 141. Gould, M. (2001). *Suicide and the Media*. Annals. New York: New York Academy of Sciences.
- 142. Gould, M., Greenberg, T. and Velting, D. (2003). Youth suicide risk and preventive interventions: a review of the past 10 years. *Journal of the American Academy of Child and Adolescent Psychiatry*, (42), 386–405.
- 143. Gould, M., Wallenstein, S. and Kleinman, M. (1990). Time–space clustering of teenage suicide. *American Journal of Epidemiology*, (131), 71–8.
- 144. Gowers, S., Harrington, R. and Whitton, A. (1998). *Health of the Nation Outcome Scales for Children and Adolescents (HoNOSCA)*. London: Royal College of Psychiatrists Research Unit.
- 145. Gowers, S., Thomas, S. and Deeley, S. (2004). Can primary schools contribute effectively to Tier 1 child mental health services? *Clinical Child Psychology and Psychiatry*, (9), 419–25.
- 146. Granboulan, V., Rabain, D. and Basquin, M. (1995). The outcome of adolescent suicide attempts. *Acta Psychiatrica Scandinavica*, (91), 265–70.
- 147. Green, A. (1978). Self destructive behavior in battered children. *American Journal of Psychiatry*, (135), 579–82.
- 148. Green, H., McGinnity, A., Meltzer, H., Ford, T. and Goodman, R. (2005). *Mental health of children and young people in Great Britain.* London: ONS.
- 149. Green, J., Wood, A., Kerfoot, M., Trainor, G., Roberts, C., Rothwell, J., Woodham, A., Ayodeji, E., Barret, B. and Byford, S. (2010). Group Therapeutic Treatment for Adolescents with repeated self harm ASSIST a randomised controlled trial with economic evaluation. *British Medical Journal* (forthcoming, summer 2010).
- 150. Gross, E. (2004). Adolescent internet use: what we expect, what teens report. *Journal of Applied Developmental Psychology*, (25), 633–49.

- 151. Gunnell, D. (1994). The Potential for Preventing Suicide: a review of the literature on the effectiveness of interventions aimed at preventing suicide. Bristol HCEU. University of Bristol.
- 152. Gunnell, D. and Frankel, S. (1994). Prevention of suicide: aspirations and evidence. *British Medical Journal*, (308), 1227–33.
- 153. Gunnell, D., Hawton, K., Ho, D., Evans, J., O'Connor, S., Potokar, J., Donovan, J. and Kapur, N. (2008). Hospital admissions for self–harm following psychiatric hospital discharge: cohort study. *British Medical Journal*, (337), 1331–4.
- 154. Gunnell, D., Platt, S. and Hawton, K. (2009). The economic crisis and suicide: consequences may be serious and warrant early attention. *British Medical Journal*, (338), 1456–7.
- 155. Harbour, A. (2008). *Children with Mental Disorder and the Law: a guide to law and practice*. London: Jessica Kingsley Publishers.
- 156. Harden, A., Rees, A. and Shepherd, J. (2003). Young People and Mental Health: a systematic review of research on barriers and facilitators. London: EPPI Centre.
- 157. Hargus, E., Hawton, K. and Rodham, K. (2009). Distinguishing between subgroups of adolescents who self harm. *Suicide and Life Threatening Behavior*, (39), 518–37.
- 158. Harrington, R. (2001). Depression, suicide and deliberate self–harm in adolescence. *British Medical Bulletin*, 57, 47–60.
- 159. Harrington, R., Whittaker, J., Shoebridge, P. and Campbell, F. (1998a). Systematic review of efficacy of cognitive behaviour therapies in child and adolescent depressive disorder. *British Medical Journal*, 316, 1559–63.
- 160. Harrington, R., Kerfoot, M., Dyer, E., McNiven, F., Gill, J., Harrington, V., Woodham, A. and Byford, S. (1998b). Randomised trial of a home based family intervention for children who have deliberately poisoned themselves. *Journal of the American Academy of Child Adolescent Psychiatry*, (37), 512–18.
- 161. Hawton, K. (1986). Suicide and Attempted Suicide among Children and Adolescents. Beverley Hills, CA: Sage.
- 162. Hawton, K. (1992). Trends in deliberate self poisoning and self injury in Oxford. *British Medical Journal*, (304), 1409–11.
- 163. Hawton, K. (2002). United Kingdom legislation on pack sizes of analgesics: background, rationale and effects on suicide and deliberate self harm. *Suicide and Life Threatening Behavior*, 32(3), 223–9.
- 164. Hawton, K. (2005). Prevention and Treatment of Suicidal Behaviour: from science to practice. London: Oxford University Press.
- 165. Hawton, K., Arensman, E., Townsend, E., Bremner, S., Feldman, E., Goldney, R., Gunnell, D., Hazell, P., van Heeringen, K., House, A., Owens, D.,

- Sakinofsky, I. and Träskman–Bendz, L. (1998b). Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. *British Medical Journal*, 317, 441–7.
- 166. Hawton, K., Arensman, E., Wasserman, D., Hulten, A. and Bille-Brane, U. (1998a). Relation between suicide and attempted suicide rates among young people in Europe. *Journal of Epidemiology and Community Health*, (52), 191–4.
- 167. Hawton, K., Bankcroft, J., Catalan, J., Kingston, B., Stedeford, A. and Welch, N. (1981). Domiciliary and outpatient treatment of self poisoning patients by medical and non medical staff. *Psychological Medicine* (11), 169–77.
- 168. Hawton, K. and Catalan, J. (1987). Attempted Suicide: a practical guide to its nature and management. (2nd edition). Oxford: Oxford Medical Publications.
- 169. Hawton, K. and Fagg, J. (1992). Deliberate self–poisoning and injury in adolescents: a study of characteristics and trends in Oxford 1976–89. *British Journal of Psychiatry*, 161, 816–23.
- 170. Hawton, K., Fagg, J., Simkin, S., Harris, L., Bale, E. and Bond, A. (1996). Deliberate self-poisoning and self-injury in children and adolescents under 16 years of age in Oxford 1976–93. *British Journal of Psychiatry*, (169), 202–8.
- 171. Hawton, K., Hall, S., Simkin, S., Bale, S., Bond, A., Codd, S. and Stewart, A. (2003). Deliberate self harm in adolescents: a study of characteristics and trends in Oxford, 1990–2000. *Journal of Child Psychology and Psychiatry*, 44(8), 1191–8.
- 172. Hawton, K. and Harriss, L. (2008). Deliberate self harm by under 15 year olds: characteristics, trends and outcome. *Journal of Child Psychology and Psychiatry*, 49(4), 441–8.
- 173. Hawton, K., Harriss, L., Appleby, L., Juszczak, E., Simkin, S., McDonnell, R., Amos, T., Kiernan, K. and Parrott, H. (2000). Death of the Princess of Wales and subsequent suicide and self–harm. *British Journal of Psychiatry*, (177), 463–6.
- 174. Hawton, K. and James, A. (2005). ABC of adolescence: suicide and deliberate self harm in young people. *British Medical Journal*, 330(16), 891–4.
- 175. Hawton, K. and Kirk, J. (1989). Problem solving. In Hawton, P., Salkovskis, P. and Kirk, J. (eds) *Cognitive Behaviour Therapy for Psychiatric Problems: a practical guide*. Oxford: Oxford Medical Publications.
- 176. Hawton, K., McKeown, S., Day, A., Martin, P., O'Connor, M. and Yule, J. (1987). Evaluation of outpatient counselling compared with general practitioner care following overdoses. *Psychological Medicine*, (17), 751–61.
- 177. Hawton, K., Osborn, M., O'Grady, J. and Cole, D. (1982). Adolescents who take overdoses: their characteristics, problems and contacts with helping agencies. *British Journal of Psychiatry*, (140), 118–23.

- 178. Hawton, K., Ratnayeke, L., Simkin, S., Harriss, L. and Scott, V. (2009). Evaluation of acceptability and use of lockable storage devices for pesticides in Sri Lanka that might assist in prevention of self–poisoning. *BMC Public Health*, (9), 69.
- 179. Hawton, K. and Rodham, K. (2006). By Their Own Young Hand: deliberate self harm and suicidal ideas in adolescents. London: Jessica Kingsley Publishers.
- 180. Hawton, K., Rodham, K., Evans, E. and Weatherall, R. (2002). Deliberate self harm in adolescents: self report survey in schools in England. *British Medical Journal*, (325), 1207–11.
- 181. Hawton, K. and Simkin, S. (2008). *Help is at Hand*. London. Department of Health Publications.
- 182. Hawton, K., Simkin, S. and Deeks, J. (1999). Effects of a drug overdose in a television drama on presentations to hospital for self poisoning: time series and questionnaire study. *British Medical Journal*, (318), 972–7.
- 183. Hawton, K., Sutton, L., Haw, C., Sinclair, J. and Deeks, J. (2005). Schizophrenia and suicide: systematic review of risk factors. *British Journal of Psychiatry*, 187, 9–20.
- 184. Hawton, K., Townsend, E., Deeks, J., Appleby, L., Gunnell, D., Bennewith, O. and Cooper, J. (2001). Effects of legislation restricting pack sizes of paracetamol and salicylates on self poisoning in the United Kingdom: before and after study *British Medical Journal*, (322), 1203–7.
- 185. Hepp, U., Wittmann, L. and Schnyder, U. (2004). Psychological and psychosocial interventions after attempted suicide: an overview of treatment studies. *Crisis*, (25), 108–17.
- 186. Hill, P. and Taylor, E. (2001). An auditable protocol for treating attention deficit hyperactivity disorder. *Archives of Disease in Childhood*, (84), 404–9.
- 187. Hirsch, S., Walsh, C., and Draper, R. (1982). Parasuicide: a review of treatment interventions. *Journal of Affective Disorders*, (4), 299–311.
- 188. HM Government (2008). Staying Safe: action plan. London: HMSO.
- 189. HM Inspectorate of Prisons (2007). The Mental Health of Prisoners: a thematic review of the care and support of prisoners with mental health needs. London: HMPI.
- 190. HM Treasury (2008). Safeguarding Children: the 3rd Joint Chief Inspectors Report on Arrangements to Safeguard Children. London: HMSO.
- 191. Hodkinson, P. (2002). Goth: identity, style and subculture. Oxford: Berg.
- 192. Horowitz, L., Wang, P., Koocher, G. and Burr, B. (2001). Detecting Suicide Risk in a Pediatric Emergency Department: development of a brief screening tool. *Pediatrics*, 107(5), 1133–8.

- 193. Huband, N., McMurran, M. and Evans, C. (2007). Social problem solving plus psycho education for adults with personality disorder: pragmatic randomised controlled trial. *British Journal of Psychiatry*, 190, 307–13.
- 194. Huey, S., Henggeler, S., Rowland, M., Halliday–Boykins, C., Cunningham, P. and Pickrel, S. (2004). Multi systemic therapy effects on attempted suicide by youths presenting psychiatric emergencies. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(2), 183–90.
- 195. Hurry, J. and Storey, P. (1998). *Deliberate self harm among young people*. London: Institute of Education.
- 196. Institute of Alcohol Studies. (2006). Fact sheet: adolescents and alcohol. Cambridge: IAS.
- 197. Iverson, C. (2002). Solution focused brief therapy. *Advances in Psychiatric Treatment*, (8), 149–57.
- 198. Jamieson, K. and Hawton, K. (2005). The burden of suicide and clinical suggestions for prevention. In Hawton, K. (ed) *Prevention and Treatment of Suicidal Behaviour: from science to practice*. Oxford: Oxford University Press.
- 199. Jones, D. (2003). *Communicating with Vulnerable Children: a guide for practitioners*. London: Gaskell.
- 200. Jones, M. and Jones, D. (1995). Preferred pathways of behavioural contagion. *Journal of Psychiatric Research*, (29), 193–209.
- 201. Juhnke, G. (1994). The adapted SAD PERSONS: a suicide assessment scale designed for use with children. *Elementary School Guidance and Counseling*, 30(4), 252–8.
- 202. Juhnke, G. (1996). SAD PERSONS Scale review. *Measurement in Counseling and Development*, 27(1), 325–7.
- 203. Kahan, J. and Pattison, E. (1984). Proposal for a distinctive diagnosis: the deliberate self harm syndrome. *Suicide and Life Threatening Behavior*, (14), 17–35.
- 204. Kaledienne, R., Starkuvienne, S. and Petrauskiene, J. (2006). Seasonal patterns of suicides over the period of socio—economic transition in Lithuania. *BMC Public Health*, 22(6), 40.
- 205. Kapur, N., Cooper, J. and Hiroeh, U. (2004a). Emergency department management and outcome for self–poisoning: a cohort study. *General Hospital Psychiatry*, (26), 36–41.
- 206. Kapur, N., Cooper, J., Rodway, C., Kelly, J. and Mackway—Jones, K. (2004b). Predicting the risk of repetition after self harm. *British Medical Journal*, 330(7488), 394–5.
- 207. Kapur, N., House, A. and Dodgson, K. (2002). Effect of general hospital management on repeat episodes of deliberate self harm poisoning: cohort study. *British Medical Journal*, (325), 866–7.

- 208. Kapur, N., Murphy, E., Cooper, J., Bergen, H., Hawton, K., Simkin, S., Casey, D., Horrocks, J., Lilley, R., Noble, R. and Owens, D. (2008). Psychosocial assessment following self–harm: results from the Multi Centre Monitoring of Self Harm Project. *Journal of Affective Disorders*, (106), 285–93.
- 209. Kendall–Tackett, K., Williams, L. and Finkelhor, D. (1993). Impact of sexual abuse of children: a review and synthesis of recent empirical studies. *Psychological Bulletin*, 113(1), 164–80.
- 210. Kerfoot, M. (1988). Deliberate self poisoning in childhood and early adolescence. *Journal of Child Psychology and Psychiatry*, 29, 335–43.
- 211. Kerfoot, M. (2000). Youth suicide and deliberate self harm. In Aggleton, P., Hurry, J. and Warwick, I. (eds) *Young People and Mental Health*. Chichester. John Wiley and Sons.
- 212. Kerfoot, M., Dyer, E., Harrington, V., Woodham, A. and Harrington, R. (1996). Correlates and short–term course of self–poisoning in adolescents. *British Journal of Psychiatry*, 168, 38–42.
- 213. Kerfoot, M., Dyer, E., Harrington, V., Woodham, A. and Harrington, R. (1996). Correlates and short term course of self poisoning in adolescents. *British Journal of Psychiatry*, (68), 38–42.
- 214. Kerfoot, M., Harrington, R. and Dyer, E. (1995). Brief home based intervention with young suicide attempters and their families. *Journal of Adolescence*, 18(5), 557–68.
- 215. Kessel, N. and Grossman, G. (1961). Suicide in alcoholics: alcohol and road accidents. *British Medical Journal*, (2), 1671–2.
- 216. Kienhorst, C., Wolters, W., Diekstra, R. and Otte, E. (1987). A study of the frequency of suicidal behaviour in children aged 5 to 14. *Journal of Child Psychology and Psychiatry*, (28), 153–65.
- 217. Kingsbury, S. (1993). Clinical components of suicidal intent in adolescent overdose. *Journal of American Academy of Child and Adolescent Psychiatry*, 32(3), 518–20.
- 218. Kingsbury, S. (1996). PATHOS: a screening instrument for adolescent overdose: a research note. *Journal of Psychology and Psychiatry*, (37), 609–11.
- 219. Kingsbury, S., Hawton, K., Steinhardt, D. and James, A. (1999). Do adolescents who take overdoses have specific psychological characteristics? A comparative study with psychiatric and community controls. *Journal of American Academy of Child and Adolescent Psychiatry*, 38, 1125–31.
- 220. Kingston, B., Regoli, B. and Hewitt, J. (2004). The theory of differential oppression: a developmental—ecological explanation of adolescent problem behaviour. *Critical Criminology*, 11(3), 237–60.
- 221. Kloep, M. and Hendry, L. (1999). Challenges, risks and coping in adolescence. In Messer, D. and Millar, S. (eds) *Exploring Developmental Psychology from Infancy to Adolescence*. London: Arnold.

- 222. Koerner, K. and Dimeff, L. (2000). Further data on dialectical behaviour therapy. *Clinical Psychology Science and Practice*, (7), 104–12.
- 223. Kolko, K. and Brent, D. (1988). Cognitive behavioural interventions for adolescent suicide attempters: procedures, processes and preliminary outcomes. Paper presented at the Annual Meeting of the American Psychological Association. Atlanta, August 1988.
- 224. Krietman, N. (1977). Parasuicide. London: Wiley.
- 225. Kreitman, N. (1979). Reflections on the management of parasuicide. *British Journal of Psychiatry*, (135), 275–7.
- 226. Kreitman, N. and Casey, P. (1988). Repetition of parasuicide: an epidemiological and clinical study. *British Journal of Psychiatry*, (153), 792–800.
- 227. Kroll, L., Woodham, A., Rothwell, J., Bailey, S., Tobias, C., Harrington, R. and Marshal, M. (1999). Reliability of the Salford needs assessment schedule for adolescents. *Psychological Medicine*, (29), 891–902.
- 228. Kumar, C., Mohan, R. and Ranjith, G. (2006). Characteristics of high intent suicide attempters admitted to a general hospital. *Journal of Affective Disorders*, 91(1), 77–81.
- 229. Lambert, M. and Barley, D. (2001). Research summary on the therapeutic relationship and psychotherapy outcome. *Psychotherapy*, 38(4), 357–61.
- 230. Lansdown, G. (2000). Implementing children's rights and health. *Archives of Disease in Childhood*, (83), 286–8.
- 231. Lawson, L. and Chaffin, M. (1992). False negatives in sexual abuse disclosure interviews. *Journal of Interpersonal Violence*, 7, 532–42.
- 232. Le Surf, A. and Lynch, G. (1999). Exploring young people's perceptions relevant to counselling: a qualitative study. *British Journal of Guidance and Counselling*, 27(2), 231–43.
- 233. Lefevre, S. (1996). *Killing Me Softly: self harm survival not suicide*. Gloucester: Handsell.
- 234. Leighton, S. (2006). Nursing children and young people with emotional disorders. In McDougall, T. (ed) *Child and Adolescent Mental Health Nursing*. London: Blackwell.
- 235. Leighton, S. (2007). Ethical issues in working therapeutically with vulnerable children. In Vostanis, P. (ed) *Mental Health Interventions and Services for Vulnerable Children and Young People*. London: Jessica Kingsley Publishers.
- 236. Lenhart, A., Rainie, L. and Lewis, O. (2001). Teenage life on—line: the rise of the instant message generation and the Internet's impact on friendships and family relationships. Washington, DC: Pew Internet and American Life Project.
- 237. Letham, J. (1994). Moved to Tears: moved to Action: brief therapy with women and children. London: BT Press.
- 238. Lewer, L. (2006). Nursing children and young people with eating disorders. In McDougall, T. (ed) *Child and Adolescent Mental Health Nursing*. London: Blackwell.

- 239. Lewinsohn, P., Rohde, P. and Seeley, J. (1994). Psychosocial risk factors for future adolescent suicide attempts. *Journal of Consulting and Clinical Psychology*, (62), 297–305.
- 240. Lewinsohn, P., Rohde, P. and Seeley, J. (1996). Adolescent suicidal ideation and attempts: prevalence, risk factors and clinical implications. *Clinical Psychology Science and Practice*, (3), 25–46.
- 241. Lewisohn, P., Rohde, P. and Seeley, J. (1997). Axis II psychopathology as a function of Axis I disorders in childhood and adolescence. *Journal of the American Academy of Child and Adolescent Psychiatry*, (36), 1752–9.
- 242. Liberman, R. and Eckman, T. (1981). Behaviour therapy versus insight orientated therapy for repeated suicide attempters. *Archives of General Psychiatry*, (28), 1126–30.
- 243. LifeSigns (2002). LifeSigns Fact Sheet: male self injury. Available at www. lifesigns.org.uk.
- 244. Linehan, M. (1993a). Cognitive Behavioral Therapy of Borderline Personality Disorder. New York: Guilford. (Марша М. Линехан. Когнитивно-поведенческая терапия пограничного расстройства личности, пер. с англ., ООО "Диалектика", 2019 г.)
- 245. Linehan, M. (1993b). Skills Training Manual for Treating Borderline Personality Disorder. New York: Guilford. (Марша М. Линехан. Руководство по тренингу навыков при терапии пограничного расстройства личности, пер. с англ., ООО "Диалектика", 2019 г.)
- 246. Linehan, M., Armstrong, H., Suarez, A., Allmon, D. and Heard, H. (1991). Cognitive behavioural treatment of chronically parasuicidal borderline patients. *Archives of General Psychiatry*, (48), 1060–4.
- 247. Linehan, M., Schmidt, H., Dimeff, L., Craft, J., Kanter, J., Comtois, K. and Recknor, K. (1999). Dialectical behaviour therapy for patients with borderline personality disorder and drug dependence. *American Journal on Addictions*, (8), 279–92.
- 248. Livesey, A. (2009). Self harm in adolescent inpatients. *Psychiatric Bulletin*, 33, 10–12.
- 249. Low, G., Jones, D., MacLeod, A., Power, M. and Duggan, C. (2000). Childhood trauma, dissociation and self harming behaviour: a pilot study. *British Journal of Medical Psychology*, 73, 269–78.
- 250. Lyon, J. (1997). Teenage suicide and self harm: assessing and managing risk. In Kemshall, H. and Pritchard, J. (eds) *Good Practice in Risk Assessment and Management 2: protection, rights and responsibilities.* London: Jessica Kingsley Publishers.
- 251. MacAniff, Z. and Kiselica, M. (2001). Understanding and counselling self mutilation in female adolescents and young adults. *Journal of Counselling and Development*, 79(1), 46–52.

- 252. Macgowan, M. (2004). Psychosocial treatment of youth suicide: a systematic review of the research. *Research in Social Work Practice*, May, 147–62.
- 253. MacLachlin, M. and Smyth, C. (2004). *Binge Drinking and Youth Culture: differing perspectives*. Dublin: Liffey Press.
- 254. Madge, N. (1996). Suicidal Behaviour in Children and Young People: high-light number 144. London: National Children's Bureau.
- 255. Madge, N. and Harvey, J. G. (1999). Suicide among the young the size of the problem. *Journal of Adolescence*, 22, 145–155.
- 256. Madge, N., Hewitt, A., Hawton, K., de Wilde, E., Corcoran, P., Fekete, S., van Heeringen, K., De Leo, D. and Ystgaard, M. (2008). Deliberate self harm within an international community sample of young people: comparative findings from the Child and Adolescent Self Harm in Europe (CASE) Study. *Journal of Child Psychology and Psychiatry*, 49(6), 667–77.
- 257. Marciano, P. and Kazdin, A. (1994). Self esteem, depression, hopelessness and suicidal intent among psychiatrically disturbed inpatient children. *Journal of Clinical and Child Psychology*, 23, 151–60.
- 258. Martunnen, M., Aro, J., Henriksson, M. and Lonnqvist, J. (1991). Mental disorder in adolescent suicide: DSM III:R Axes I and II diagnoses in suicides among 13–19 year olds in Finland. *Archives of General Psychiatry*, 48, 834–9.
- 259. Massie, L. (2008). Right Time, Right Place: learning from the Children's National Service Framework development initiatives for psychological wellbeing and mental health, 2005–7. London: HMSO.
- 260. Mayer, J., Salovey, P. and Caruso, D. (2008). Emotional intelligence: new ability or eclectic traits? *American Psychologist*, 63(6), 503–17.
- 261. McAuliffe, C., Corcoran, P., Keeley, H. S., Arensman, E., Bille-Brahe, U., De Leo, D., Fekete, S., Hawton, K., Hjelmeland, H., Kelleher, M., Kerkhof, A. J. F. M., Lönnqvist, J., Michel, K., Salander Renberg, E., Schmidtke, A., Van Heeringen, K. and Wasserman, D. (2006). Problem solving ability and repetition of deliberate self harm: a multicentre study. *Psychological Medicine*, (36), 45–55.
- 262. McClure, G. (1994). Suicide in children and adolescents in England and Wales. *British Journal of Psychiatry*, 165, 510–14.
- 263. McDougall, T. and Brophy, M. (2006). Truth Hurts: young people and self harm. *Mental Health Practice*, 9(9), 14–16.
- 264. McDougall, T. and Crocker, A. (2001). Referral pathways through a specialist child mental health service: the role of the specialist practitioner. *Mental Health Practice*, 5(1), 15–20.
- 265. McDougall, T. and Jones, C. (2007). Dialectical behaviour therapy for young offenders: lessons from the USA, part 2. *Mental Health Practice*, 11(2), 20–1.

- 266. McDougall, T., Pugh, K., O'Herlihey, A. and Parker, C. (2009). Young people on adult mental health wards. *Mental Health Practice*, 12(8), 16–21.
- 267. McDougall, T., Worrall-Davies, A., Hewson, L., Richardson, G. and Cotgrove, A. (2007). *Tier 4 Child and Adolescent Mental Health Services: inpatient care, day services and alternatives: an overview of Tier 4 CAMHS provision in the UK*. Child and Adolescent Mental Health.
- 268. McKay, D., Hatton, D. and McDougall, T. (2006). Substance misuse, young people and nursing. In McDougall, T. (ed) *Child and Adolescent Mental Health Nursing*. London: Blackwell.
- 269. McKenna, K. and Green, A. (2002). Relationship formation on the Internet: what's the big attraction? *Journal of Social Issues*, (58), 9–31.
- 270. McLaughlin, J., Miller, P. and Warwick, H. (1996). Deliberate self harm in adolescents: hopelessness, depression, problems and problem solving. *Journal of Adolescence*, (19), 523–32.
- 271. McLeavey, B., Daley, R., Ludgate, J. and Murray, C. (1994). Interpersonal problem solving skills training in the treatment of self–poisoning patients. *Suicide and Life Threatening Behaviour*, (24), 382–94.
- 272. Meltzer, H., Gatward, R., Goodman, R. and Ford, T. (2001). *Children and adolescents who try to harm, hurt or kill themselves*. London: ONS.
- 273. Menninger, K. (1938). Man against Himself. New York: Harcourt Brace.
- 274. Mental Health Foundation (1999). *Bright Futures*. London: Mental Health Foundation.
- 275. Mental Health Foundation and Camelot Foundation (2006). *Truth Hurts:* report of the National Inquiry into self harm among young people. London: Mental Health Foundation.
- 276. Merrill, J., Milner, G. and Owens, D. (1992). Alcohol and attempted suicide. *British Journal of Addictions*, 87(1), 83–9.
- 277. Merry, S., McDowell, H. and Hetrick, S. (2004). *Psychological and/or Educational Interventions for the Prevention of Depression in Children and Adolescents*. Cochrane Database Systematic Review: Cochrane Database.
- 278. Miller, A., Rathus, J. and Linehan, M. (2007). *Dialectical Behavior Therapy with Suicidal Adolescents*. New York: Guildford Press.
- 279. Miller, D. (1994). Women Who Hurt Themselves: a book of hope and understanding. New York: Basic Books.
- $280. \ \ MIND \ (2009). \textit{Information Booklet: MIND guide to advocacy}. \ London: MIND.$
- 281. Mitchell, P. (2006). Adolescent forensic mental health nursing. In McDougall, T. (ed) *Child and Adolescent Mental Health Nursing*. London: Blackwell.
- 282. Moore, S. and Parsons, J. (2000). A research agenda for adolescent risk taking: where do we go from here? *Journal of Adolescence*, 23, 371–6.

- 283. Morano, C., Cisler, R. and Lemerond, J. (1993). Risk Factors for Adolescent Suicidal Behaviour: loss, insufficient familial support and hopelessness. *Adolescence*, 28(1), 24–38.
- 284. Morgan, S. (2003). The Sainsbury's Centre for Mental Health. *Assessing and Managing Risk: Practitioners Handbook*. Brighton: Pavilion.
- 285. Morris, S. (2008). In harm's way. *Special Children*, June/July, (183), 3–5.
- 286. Nation, K. (2003). Developmental language disorders. In Skuse, D. (ed) *Child Psychology and Psychiatry: an Introduction*, 71–4.
- 287. National Children's Bureau (2008). *Delivering Every Child Matters in Secure Settings*. London: NCB.
- 288. National Collaborating Centre for Mental Health (2005). Depression in Children and Young People: identification and management in primary, community and secondary care. National Clinical Practice Guideline 28. London: NICE.
- 289. National Collaborating Centre for Mental Health (2009). Borderline Personality Disorder: the NICE guideline on treatment and management. National Clinical Practice Number 78. London: NCCMH.
- 290. National Collaborating Centre for Women's and Children's Health (2009). *When to Suspect Child Maltreatment.* London: NCCWCH.
- 291. National Confidential Inquiry (2009). *National Confidential Inquiry into Suicide and Homicide by People with Mental Illness*. Manchester: NCI.
- 292. National Institute for Clinical Excellence (2004a). Self-harm: The short-term physical and psychological management and secondary prevention of self-harm in primary and secondary care. National Clinical Practice Guideline 16. London: NICE.
- 293. National Institute for Clinical Excellence (2004b). Core Interventions in the Treatment and Management of Anorexia Nervosa, Bulimia Nervosa and Related Eating Disorders. National Clinical Practice Guideline 9. London: NICE.
- 294. National Institute for Health and Clinical Excellence (2008). Social and Emotional Wellbeing in Primary Education. (NICE Public Health Guidance 12). London: NICE.
- 295. National Institute for Mental Health in England (2009). *The Legal Aspects of the Care and Treatment of Children and Young People with Mental Disorder: a guide for professionals.* London: NIMHE.
- 296. Nav, A., Talbot, P., Siever, L., Frankle, W., Lombardo, I., Goodman, M., Huang, Y., Hwang, D., Slifstem, M., Curry, S., Abi–Dargham, A. and Laurell, M. (2005). Brain serotonin transport distribution in subjects with impulsive aggressivity. *American Journal of Psychiatry*, 162 (suppl.), 915–23.
- 297. Nayha, S. (1982). Autumn incidence of suicides re–examined: data from Finland by sex, age and occupation. *British Journal of Psychiatry*, (141), 512–17.

- 298. Neale, J., Worrell, M. and Randhawa, G. (2005). Reaching out: support for ethnic minorities. *Mental Health Practice*, 9(2), 12–16.
- 299. Nehls, N. (1999). Borderline personality disorder: the voice of patients. *Research in Nursing and Health*, (22), 285–93.
- 300. Neill, L. (2003). Market forces: listening to what young people want. *YoungMinds Magazine*, (62), 20–2.
- 301. NHS Centre for Reviews and Dissemination (1998). *Effective Health Care:* deliberate self harm. York: NHS CRD.
- 302. NHS Health Advisory Service (1995). Together we Stand: the commissioning, role and management of child and adolescent mental health services. London: HMSO.
- 303. NHS Health Development Agency (2002). Youth Suicide Prevention: evidence briefing. London: HDA.
- 304. NHS Health Development Agency (2004). Youth Suicide Prevention: evidence briefing. Dublin: Institute of Public Health in Ireland.
- 305. NHS Scotland (2006). Talking About Self Harm. Edinburgh: NHS Scotland.
- 306. Nock, M. (2009). Why do people hurt themselves? New insights into the nature and functions of self injury. *Current Directions in Psychological Science*, 18(2), 78–93.
- 307. Nock, M., Joiner, T., Gordon, K., Lloyd-Richardson, E. and Prinstein, M. (2009). Non suicidal self injury among adolescents: diagnostic correlates and relation to suicide attempts. *Psychiatry Research*, 144(1), 65–72.
- 308. Nolan, B., O'Connell, P. and Whelan, C. (2001). Bust to boom? the Irish experience of growth and inequality. Dublin: Economic and Social Research Institute/Institute of Public Administration.
- 309. Norris, M., Boydell, K. Pinhas, L. and Katzman, D. (2006). Ana and the Internet: a review of pro–anorexia websites. *International Journal of Eating Disorders*, 39, 443–7.
- 310. Northern Ireland Association for Mental Health and Sainsbury Centre for Mental Health (2004). *Counting the Cost.* Belfast: NIAMH and SCMH.
- 311. Northern Ireland Statistics and Research Agency (2002). *Northern Ireland Census 2001*. Belfast: NISRA.
- 312. Nottingham repeat self harm group for young people (2009). Group exercise. March 2009.
- 313. NSPCC (2007). Self Harm: a ChildLine information sheet. London: NSPCC.
- 314. NSPCC (2008a). ChildLine Casenotes: children talking to ChildLine about bullying. London NSPCC.
- 315. NSPCC (2008b). Gillick Competency or Fraser Guidelines: an overview. London: NSPCC.
- 316. NSPCC (2009). Young People who Self Harm: implications for public health practitioners child protection research briefing. London: NSPCC.

- 317. O'Driscoll, M. and Holden, N. (2002). Suicidal Behaviour: awareness and good practice guidelines. Nottinghamshire: Nottingham Healthcare NHS Trust.
- 318. O'Dwyer, F., D'Alton, A. and Pearce, J. (1991). Adolescent self harm patients: audit of assessment in an accident and emergency department. *British Medical Journal*, 303, 629–30.
- 319. Office for National Statistics (2006). *Children and Adolescents who try to Harm, Hurt or Kill Themselves.* London: ONS.
- 320. Oldershaw, A., Richards, C., Simic, M. and Schmidt, U. (2008). Parent's perspectives on adolescent self–harm: qualitative study. *British Journal of Psychiatry*, (193), 140–4.
- 321. Otto, U. (1972). Suicidal acts by children and adolescents: a follow up study. *Acta Psychiatrica Scandinavica*, 233 (suppl.).
- 322. Ougrin, D., Ng, A. and Zundel, T. (2009). *Self Harm in Young People: a therapeutic assessment manual.* London: Hodder.
- 323. Owens, D., Horrocks, J. and House, A. (2002). Fatal and non fatal repetition of self harm. *British Journal of Psychiatry*, (181), 193–9.
- 324. Palmer, L. Blackwell, M. and Stevens, P. (2007). Service User's Experiences of Emergency Services Following Self Harm: a national survey of 509 patients. London: College Centre for Quality Improvement: Royal College of Psychiatrists.
- 325. Pao, P. (1969). The syndrome of delicate self cutting. *British Journal of Medical Psychology*, 42, 195–206.
- 326. PAPYRUS (2008). Action for Safety on the Internet: the prevention of young suicide. Burnley: PAPYRUS.
- 327. Partonen, T., Haukka, J., Nevanlinna, H. and Lonnqvist, J. (2004). Analysis of the seasonal pattern in suicide. *Journal of Affective Disorders*, 81(2), 133–9.
- 328. Pattison, C. and Kahan, J. (1983). The deliberate self harm syndrome. *American Journal of Psychiatry*, (140), 867–72.
- 329. Payne, H. and Butler, I. (2003). Promoting the Mental Health of Children in Need. *Research in Practice*. January.
- 330. Pembroke, L. (1994). *Self Harm: survivors speak out*. London: Survivors Speak Out.
- 331. Perry, S., Cooper, A. and Michels, R. (1987). The psychodynamic formulation. *American Journal of Psychiatry*, 144, 543–50.
- 332. Perseius, K., Ojehagen, A. and Ekdahl, S. (2003). Treatment of suicidal and deliberate self–harming patients with borderline personality disorder using dialectical behavioral therapy: the patients' and the therapists' perceptions. *Archives of Psychiatric Nursing*, (17), 218–27.

- 333. Pfeffer, C., Klerman, G., Hunt, S., Lesser, M., Peskin, J. and Siefker, A. (1991). Suicidal children grown up: demographic and clinical risk factors for adolescent suicide attempts. *Journal of the American Academy of Child and Adolescent Psychiatry*, (30), 609–16.
- 334. Pfeffer, C., Klerman, G., Hurt, S., Kakurma, T., Peskin, J. and Siefker, C. (1993). Suicidal children grown up: rates and psychological risk factors for attempts during follow—up. *Journal of American Academy of Child and Adolescent Psychiatry*, (32), 106–13.
- 335. Phillips, D. (1974). The influence of suggestions on suicide: substantive and theoretical implications of the Werther Effect. *American Sociological Review*, (39), 340–54.
- 336. Phillips, D. (1982). The impact of fictional television stories on US adult fatalities: new evidence on the effect of the mass media on violence. *American Journal of Sociology*, (87), 1340–59.
- 337. Pierce, D. (1997). Suicidal intent in self injury. *British Journal of Psychiatry*, (130), 377–85.
- 338. Plant, M. and Plant, M. (1992). *Risk Takers: alcohol, drugs, sex and youth.* London: Routledge.
- 339. Platt, S., Bille–Brahe, U., Kerkhoff, J., Schmidtke, A., Bjerke, T., Crepet, P., De Leo, D., Haring, C., Lonnqvist, J. and Michel, K. (1992). Parasuicide in Europe: the WHO/EURO multi centre study on parasuicide 1. Introduction and preliminary analysis for 1989. *Acta Psychiatrica Scandinavica*, 85(2) 97–104.
- 340. Ploeg, J., Ciliska, D. and Dobbins, M. (1996). A systematic overview of adolescent suicide prevention programs. *Canadian Journal of Public Health*, (87), 319–24.
- 341. Press Complaints Commission Code of Practice. Clause 5. London: PCC.
- 342. Princes Trust (2009). *The Princes Trust YouGov Youth Index*. London: Princes Trust.
- 343. Pritchard, C. (1995). Suicide The Ultimate Rejection? A psychosocial study. Buckingham: Open University Press.
- 344. Pryjmachuk, S. and Trainor, G. (forthcoming 2010). Helping young people who self–harm: perspectives from England. *Journal of Child and Adolescent Psychiatric Nursing*, 23(2).
- 345. Public Health Institute of Scotland (2003). Scottish Needs Assessment report on Child and Adolescent Mental Health. Glasgow: PHIS.
- 346. Pugh, K., McHugh, A. and McKinstrie, F. (2006). *Two steps forward, one step back?* 16–25 year olds on their journey to adulthood. London: YoungMinds.
- 347. Raby, C. and Raby, S. (2008). Risk and resilience in childhood. In Jackson, C., Hill, K. and Lavis, P. (eds) *Child and Adolescent Mental Health Today: a handbook.* London: Mental Health Foundation/Pavilion/YoungMinds.

- 348. Raleigh, V. and Balajaran, R. (1992). Suicide and self burning among Indians and West Indians in England and Wales. *British Journal of Psychiatry*, 129, 365–8.
- 349. Raphael, H., Clarke, G. and Kumar, S. (2006). Exploring parent's responses to their child's deliberate self harm. *Health Education*, 106(1), 9–20.
- 350. Rettestol, N. (1993). Death due to overdose of antidepressants: experiences from Norway. *Acta Psychiatrica Scandinavica Supplementum*, (371), 28–32.
- 351. Reynolds, W. and Mazza, J. (1993). Evaluation of suicidal behaviour in adolescents. Reliability of the suicidal behaviour interview. Unpublished manuscript.
- 352. Rhodes, J. and Ajmal, Y. (2004). Solution Focused Thinking in Schools: behaviour, reading and organisation. London: BT Press.
- 353. Rodham, K., Brewer, H., Mistral, W. and Stallard, P. (2006). Adolescent perceptions of risk and challenge: a qualitative study. *Journal of Adolescence*, (29), 261–72.
- 354. Rohde, P. (2005). Cognitive—behavioral treatment for depression in adolescents. *Journal of Indian Child and Adolescent Mental Health* [online journal], 1(1). Available at http://www.jiacam.org/0101/jiacam05\_1\_6.pdf. Accessed March 2009.
- 355. Romans, S., Martin, J., Anderson, J., Herbison, G. and Mullen, P. (1995). Sexual abuse in childhood and deliberate self harm. *American Journal of Psychiatry*, (152), 1336–42.
- 356. Rosen, P. and Walsh, B. (1989). Patterns of contagion in self mutilation epidemics. *American Journal of Psychiatry*, (146), 656–8.
- 357. Ross, S. and Heath, N. (2002). A study of the frequency of self mutilation in a community sample of adolescents. *Journal of Youth and Adolescence*, 31(1), 67–77.
- 358. Rossow, I., Hawton, K. and Ystgaard, M. (2009). Cannabis use and deliberate self harm in adolescence: a comparative analysis of associations in England and Norway. *Archives of Suicide Research*, (13), 340–8.
- 359. Rossow, I., Ystgaard, M., Hawton, K., Madge, N., Van Heeringen, K., de Wilde, E. J., De Leo, D., Fekete, S. and Sullivan, C. (2007). Cross national comparisons of the association between alcohol consumption and deliberate self harm in adolescents. *Suicide and Life Threatening Behavior*, (37), 605–15.
- 360. Royal College of Paediatrics and Child Health (2003). *Bridging the Gaps: health care for adolescents. Report number CR114*. London: RCPCH.
- 361. Royal College of Psychiatrists (1998). *Managing Deliberate Self Harm in Young People. CR64*. London: RCP.
- 362. Royal College of Psychiatrists (2004a). *Mental Health and Growing Up. Fact Sheet 17: domestic violence: its effects on children.* London: RCP.
- 363. Royal College of Psychiatrists (2004b). Assessment Following Self Harm in Adults. Council Report CR122. London: Royal College of Psychiatrists.

- 364. Royal College of Psychiatrists (2006). Better Services for People who Self Harm: quality standards for healthcare professionals. London: College Research and Training Unit (CRTU).
- 365. Ryan, N. (2005). Treatment of depression in children and adolescents. *Lancet*, (366), 933–40.
- 366. Ryan, N. and McDougall, T. (2008). *Nursing Children and Young People with ADHD*. London: Routledge.
- 367. Sakinofsky, I. (2000). Repetition of suicidal behaviour. In Hawton, K. and van Heeringen, K. (eds) *International Handbook of Suicide and Attempted Suicide*. Chichester: Wiley.
- 368. Salkovskis, P., Atha, C. and Storer, D. (1990). Cognitive behaviour problem solving in the treatment of patients who repeatedly attempt suicide: a controlled trial. *British Journal of Psychiatry*, (157), 871–6.
- 369. Samaritans (2008). *Media guidelines for reporting suicide and self-harm*. London: Samaritans.
- 370. SANE (2007). Self Harm. London: SANE.
- 371. SANE (2008). Understanding self harm report, by Horne, O. and Paul, S. Available at http://www.sane.org.uk/files/PDF/Research/Under standingself harm.pdf.
- 372. Sankey, M. and Lawrence, R. (2005). Brief Report: classification of adolescent suicide and risk-taking deaths. *Journal of Adolescence*, (28), 781–5.
- 373. Sansone, R. and Levitt, J. (2002). Self harm behaviors among those with eating disorders: an overview. Eating Disorders: *The Journal of Treatment and Prevention*, 10(3), 205–13.
- 374. Santa Mina, E. and Gallop, R. (1998). Childhood sexual and physical abuse and adult self harm and suicidal behaviour: a literature review. *Canadian Journal of Psychiatry*, (43), 793–800.
- 375. Saunders, L. and Broad, B. (1997). *The Health Needs of Young People Leaving Care*. Leicester: Leicester University Press.
- 376. Scheidinger, S. and Aronson, S. (1991). Group psychotherapy of adolescents. In Slommowitz, M. (ed) *Adolescent psychotherapy: clinical practice*. Washington, DC: American Psychiatric Press.
- 377. Schmidtke, A., Bille–Brahe, U., Deleo, D., Kerkhof, A., Bjerke, T., Crepet, P., Haring, C., Hawton, K., Lonnqvist, J., Michel, K., Pommerau, X., Querejeta, I., Phillipe, I., Salander–Renberg, E., Temesvary, B., Wasserman, D., Fricke, S., Weinacker, B. and Sampaio–Faria, J. (1996). Attempted suicide in Europe: rates, trends and socio–demographic characteristics of suicide attempters during the period 1989–92. Results of the WHO/EURO Multicentre Study on Parasuicide. *Acta Psychiatrica Scandinavica*, (93), 327–38.

- 378. Schotte, C. and Clum, G. (1987). Problem solving skills in suicidal psychiatric patients. *Journal of Consulting and Clinical Psychology*, 55(1), 49–54.
- 379. Schreidman, E. (1993). Suicide as Psychache. New York: Wiley.
- 380. Scottish Development Centre for Mental Health and the Camelot Foundation (2005). Building the Strengths Within: improving support for young people from black and ethnic minority groups and communities who self harm or are at risk of self harm. Edinburgh: SDC.
- 381. Scottish Executive (2002a). *Choose Life: a national strategy and action plan to prevent suicide in Scotland*. Edinburgh: Scottish Executive.
- 382. Scottish Executive (2002b). Its Everyone's Job to Make Sure I'm Alright: report of the child protection and audit review. Edinburgh: The Stationery Office.
- 383. Scottish Executive (2008). Effectiveness of Interventions to Prevent Suicide and Suicidal Behaviour: a systematic review. Edinburgh: Scottish Government Social Research.
- 384. Seinfeld, J. (1996). Containing Rage, Terror and Despair: an object relations approach to psychotherapy. London: Aronson.
- 385. Sellen, J. (2008). Attitudes matter: working with children and young people who self harm. In Jackson, C., Hill, K. and Lavis, P. (eds) *Child and Adolescent Mental Health Today: a handbook*. London: Pavilion.
- 386. Senior, R. (2003). Family and Group Therapies. In Skuse, D. (ed) *Child Psychology and Psychiatry: an introduction*, 165–8.
- 387. Shaffer, D. (1974). Suicide in childhood and early adolescence. *Journal of Child Psychology and Psychiatry*, (15), 275–91.
- 388. Shaffer, D., Gould, M. and Brasic, J. (1983). Children's Global Assessment Scale (CGAS). *Archives of General Psychiatry*, (40), 1228–31.
- 389. Sharland, E., Seal, H. and Croucher, M. (1996). *Professional Intervention in Child Sexual Abuse*. London: HMSO.
- 390. Sheldrick, C. (1999). Practitioner review: the assessment and management of risk in adolescents. *Journal of Child Psychology and Psychiatry*, (40), 507–18.
- 391. Simeon, D. and Favazza, A. (2007). Self injurious behaviours, phenomenology and assessment. In Simeon, D. and Hollander, E. (eds) *Self Injurious Behaviours: assessment and treatment*. Washington, DC: American Psychiatric Association.
- 392. Sinclair, J. M. A., Gray, A. and Hawton, K. (2006). Systematic review of resource utilization in the short term management of deliberate self harm. *Psychological Medicine*, (36), 1681–94.
- 393. Sinclair, J. and Green J. (2005). Understanding resolution of deliberate self harm: qualitative interview study of patient's experiences. *British Medical Journal*, 330, 1112–16.

- 394. Singh, S. (2009). Transition from CAMHS to Adult Mental Health Services (TRACK): a study of service organisation, policies, process and user and carer perspectives: executive summary for the National Coordinating Centre for NHS Service Delivery and Organisation R&D (NCCSDO). London: HMSO.
- 395. Singleton, N., Meltzer, H. and Gatward, R. (1998). *Psychiatric Morbidity of Prisoners in England and Wales*. London: TSO.
- 396. Skegg, K. (2005). Self harm. The Lancet, 366(9495), 1471-83.
- 397. Smallridge, P. and Williamson, A. (2008). *Independent Review of Restraint in Juvenile Secure Settings*. London: HMSO.
- 398. Smith, G., Cox, D. and Saradjian, J. (1998). Women and self harm. London: Women's Press.
- 399. Smith, K. and Leon, L. (2001). Turned Upside Down: developing community based crisis services for 16–25 year olds experiencing a mental health crisis. London: Mental Health Foundation.
- 400. Smith, S. (2002). Perceptions of service provision for clients who self–injure in the absence of expressed suicidal intent. *Journal of Psychiatric and Mental Health Nursing*, 9(5), 595–601.
- 401. Social Care Institute for Excellence (2005). SCIE Research Briefing 16: deliberate self harm (DSH) among children and adolescents: who is at risk and how is it recognised? London: SCIE.
- 402. Spandler, H. (1996). Who's hurting who? young people, self harm and suicide. Manchester: 42nd St.
- 403. Spandler, H. (2001). Who's hurting who? young people, self harm and suicide. (2nd edition). Gloucester: Handsell.
- 404. Spandler, H. and Warner, S. (2007). Beyond Fear and Self Control: working with young people who self harm. Ross—on—Wye: PCSS Books.
- 405. Speckens, A. and Hawton, K. (2005). Social problem solving in adolescents with suicidal behaviour: a systematic review. *Suicide and Life Threatening Behavior*, (35), 365–87.
- 406. Spirito, A., Brown, L., Overholser, J. and Fritz, G. (1989). Attempted suicide in adolescence: a review and critique of the literature. *Clinical Psychology Review*, (9), 335–63.
- 407. Stanard, R. (2000). Assessment and treatment of adolescent depression and suicidality. *Journal of Mental Health Counselling*, 22(3), 204–17.
- 408. Stirn, A. and Hinz, A. (2008). Tattoos, body piercings and self injury: is there a connection? Investigations on a core group of participants practicing body modification. *Psychotherapy Research*, 18(3), 326–33.
- 409. Subrahmanyam, K., Greenfield, P. and Tynes, B. (2004). Constructing sexuality and identity in an online teen chat room. *Journal of Applied Developmental Psychology*, (25), 651–66.

- 410. Suyemoto, K. (1998). The functions of self–mutilation. *Clinical Psychology Review*, 18(5), 531–554.
- 411. Tameside Children and Young People Strategic Partnership. *Parent Power:* a strategy for supporting and involving parents in Tameside. Tameside: Tameside Metropolitan Borough Council.
- 412. Taylor, S., Rider, I., Turkington, D., MacKenzie, J. and Garside, M. (2006). Does a specialist team impact on repetition rates and discharge outcomes following the first episode of self harm? *Mental Health Practice*, 9(7), 30–2.
- 413. Taylor, T. L., Hawton, K., Fortune, S. and Kapur, N. (2009). Attitudes towards clinical services among people who self harm: systematic review. *British Journal of Psychiatry*, (194), 104–10.
- 414. Thomas—Boyce, W. and Ellis, B. (2005). Biological sensitivity to context: an evolutionary—developmental theory of the origins and function of stress reactivity. *Developmental Psychopathology*, 17, 271–301.
- 415. Thomas, P., Schroeter, K., Dahmee, B. and Nutzinger, D. (2002). Self injurious behaviour in women with eating disorders. *American Journal of Psychiatry*, 159, 408–11.
- 416. Thompson, E., Eggert, L. and Herting, J. (2000). Mediating effects of an indicated prevention programme for reducing youth depression and suicide risk behaviours. *Suicide and Life Threatening Behaviour*, (30), 252–71.
- 417. Timimi, S. (2007). Should young people be given antidepressants? No. *British Medical Journal*, 335, 750.
- 418. Torhorst, A., Moller, H., Burk, F., Kurz, A., Wachtler, C. and Lauter, H. (1987). The psychiatric management of parasuicide patients: a controlled clinical study comparing different strategies for outpatient treatment. *Crisis*, (8), 53–61.
- 419. Townsend, E., Hawton, K., Altman, D., Arensman, E., Gunnell, D., Hazell. P., House, A. and van Heeringen, K. (2001). The efficacy of problem solving treatments after deliberate self harm: meta–analysis of randomised controlled trials with respect to depression, hopelessness and improvement in problems. *Psychological Medicine*, 31(6), 979–88.
- 420. Turvill, J., Burroughs, A. and Moore, K. (2000). Change in occurrence of paracetamol overdose in UK after introduction of blister packs. *Lancet*, (355), 2048–9.
- 421. UNICEF (2007). An Overview of Child Wellbeing in Rich Countries: a comprehensive assessment of the lives and well-being of children and adolescents in the economically advanced nations. UNICEF: Florence.
- 422. United States Department of Health and Human Services (1981). *Health: United States DHSS.* Myatsville, Maryland.
- 423. Utting, W. (1997). People like Us: the report of the review of safeguards for children living away from home. London: TSO.

- 424. Vajda, J. and Steinbeck, K. (1999). Factors associated with repeat suicide attempts among adolescents. *Australian and New Zealand Journal of Psychiatry*, (34), 437–45.
- 425. van der Sande, R., van Rooijen, E., Buskens, E., Allart, E., Hawton, K. and van der Graaf, Y. (1997). Intensive patient and community intervention versus routine care after attempted suicide: a randomised controlled trial. *British Journal of Psychiatry*, (171), 35–41.
- 426. van Heeringen, C., Jannes, S., Buylaert, H., Hendrick, H., de Banquer, D. and van Remoortel, J. (1995). The management of non compliance with referral to outpatient after care among attempted suicide patients: a controlled intervention study. *Psychological Medicine*, (25), 963–70.
- 427. Walsh, B. (2006). *Treating Self Injury: a practical guide*. New York: Guilford Press.
- 428. Walsh, B. and Rosen, P. (1988). *Self Mutilation: theory, research and treatment.* New York; Guilford.
- 429. Waterhouse, J. and Platt, S. (1990). General hospital admission in the management of parasuicide. *British Journal of Psychiatry*, (156), 236–42.
- 430. Webb, L. (2002). Deliberate self–harm in adolescence: a systematic review of psychological and psychosocial factors. *Journal of Advanced Nursing*, 38 (3), 235–44.
- 431. Weinberg, I., Gunderson, J. and Hennen, J. (2006). Manual assisted cognitive treatment for deliberate self harm in borderline personality disorder patients. *Journal of Personality Disorders*, (20), 482–92.
- 432. Wells, J., Barlow, J. and Stewart–Brown, S. (2003). A systematic review of universal approaches to mental health promotion in schools. *Health Education*, 103, 197–220.
- 433. Welsh Assembly Government (2008). Talk to Me: a national action plan to reduce suicide and self harm in Wales 2008–13. Cardiff: Welsh Assembly Government.
- 434. Welsh Office (1997). The Health of Children in Wales. Cardiff: Welsh Office.
- 435. Welu, T. (1977). A follow up programme for suicide attempters: evaluation of effectiveness. *Suicide and Life Threatening Behaviour*, (7), 17–30.
- 436. Whitlock, J., Powers, J. and Eckenrode, J. (2006). The virtual cutting edge: the Internet and adolescent self injury. *Developmental Psychology*, 42(3), 1–11.
- 437. Whittington, C., Kendall, T., Fonagy, P., Cottrell, D., Cotgrove, A. and Boddington, E. (2004). Selective serotonin reuptake inhibitors in child-hood depression: systematic review of published versus unpublished data. *Lancet*, 363, 1341–5.
- 438. Whotton, E. (2002). What to do when an adolescent self harms. *Emergency Nurse*, 10(5), 12–16.

- 439. Williams, R. (2008). Resilience and risk in children and young people. In Jackson, C., Hill, K. and Lavis, P. (eds) *Child and Adolescent Mental Health Today: a handbook*. London: Mental Health Foundation/Pavilion/YoungMinds.
- 440. Winchel, R. and Stanley, M. (1991). Self injurious behaviour: a review of the behaviour and biology of self mutilation. *American Journal of Psychiatry*, (148), 306–17.
- 441. Windfhur, K. (2008). Suicides in juveniles and adolescents in the United Kingdon. *Journal of Child Psychology and Psychiatry*, (49), 1155–65.
- 442. Windfhur, K. (2009). Issues in designing, implementing and evaluating suicide prevention strategies. *Psychiatry*, 8(7), 272–5.
- 443. Winnicott, D. W. (1965) [2001]. *The Family and Individual Development*. East Sussex: Brunner–Routledge.
- 444. Wolpert, M., Fuggle, P., Cottrell, D., Fonagy, P., Phillips, J., Pilling, S., Stein, S. and Target, M. (2006). *Drawing on the Evidence: advice for mental health professionals working with children and adolescents*. London: CAMHS Publications.
- 445. Wood, A. J., Harrington, R. C., Moore, A. (1996). Controlled trial of a brief cognitive behavioural intervention in adolescent patients with depressive disorders. *Journal of Child Psychology and Psychiatry*, 37, 737–46.
- 446. Wood, A., Trainor, G., Rothwell, J., Moore, A. and Harrington, R. (2001). A randomized controlled trial of group therapy for repeated deliberate self–harm in adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, (40), 1246–53.
- 447. Woodroffe, C., Glickman, M., Barker, M. and Power, C. (1993). *Young Persons, Teenagers and Health: key data*. Buckingham: Open University Press.
- 448. Woolley, I. (2006). Treatment interventions for children and young people with mental health problems. In McDougall, T. (ed) *Child and Adolescent Mental Health Nursing*. London: Blackwell Publishing.
- 449. World Health Organization (1993). The ICD-10 Classification of Mental and Behavioural Disorders: clinical descriptions and diagnostic guidelines. Geneva: WHO.
- 450. World Health Organization (1997). Child Mental Health and Psychosocial Development: technical report series 613. Geneva: WHO.
- 451. World Health Organization (2000a). Preventing Suicide: a resource for media professionals. Geneva: WHO.
- 452. World Health Organization (2000b). Preventing Suicide: a resource for health care professionals. Geneva: WHO.
- 453. World Health Organization (2009). European Health for All Database (HFA-DB). Geneva: WHO.

- 454. Worrall, A., Boylan, J. and Roberts, D. (2008). *Children's and Young People's Experiences of Domestic Violence Involving Adults in a Parenting Role*. London: Social Care Institute for Excellence.
- 455. Wright, B. and Richardson, G. (2003). In Richardson, G. and Partridge, I. (eds) *Child and Adolescent Mental Health Services: an operational handbook*. London: Gaskell.
- 456. Yates, T. (2004). The developmental psychopathology of self injurious behavior: compensatory regulation in posttraumatic adaptation. *Clinical Psychological Review*, (24), 35–74.
- 457. Yip, P. S. F., Fu, K. W., Yang, K. C. T., Ip, B. Y. T., Chan, C. L. W., Chen, E. Y. H., Less, D. T. S., Law, F. Y. W. and Hawton, K. (2006). The effects of a celebrity suicide on suicide rates in Hong Kong. *Journal of Affective Disorders*, (93), 245–52.
- 458. Young, D. and Gunderson, J. (1995). Family images of borderline adolescents. *Psychiatry*, 58, 164–72.
- 459. Young, R., Sweeting, H. and West, P. (2006). Prevalence of deliberate self harm and attempted suicide within contemporary Goth youth subculture: longitudinal cohort study. *British Medical Journal*, 332, 1058–61.
- 460. Young, R., van Beinum, M., Sweeting, H. and West, P. (2007). Young people who self harm. *British Journal of Psychiatry*, 191, 44–9.
- 461. Young Minds (1999). *Mental Health in Children and Young People: spotlight* (No. 1 in a series of briefing papers). London: Young Minds.
- 462. YoungMinds (2006). See Beyond the Label: empowering young people who self harm: a training manual. London: YoungMinds.
- 463. YoungMinds (2008). See Beyond the Label. London: YoungMinds.
- 464. Young Minds (2009). *Poll reveals young people are still not getting support:* press release. London: Young Minds.
- 465. Youth Justice Board (2006). Health Needs Assessment for Young Women in Young Offender Institutions. London: YJB.
- 466. Ystgaard, M., Arensman, E., Hawton, K., Madge, N., Van Heeringen, K., Hewitt, A., de Wilde, E. J., De Leo, D. and Fekete, S. (2009). Deliberate self harm in adolescents: comparison between those who receive help following self harm and those who do not. *Journal of Adolescence*, (32), 875–91.
- 467. Zahl, D. and Hawton, K. (2004). Repetition of deliberate self harm and subsequent follow up study in 11,583 patients. *British Journal of Psychiatry*, 185, 70–5.
- 468. Zigmund, A. and Snaith, R. (1983). The Hospital Anxiety and Depression Rating Scale. *Acta Scandinavica Psychiactrica*, (67), 361–70.
- 469. Zimmerman, T., Jacobson, R., MacIntyre, Y. and Watson, C. (1996). Solution Focused Parenting Groups: an empirical study. *Journal of Family Therapy*, 19, 159–72.