

Список литература

1. Abramowitz, J. S. (1996). Variants of exposure and response prevention in the treatment of obsessive-compulsive disorder: A meta-analysis. *Behavior Therapy*, 27, 583–600.
2. Abramowitz, J. S. (1997). Effectiveness of psychological and pharmacological treatments for obsessive-compulsive disorder: A quantitative review. *Journal of Consulting and Clinical Psychology*, 65(1), 44–52.
3. Abramowitz, J. S., & Foa, E. B. (2000). Does major depressive disorder influence outcome of exposure and response prevention for OCD? *Behavior Therapy*, 31(4), 795–800.
4. Abramowitz, J. S., Foa, E. B., & Franklin, M. E. (2003). Exposure and ritual prevention for obsessive-compulsive disorder: Effectiveness of intensive versus twice-weekly treatment sessions. *Journal of Consulting and Clinical Psychology*, 71, 394–398.
5. Abramowitz, J. S., Franklin, M. E., & Foa, E. B. (2002). Empirical status of cognitive-behavioral therapy for obsessive-compulsive disorder: A meta-analytic review. *Romanian Journal of Cognitive and Behavioral Psychotherapies*, 2(2), 89–104.
6. Abramowitz, J. S., Franklin, M. E., Street, G. P., Kozak, M. J., & Foa, E. B. (2000). Effects of comorbid depression on response to treatment for obsessive-compulsive disorder. *Behavior Therapy*, 31(3), 517–528.
7. Abramowitz, J. S., Taylor, S., & McKay, D. (2009). Obsessive-compulsive disorder. *The Lancet*, 374, 491–499.
8. Abramson, L. Y., Metalsky, G. I., & Alloy, L. B. (1989). Hopelessness depression: A theory-based subtype of depression. *Psychological Review*, 96, 358–372.
9. Abramson, L. Y., Seligman, M. E. P., & Teasdale, J. (1978). Learned helplessness in humans: Critique and reformulation. *Journal of Abnormal Psychology*, 87, 49–74.
10. Aderka, I. M. (2009). Factors affecting treatment efficacy in social phobia: The use of video feedback and individual vs. group formats. *Journal of Anxiety Disorders*, 23, 12–17.
11. Adler, D. A., McLaughlin, T. J., Rogers, W. H., Chang, H., Lapitsky, L., & Lerner, D. (2006). Job performance deficits due to depression. *American Journal of Psychiatry*, 163, 1569–1576.
12. Akiskal, H. S. (1995). Mood disorders. In H. I. Kaplan & B. J. Sadock (Eds.), *Comprehensive textbook of psychiatry* (6th ed., Vol. 1, 1067–1078). Baltimore: Williams & Wilkins.
13. Albert, U., Aguglia, E., Maina, G., & Bogetto, F. (2002). Venlafaxine versus clomipramine in the treatment of obsessive-compulsive disorder: A preliminary

- single-blind, 12-week, controlled study. *Journal of Clinical Psychiatry*, 63(11), 1004–1009.
14. Allen, L. B., & Barlow, D. H. (2006). Treatment of panic disorder: Outcomes and basic processes. In B. O. Rothbaum (Ed.), *Pathological anxiety: Emotional processing in etiology and treatment*, 166–180. New York: Guilford Press.
 15. Alloy, L. B., Abramson, L. Y., Gibb, B. E., Crossfield, A. G., Pieracci, A. M., Spasojevic, J., et al. (2004). Developmental antecedents of cognitive vulnerability to depression: Review of findings from the Cognitive Vulnerability to Depression Project. *Journal of Cognitive Psychotherapy*, 18(2), 115–133.
 16. Alloy, L. B., Abramson, L. Y., Safford, S. M., & Gibb, B. E. (2006). The Cognitive Vulnerability to Depression (CVD) Project: Current findings and future directions. In L. B. Alloy & J. H. Riskind (Eds.), *Cognitive vulnerability to emotional disorders*, 33–61. Mahwah, NJ: Erlbaum.
 17. Alloy, L. B., Abramson, L. Y., Smith, J. M., Gibb, B. E., & Neeren, A. M. (2006). Role of parenting and maltreatment histories in unipolar and bipolar mood disorders: Mediation by cognitive vulnerability to depression. *Clinical Child and Family Psychology Review*, 9(1), 23–64.
 18. American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text rev.). Washington, DC: Author.
 19. Andersen, K., Lolk, A., Kragh-Sørensen, P., Petersen, N. E., & Green, A. (2005). Depression and the risk of Alzheimer disease. *Epidemiology*, 16(2), 233–238.
 20. Anderson, P., Rothbaum, B. O., & Hodges, L. F. (2003). Virtual reality exposure in the treatment of social anxiety. *Cognitive and Behavioral Practice*, 10, 240–247.
 21. Anderson, R. A., & Rees, C. S. (2007). Group versus individual cognitive-behavioural treatment for obsessive-compulsive disorder: A controlled trial. *Behaviour Research and Therapy*, 45(1), 123–137.
 22. Angst, J. (1993). Comorbidity of anxiety, phobia, compulsion and depression. *International Clinical Psychopharmacology*, 8, 21–25.
 23. Angst, J., & Vollrath, M. (1991). The natural history of anxiety disorders. *Acta Psychiatrica Scandinavica*, 84(5), 446–452.
 24. Antai-Otong, D. (2008). The art of prescribing: Social anxiety disorder: Characteristics, course, and pharmacological management prevalence. *Perspectives in Psychiatric Care*, 44, 48–53.
 25. Antony, M. M., & Barlow, D. H. (2002). Specific phobias. In D. Barlow (Ed.), *Anxiety and its disorders: The nature and treatment of anxiety and panic* (2nd ed., 380–417). New York: Guilford Press.

26. Antony, M. M., Downie, F., & Swinson, R. P. (1998). Diagnostic issues and epidemiology in obsessive-compulsive disorder. In R. P. Swinson, M. M. Antony, S. Rachman, & M. A. Richter (Eds.), *Obsessive-compulsive disorder: Theory, research, and treatment*, 3–32. New York: Guilford Press.
27. Arntz, A., Hildebrand, M., & van den Hout, M. (1994). Overprediction of anxiety and disconfirmatory processes in anxiety disorders. *Behaviour Research and Therapy*, 32, 709–722.
28. Arntz, A., Rauner, M., & van den Hout, M. (1995). “If I feel anxious, there must be danger”: Exconsequential reasoning in inferring danger in anxiety disorders. *Behavior Research and Therapy*, 33, 917–925.
29. Ball, S. G., Baer, L., & Otto, M. W. (1996). Symptom subtypes of obsessive-compulsive disorder in behavioural treatment studies: A quantitative review. *Behaviour Research and Therapy*, 34(1), 47–51.
30. Balon, R. (1999). Fluvoxamine for phobia of storms. *Acta Psychiatrica Scandinavica*, 100, 244–246.
31. Bandelow, B., Zohar, J., Hollander, E., Kasper, S., & Moller, H. (2008). World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the pharmacological treatment of anxiety, obsessive-compulsive, and post-traumatic stress disorders: First revision. *World Journal of Biological Psychiatry*, 9, 248–312.
32. Bandura, A. (1977). *Social learning theory*. Englewood Cliffs, NJ: Prentice-Hall.
33. Barlow, D. H. (1990). Long-term outcome for patients with panic disorder treated with cognitive-behavioral therapy. *Journal of Clinical Psychiatry*, 51, 17–23.
34. Barlow, D. H. (2000). Unraveling the mysteries of anxiety and its disorders from the perspective of emotion theory. *American Psychologist*, 55(11), 1247–1263.
35. Barlow, D. H. (2002). *Anxiety and its disorders: The nature and treatment of anxiety and panic* (2nd ed.). New York: Guilford Press.
36. Barlow, D. H. (2004). Psychological treatments. *American Psychologist*, 59(9), 869–878.
37. Barlow, D. H. (Ed.). (2008). *Clinical handbook of psychological disorders: A step-by-step treatment manual* (4th ed., 1–64). New York: Guilford Press.
38. Barlow, D. H., Allen, L. B., & Basden, S. L. (2007). Psychological treatments for panic disorders, phobias, and generalized anxiety disorder. In P. E. Nathan & J. M. Gorman (Eds.), *A guide to treatments that work* (3rd ed., 351–394). New York: Oxford University Press.
39. Barlow, D. H., & Cerny, J. A. (1988). *Psychological treatment of panic*. New York: Guilford Press.

40. Barlow, D. H., & Craske, M. G. (1988). The phenomenology of panic. In J. D. Maser & S. Rachman (Eds.), *Panic: Psychological perspectives*, 11–35. Hillsdale, NJ: Erlbaum.
41. Barlow, D. H., & Craske, M. G. (2006). *Mastery of your anxiety and panic: Patient workbook* (4th ed.). New York: Oxford University Press.
42. Barlow, D. H., Gorman, J. M., Shear, M. K., & Woods, S. W. (2000). Cognitive-behavioral therapy, imipramine, or their combination for panic disorder: A randomized controlled trial. *Journal of the American Medical Association*, 283(19), 2529–2536.
43. Barrett, P. M., Healy-Farrell, L., & March, J. S. (2004). Cognitive-behavioral family treatment of childhood obsessive-compulsive disorder: A controlled trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(1), 46–62.
44. Basco, M. R. (2000). Cognitive-behavior therapy for bipolar I disorder. *Journal of Cognitive Psychotherapy*, 14, 287–304.
45. Basoglu, M., Lax, T., Kasvikis, Y., & Marks, I. M. (1988). Predictors of improvement in obsessive-compulsive disorder. *Journal of Anxiety Disorders*, 2(4), 299–317.
46. Baucom, D. H., & Epstein, N. (1990). *Cognitive-behavioral marital therapy*. New York: Brunner/Mazel.
47. Baumeister, R. F., & Tice, D. M. (1990). Anxiety and social exclusion. *Journal of Social and Clinical Psychology*, 9, 165–195.
48. Beach, S. R. H., Dreifuss, J. A., Franklin, K. J., Kamen, C., & Gabriel, B. (2008). Couple therapy and the treatment of depression. In A. S. Gurman (Eds.), *Clinical handbook of couple therapy* (4th ed., 545–566). New York: Guilford Press.
49. Beach, S. R. H., Jouriles, E. N., & O'Leary, K. D. (1985). Extramarital sex: Impact on depression and commitment in couples seeking marital therapy. *Journal of Sex and Marital Therapy*, 11, 99–108.
50. Beach, S. R. H., Katz, J., Kim, S., & Brody, G. H. (2003). Prospective effects of marital satisfaction on depressive symptoms in established marriages: A dyadic model. *Journal of Social and Personal Relationships*, 20(3), 355–371.
51. Beck, A. T. (1976). *Cognitive therapy and the emotional disorders*. New York: International Universities Press.
52. Beck, A. T., & Alford, B. A. (2008). *Depression: Causes and treatment* (2nd ed.). Philadelphia: University of Pennsylvania Press.
53. Beck, A. T., & Emery, G., with Greenberg, R. L. (1985). *Anxiety disorders and phobias: A cognitive perspective*. New York: Basic Books.
54. Beck, A. T., & Emery, G., with Greenberg, R. L. (2005). *Anxiety disorders and phobias: A cognitive perspective* (15th anniversary ed.). Cambridge, MA: Basic Books.

55. Beck, A. T., Freeman, A., & Associates. (1990). *Cognitive therapy of personality disorders*. New York: Guilford Press.
56. Beck, A. T., Freeman, A., Davis, D. D., & Associates. (2004). *Cognitive therapy of personality disorders* (2nd ed.). New York: Guilford Press.
57. Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: Guilford Press.
58. Beck, A. T., & Steer, R. A. (1988). *Manual for the Beck Hopelessness Scale*. San Antonio, TX: Psychological Corporation.
59. Beck, A. T., & Steer, R. A. (1991). *Manual for the Beck Scale for Suicide Ideation*. San Antonio, TX: Psychological Corporation.
60. Beck, A. T., & Steer, R. A. (1993). *Manual for the Beck Anxiety Inventory*. San Antonio, TX: Psychological Corporation.
61. Beck, A. T., Steer, R. A., & Brown, G. K. (1996). *Manual for the Beck Depression Inventory-II*. San Antonio, TX: Psychological Corporation.
62. Beck, J. S. (2005). *Cognitive therapy for challenging problems: What to do when the basics don't work*. New York: Guilford Press.
63. Beck, J. S. (2011). *Cognitive behavior therapy: Basics and beyond* (2nd ed.). New York: Guilford Press.
64. Bell, A. C., & D'Zurilla, T. J. (2009). Problem-solving therapy for depression: A meta-analysis. *Clinical Psychology Review*, 29(4), 348–353.
65. Bellodi, L., Scuito, G., Diaferia, G., Ronchi, P., & Smeraldi, E. (1992). Psychiatric disorders in the families of patients with obsessive-compulsive disorder. *Psychiatry Research*, 42(2), 111–120.
66. Belzer, K. D., McKee, M. B., & Liebowitz, M. R. (2005). Social anxiety disorder: Current perspectives on diagnosis and treatment. *Primary Psychiatry*, 12, 35–48.
67. Benish, S. G., Imel, Z. E., & Wampold, B. E. (2008). The relative efficacy of bona fide psychotherapies for treating post-traumatic stress disorder: A meta-analysis of direct comparisons. *Clinical Psychology Review*, 28, 746–758.
68. Benjamin, J., Ben-Zion, I. Z., Karbofsky, E., & Dannon, P. (2000). Double-blind placebo-controlled pilot study of paroxetine for specific phobia. *Psychopharmacology*, 149(2), 194–196.
69. Bennett-Levy, J., Butler, G., Fennell, M., Hackman, A., Mueller, M., & Westbrook, D. (Eds.). (2004). *Oxford guide to behavioural experiments in cognitive therapy*. New York: Oxford University Press.
70. Bergeron, R., Ravindran, A. V., Chaput, Y., Goldner, E., Swinson, R., Van Ameringen, M. A., et al. (2002). Sertraline and fluoxetine treatment of obsessive-compulsive

- disorder: Results of a double-blind, 6-month treatment study. *Journal of Clinical Psychopharmacology*, 22(2), 148–154.
71. Bifulco, A., Brown, G. W., & Adler, Z. (1991). Early sexual abuse and clinical depression in adult life. *British Journal of Psychiatry*, 159, 115–122.
 72. Birnbaum, H. G., Kessler, R. C., Kelley, D., Ben-Hamadi, R., Joish, V. N., & Greenberg, P. E. (2010). Employer burden of mild, moderate, and severe major depressive disorder: Mental health services utilization and costs, and work performance. *Depression and Anxiety*, 27(1), 78–89.
 73. Bisson, J. I., Ehlers, A., Matthews, R., Pilling, S., Richards, D., & Turner, S. (2007). Psychological treatments for chronic post-traumatic stress disorder: Systematic review and meta-analysis. *British Journal of Psychiatry*, 190, 97–104.
 74. Blanco, C., Schneier, F. R., Schmidt, A., Blanco-Jerez, C. R., Marshall, R. D., Sanchez-Lacay, A., et al. (2003). Pharmacological treatment of social anxiety disorder: A meta-analysis. *Depression and Anxiety*, 18, 29–40.
 75. Blatt, S. J., & Homann, E. (1992). Parent–child interaction in the etiology of dependent and self-critical depression. *Clinical Psychology Review*, 12, 47–91.
 76. Blazer, D., George, L., & Winfield, I. (1991). Epidemiologic data and planning mental health services: A tale of two surveys. *Social Psychiatry and Psychiatric Epidemiology*, 26, 21–27.
 77. Blazer, D., Hughes, D., & George, L. K. (1987). Stressful life events and the onset of a generalized anxiety syndrome. *American Journal of Psychiatry*, 144(9), 1178–1183.
 78. Borkovec, T. D., Alcaine, O. M., & Behar, E. (2004). Avoidance theory of worry and generalized anxiety disorder. In R. G. Heimberg, C. L. Turk, & D. S. Mennin (Eds.), *Generalized anxiety disorder: Advances in research and practice*, 77–108. New York: Guilford Press.
 79. Borkovec, T. D., & Hu, S. (1990). The effect of worry on cardiovascular response to phobic imagery. *Behaviour Research and Therapy*, 28, 69–73.
 80. Borkovec, T. D., & Roemer, L. (1996). Generalized anxiety disorder. In C. G. Lindemann (Ed.), *Handbook of the treatment of the anxiety disorders* (2nd ed., 81–118). Northvale, NJ: Jason Aronson.
 81. Borkovec, T. D., & Whisman, M. A. (1996). Psychosocial treatment for generalized anxiety disorder. In M. R. Mavissakalian & R. F. Prien (Eds.), *Long-term treatments of anxiety disorders*, 171–199. Washington, DC: American Psychiatric Press.
 82. Bos, M. J., Lindén, T., Koudstaal, P. J., Hofman, A., Skoog, I., Breteler, M. M., et al. (2008). Depressive symptoms and risk of stroke: The Rotterdam Study. *Journal of Neurology, Neurosurgery and Psychiatry*, 79(9), 977.

83. Boulougouris, J. C., Rabavilas, A. D., & Stefanis, C. (1977). Psychophysiological responses in obsessive-compulsive patients. *Behaviour Research and Therapy*, 15(3), 221–230.
84. Bouton, M. E., Mineka, S., & Barlow, D. H. (2001). A modern learning theory perspective on the etiology of panic disorder. *Psychological Review*, 108(1), 4–32.
85. Bradley, R., Greene, J., Russ, E., Dutra, L., & Westen, D. (2005). A multidimensional meta-analysis of psychotherapy for PTSD. *American Journal of Psychiatry*, 162, 214–227.
86. Braga, D. T., Cordioli, A. V., Niederauer, K., & Manfro, G. G. (2005). Cognitive-behavioral group therapy for obsessive-compulsive disorder: A 1-year follow-up. *Acta Psychiatrica Scandinavica*, 112(3), 180–186.
87. Breslau, N., & Davis, G. C. (1985). DSM-III generalized anxiety disorder: An empirical investigation of more stringent criteria. *Psychiatry Research*, 15, 231–238.
88. Brewin, C. R., Dalgleish, T., & Joseph, S. (1996). A dual representation theory of post-traumatic stress disorder. *Psychological Review*, 103, 670–686.
89. Brewin, C. R., & Holmes, E. A. (2003). Psychological theories of post-traumatic stress disorder. *Clinical Psychology Review*, 23, 339–376.
90. Brook, C. A., & Schmidt, L. A. (2008). Social anxiety disorder: A review of environmental risk factors. *Neuropsychiatric Disease and Treatment*, 4, 123–143.
91. Brown, T. A., Antony, M. M., & Barlow, D. H. (1995). Diagnostic comorbidity in panic disorder: Effect on treatment outcome and course of comorbid diagnoses following treatment. *Journal of Consulting and Clinical Psychology*, 63(3), 408–418.
92. Brown, T. A., & Barlow, D. H. (1992). Comorbidity among anxiety disorders: Implications for treatment and DSM-IV. *Journal of Consulting and Clinical Psychology*, 60(6), 835–844.
93. Brown, T. A., Campbell, L. A., Lehman, C. L., Grisham, J. R., & Mancill, R. B. (2001). Current and lifetime comorbidity of the DSM-IV anxiety and mood disorders in a large clinical sample. *Journal of Abnormal Psychology*, 110(4), 585–599.
94. Brown, T. A., DiNardo, P. A., & Barlow, D. H. (2005). *Anxiety Disorders Interview Schedule for DSM-IV*. New York: Oxford University Press.
95. Brown, T. A., Moras, K., Zinbarg, R. E., & Barlow, D. H. (1993). Diagnostic and symptom distinguishability of generalized anxiety disorder and obsessive-compulsive disorder. *Behavior Therapy*, 24(2), 227–240.
96. Bruce, S. E., Yonkers, K. A., Otto, M. W., Eisen, J. L., Weisberg, R. B., Pagano, M., et al. (2005). Influence of psychiatric comorbidity on recovery and recurrence in

- generalized anxiety disorder, social phobia, and panic disorder: A 12-year prospective study. *American Journal of Psychiatry*, 162(6), 1179–1187.
97. Bryant, R. A., Moulds, M. L., Guthrie, R. M., Dang, S. T., Mastrodomenico, J., Nixon, R. D., et al. (2008). A randomized controlled trial of exposure therapy and cognitive restructuring for post-traumatic stress disorder. *Journal of Consulting and Clinical Psychology*, 76, 695–703.
 98. Burns, L. E., & Thorpe, G. L. (1977). The epidemiology of fears and phobias (with particular relevance to the national survey of agoraphobics). *International Medical Research*, 5(Suppl. 5), 1–7.
 99. Butler, A., Chapman, J. M., Forman, E. M., & Beck, A. T. (2006). The empirical status of cognitive-behavioral therapy: A review of meta-analyses. *Clinical Psychology Review*, 26(1), 17–31.
 100. Butler, G. (1985). Exposure as a treatment for social phobia: Some instructive difficulties. *Behaviour Research and Therapy*, 23(6), 651–657.
 101. Butler, G., Fennell, M., Robson, P., & Gelder, M. (1991). Comparison of behavior therapy and cognitive behavior therapy in the treatment of generalized anxiety disorder. *Journal of Consulting and Clinical Psychology*, 59, 167–175.
 102. Carr, A. T. (1974). Compulsive neurosis: A review of the literature. *Psychological Bulletin*, 81(5), 311–318.
 103. Cassidy, J., Lichtenstein-Phelps, J., Sibrava, N. J., Thomas, C. L., Jr., & Borkovec, T. D. (2009). Generalized anxiety disorder: Connections with self-reported attachment. *Behavior Therapy*, 40(1), 23–38.
 104. Catapano, F., Perris, F., Masella, M., Rossano, F., Cigliano, M., Magliano, L., et al. (2006). Obsessive-compulsive disorder: A 3-year prospective follow-up study of patients treated with serotonin reuptake inhibitors. *Journal of Psychiatric Research*, 40(6), 502–510.
 105. Cerny, J. A., Barlow, D. H., Craske, M. G., & Himadi, W. G. (1987). Couples treatment of agoraphobia: A twoyear follow-up. *Behavior Therapy*, 18(4), 401–415.
 106. Chambless, D. L., Caputo, G. C., Jasin, S. E., Gracely, E. J., & Williams, C. (1985). The Mobility Inventory for Agoraphobia. *Behaviour Research and Therapy*, 23(1), 35–44.
 107. Chambless, D. L., & Hope, D. A. (1996). Cognitive approaches to the psychopathology and treatment of social phobia. In P. M. Salkovskis (Ed.), *Frontiers of cognitive therapy*, 345–382. New York: Guilford Press.

108. Chambless, D. L., & Renneberg, B. (1988, September). *Personality disorders of agoraphobics*. Paper presented at the World Congress of Behavior Therapy, Edinburgh, Scotland.
109. Chapman, T. F., Mannuzza, S., & Fyer, A. J. (1995). Epidemiology and family studies of social phobia. In R. G. Heimberg, M. R. Liebowitz, D. A. Hope, & F. R. Schneier (Eds.). *Social phobia: Diagnosis, assessment, and treatment*, 21–40. New York: Guilford Press.
110. Chorpita, B. F., & Barlow, D. H. (1998). The development of anxiety: The role of control in the early environment. *Psychological Bulletin*, 124(1), 3–21.
111. Choy, Y., Fyer, A. J., & Lipsitz, J. D. (2007). Treatment of specific phobia in adults. *Clinical Psychology Review*, 27, 266–286.
112. Clark, D. A. (1996). Panic disorder: From theory to therapy. In P. M. Salkovskis (Ed.), *Frontiers of cognitive therapy*, 318–344. New York: Guilford Press.
113. Clark, D. A. (Ed.). (2005). *Intrusive thoughts in clinical disorders: Theory, research, and treatment*. New York: Guilford Press.
114. Clark, D. M. (1986). A cognitive approach to panic. *Behaviour Research and Therapy*, 24(4), 461–470.
115. Clark, D. M. (1989). Anxiety states: Panic and generalized anxiety. In K. Hawton, P. M. Salkovskis, J. Kirk, & D. M. Clark (Eds.), *Cognitive behaviour therapy for psychiatric problems: A practical guide*, 52–96. New York: Oxford University Press.
116. Clark, D. M., Ehlers, A., Hackmann, A., McManus, F., Fennell, M., Grey, N., Waddington, L., et al. (2006). Cognitive therapy versus exposure and applied relaxation in social phobia: A randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 74, 568–578.
117. Clark, D. M., Ehlers, A., McManus, F., Hackmann, A., Fennell, M., Campbell, H., et al. (2003). Cognitive therapy versus fluoxetine in generalized social phobia: A randomized placebo-controlled trial. *Journal of Consulting and Clinical Psychology*, 71, 1058–1067.
118. Clark, D. M., Salkovskis, P. M., & Chalkley, A. J. (1985). Respiratory control as a treatment for panic attacks. *Journal of Behavior Therapy and Experimental Psychiatry*, 16(1), 23–30.
119. Clark, D. M., & Wells, A. (1995). A cognitive model of social phobia. In R. G. Heimberg, M. R. Liebowitz, D. A. Hope, & F. R. Schneier (Eds.), *Social phobia: Diagnosis, assessment, and treatment*, 69–93. New York: Guilford Press.
120. Clemens, N. A. (2010). New parity, same old attitude towards psychotherapy? *Journal of Psychiatric Practice*, 16, 115–119.

121. Cloitre, M., Cohen, L. R., & Koenen, K. C. (2006). *Treating survivors of childhood abuse: Psychotherapy for the interrupted life*. New York: Guilford Press.
122. Connor, K. M., Varia, I., Zhang, W., & Davidson, J. R. T. (2006, May). *Escitalopram for specific phobia: A placebo-controlled pilot study*. Paper presented at the 159th Annual Meeting of the American Psychiatric Association, Toronto.
123. Cooper, J., Carty, J., & Creamer, M. (2005). Pharmaco-therapy for post-traumatic stress disorder: Empirical review and clinical recommendations. *Australian and New Zealand Journal of Psychiatry*, 39, 674–682.
124. Cosci, F., Schruers, K. R. J., Abrams, K., & Griez, E. J. L. (2007). Alcohol use disorders and panic disorder: A review of the evidence of a direct relationship. *Journal of Clinical Psychiatry*, 68(6), 874–880.
125. Cottraux, J., Note, I., Yao, S. N., Lafont, S., Note, B., Mollard, E., et al. (2001). A randomized controlled trial of cognitive therapy versus intensive behavior therapy in obsessive-compulsive disorder. *Psychotherapy and Psychosomatics*, 70(6), 288–297.
126. Cougle, J. R., Keough, M. E., Riccardi, C. J., & Sachs-Ericsson, N. (2009). Anxiety disorders and suicidality in the National Comorbidity Survey — Replication. *Journal of Psychiatric Research*, 43(9), 825–829.
127. Covin, R., Ouimet, A. J., Seeds, P. M., & Dozois, D. J. A. (2008). A meta-analysis of CBT for pathological worry among clients with GAD. *Journal of Anxiety Disorders*, 22(1), 108–116.
128. Coyne, J. C. (1989). Thinking post-cognitively about depression. In A. Freeman, K. M. Simon, L. E. Butler, & H. Arkowitz (Eds.), *Comprehensive handbook of cognitive therapy*, 227–244. New York: Plenum Press.
129. Craske, M. G. (1999). *Anxiety disorders: Psychological approaches to theory and treatment*. Boulder, CO: Westview Press.
130. Craske, M. G., & Barlow, D. H. (2008). Panic disorder and agoraphobia. In D. H. Barlow (Ed.), *Clinical handbook of psychological disorders: A step-by-step treatment manual* (4th ed., 1–64). New York: Guilford Press.
131. Craske, M. G., & Mystkowski, J. L. (2006). Exposure therapy and extinction: Clinical studies. In M. G. Craske, D. Hermans, & D. Vansteenwegen (Eds.), *Fear and learning: From basic processes to clinical implications*, 217–233. Washington, DC: American Psychological Association.
132. Craske, M. G., & Rowe, M. K. (1997). Nocturnal panic. *Clinical Psychology: Science and Practice*, 4(2), 153–174.

133. Cuijpers, P., van Straten, A., Andersson, G., & van Oppen, P. (2008). Psychotherapy for depression in adults: A meta-analysis of comparative outcome studies. *Journal of Consulting and Clinical Psychology*, 76(6), 909–922.
134. Curtis, G. C., Magee, W. J., Eaton, W. W., Wittchen, H. U., & Kessler, R. C. (1998). Specific fears and phobias. Epidemiology and classification. *British Journal of Psychiatry*, 173, 212–217.
135. Curtis, R. C., Kimball, A., & Stroup, E. L. (2004). Understanding and treating social phobia. *Journal of Counseling and Development*, 82, 3–9.
136. Daban, C., Martinez-Aran, A., Cruz, N., & Vieta, E. (2008). Safety and efficacy of vagus nerve stimulation in treatment-resistant depression: A systematic review. *Journal of Affective Disorders*, 110(1–2), 1–15.
137. Dattilio, F. M. (2005). Cognitive-behavior therapy with couples. In G. O. Gabbard, J. S. Beck, & J. Holmes (Eds.), *Oxford textbook of psychotherapy*, 77–85. New York: Oxford University Press.
138. Dattilio, F. M. (2010). *Cognitive-behavioral therapy with couples and families: A comprehensive guide for clinicians*. New York: Guilford Press.
139. Davidson, J. R., Foa, E. B., Huppert, J. D., Keefe, F. J., Franklin, M. E., Compton, J. S., et al. (2004). Fluoxetine, comprehensive cognitive behavioral therapy, and placebo in generalized social phobia. *Archives of General Psychiatry*, 61, 1005–1013.
140. Davis, L. L., Frazier, E. C., Williford, R. B., & Newell, J. M. (2006). Long-term pharmacotherapy for post-traumatic stress disorder. *CNS Drugs*, 20, 465–476.
141. De Araujo, L. A., Ito, L. M., Marks, I. M., & Deale, A. (1995). Does imagined exposure to the consequences of not ritualising enhance live exposure for OCD? A controlled study: I. Main outcome. *British Journal of Psychiatry*, 167(1), 65–70.
142. Denys, D., Tenney, N., van Megen, H. J., de Geus, F., & Westenberg, H. G. M. (2004). Axis I and II comorbidity in a large sample of patients with obsessive-compulsive disorder. *Journal of Affective Disorders*, 80(2–3), 155–162.
143. Denys, D., van der Wee, N., van Megen, H. J., & Westenberg, H. G. M. (2003). A double blind comparison of venlafaxine and paroxetine in obsessive-compulsive disorder. *Journal of Clinical Psychopharmacology*, 23(6), 568–575.
144. DeRubeis, R. J., Evans, M. D., Hollon, S. D., Garvey, M. J., Grove, W. M., & Tuason, V. B. (1990). How does cognitive therapy work?: Cognitive change and symptom change in cognitive therapy and pharmacotherapy for depression. *Journal of Consulting and Clinical Psychology*, 58(6), 862–869.

145. DeRubeis, R. J., Hollon, S. D., Amsterdam, J. D., Shelton, R. C., Young, P. R., Salomon, R. M., et al. (2005). Cognitive therapy vs. medications in the treatment of moderate to severe depression. *Archives of General Psychiatry*, 62(4), 409–416.
146. Dewe, C. S., Hoch, J. S., Lin, E., Paterson, M., & Goering, P. (2003). Pattern of antidepressant use and duration of depression-related absence from work. *British Journal of Psychiatry*, 183, 507–513.
147. Diniz, J. B., Rosario-Campos, M., Shavitt, R. G., Curi, M., Hounie, A. G., Brotto, S. A., et al. (2004). Impact of age at onset and duration of illness on the expression of comorbidities in obsessive-compulsive disorder. *Journal of Clinical Psychiatry*, 65(1), 22–27.
148. Dobson, K. S. (Ed.). *Handbook of Cognitive-behavioral therapies* (3rd ed.). New York: Guilford Press.
149. Dollard, J., & Miller, N. E. (1950). *Personality and psychotherapy: An analysis in terms of learning, thinking, and culture*. New York: McGraw-Hill.
150. Donohue, B. C., Van Hasselt, V. B., & Hersen, M. (1994). Behavioral assessment and treatment of social phobia. *Behavior Modification*, 18(3), 262–288.
151. Dougherty, D. D., Rauch, S. L., & Jenike, M. A. (2007). Pharmacological treatments for obsessive-compulsive disorder. In P. Nathan & J. M. Gorman (Eds.), *A guide to treatments that work* (3rd ed., 447–473). New York: Oxford University Press.
152. Druss, B. G., Schlesinger, M., & Allen, H. M. (2001). Depressive symptoms, satisfaction, with health care, and 2-year work outcomes in an employed population. *American Journal of Psychiatry*, 158, 731–734.
153. Dugas, M. J., Buhr, K., & Ladouceur, R. (2004). The role of intolerance of uncertainty in the etiology and maintenance of generalized anxiety disorder. In R. G. Heimberg, C. L. Turk, & D. S. Mennin (Eds.), *Generalized anxiety disorder: Advances in research and practice*, 143–163. New York: Guilford Press.
154. Dugas, M. J., Freeston, M. H., & Ladouceur, R. (1997). Intolerance of uncertainty and problem orientation in worry. *Cognitive Therapy and Research*, 21(6), 593–606.
155. Dugas, M. J., & Robichaud, M. (2007). *Cognitive-behavioral treatment for generalized anxiety disorder: From science to practice*. New York: Routledge.
156. Dunner, D. L. (2001). Management of anxiety disorders: The added challenge of comorbidity. *Depression and Anxiety*, 13, 57–71.
157. Dupont, R. L., Rice, D. P., Shiraki, S., & Rowland, C. R. (1995). Economic costs of obsessive compulsive disorder. *Medical Interface*, 8, 102–109.
158. Durham, R. C. (1995). Comparing treatments for generalised anxiety disorder: Reply. *British Journal of Psychiatry*, 166, 266–267.

159. Durham, R. C., Murphy, T., Allan, T., Richard, K., Treliving, L. R., & Genton, G. (1994). Cognitive therapy, analytic psychotherapy and anxiety management training for generalised anxiety disorder. *British Journal of Psychiatry*, 165, 315–323.
160. D'Zurilla, T. J., Chang, E. C., Nottingham, E. J., & Faccini, L. (1998). Social problem-solving deficits and hopelessness, depression, and suicidal risk in college students and psychiatric inpatients. *Journal of Clinical Psychology*, 54(8), 1091–1107.
161. D'Zurilla, T. J., & Nezu, A. M. (1990). Development and preliminary evaluation of the Social Problem-Solving Inventory (SPSI). *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 2, 156–163.
162. D'Zurilla, T. J., & Nezu, A. M. (1999). *Problem-solving therapy: A social competence approach to clinical intervention* (2nd ed.). New York: Springer.
163. D'Zurilla, T. J., & Nezu, A. M. (2010). Problem-solving therapies. In K. S. Dobson (Ed.), *The handbook of cognitive-behavioral therapies* (3rd ed., 197–225). New York: Guilford Press.
164. Eaton, W. W., Dryman, A., & Weissman, M. M. (1991). Panic and phobia. In L. N. Robins & D. A. Regier (Eds.), *Psychiatric disorders in America* (pp. 155–179). New York: Free Press.
165. Ehlers, A., & Clark, D. M. (2000). A cognitive model of post-traumatic stress disorder. *Behaviour Research and Therapy*, 38, 319–345.
166. Eibl-Eibesfeldt, I. (1972). *Love and hate: The natural history of behavior patterns*. New York: Holt, Rinehart & Winston.
167. Eifert, G. H., & Forsyth, J. P. (2005). *Acceptance and commitment therapy for anxiety disorders: A practitioner's treatment guide to using mindfulness, acceptance, and values-based behavior change strategies*. Oakland, CA: New Harbinger.
168. Eley, T. C., Rijsdijk, F. V., Perrin, S., O'Connor, T. G., & Bolton, D. (2008). A multivariate genetic analysis of specific phobia, separation anxiety and social phobia in early childhood. *Journal of Abnormal Child Psychology*, 36, 839–848.
169. Ellis, A. (1962). *Reason and emotion in psychotherapy*. New York: Lyle Stuart.
170. Emmelkamp, P. M., & Beens, H. (1991). Cognitive therapy with obsessive-compulsive disorder: A comparative evaluation. *Behaviour Research and Therapy*, 29(3), 293–300.
171. Emmelkamp, P. M., de Haan, E., & Hoogduin, C. A. (1990). Marital adjustment and obsessive-compulsive disorder. *British Journal of Psychiatry*, 156, 55–60.
172. Emmelkamp, P. M., van der Helm, M., van Zanten, B. L., & Plochg, I. (1980). Treatment of obsessive-compulsive patients: The contribution of self-instructional

- training to the effectiveness of exposure. *Behaviour Research and Therapy*, 18(1), 61–66.
173. Emmelkamp, P. M., & van Kraanen, J. (1977). Therapist-controlled exposure in vivo versus self-controlled exposure in vivo: A comparison with obsessive-compulsive patients. *Behaviour Research and Therapy*, 15(6), 491–495.
174. Emmelkamp, P. M., Visser, S., & Hoekstra, R. J. (1988). Cognitive therapy vs. exposure in vivo in the treatment of obsessive-compulsives. *Cognitive Therapy and Research*, 12(1), 103–114.
175. Eng, W., Roth, D. A., & Heimberg, R. G. (2001). Cognitive behavioral therapy for social anxiety disorder. *Journal of Cognitive Psychotherapy*, 15, 311–319.
176. Epstein, N. B., & Baucom, D. H. (2002a). *Enhanced cognitive-behavioral therapy for couples: A contextual approach*. Washington, DC: American Psychological Association.
177. Epstein, N. B., & Baucom, D. H. (2002b). Interventions for couple patterns and interactions. In N. B. Epstein & D. H. Baucom (Eds.), *Enhanced cognitive-behavioral therapy for couples: A contextual approach*, 403–440. Washington, DC: American Psychological Association.
178. Eysenck, H. J. (1967). *The biological basis of personality*. Springfield, IL: Charles C. Thomas.
179. Eysenck, H. J. (1981). Behavior therapy and the conditioning model of neurosis. *International Journal of Psychology*, 16(4), 343–370.
180. Fals-Stewart, W., Marks, A. P., & Schafer, J. (1993). A comparison of behavioral group therapy and individual behavior therapy in treating obsessive-compulsive disorder. *Journal of Nervous and Mental Disease*, 181(3), 189–193.
181. Fedoroff, I. C., & Taylor, S. T. (2001). Psychological and pharmacological treatments of social phobia: A meta-analysis. *Journal of Clinical Psychopharmacology*, 21, 311–324.
182. Feng, R., Leckman, J. F., & Zhang, H. (2004). Linkage analysis of ordinal traits for pedigree data. *Proceedings of the National Academy of Sciences of the United States of America*, 101(48), 16739–16744.
183. Ferster, C. B. (1973). A functional analysis of depression. *American Psychologist*, 28(10), 857–870.
184. Feske, U., & Chambless, D. L. (1995). Cognitive behavioral versus exposure only treatment for social phobia: A meta-analysis. *Behavior Therapy*, 26, 695–720.
185. Figueira, I., & Jacques, R. (2002). Social anxiety disorder: Assessment and pharmacological management. *German Journal of Psychiatry*, 5, 40–48.

186. Finlay-Jones, R., & Brown, G. W. (1981). Types of stressful life event and the onset of anxiety and depressive disorders. *Psychological Medicine*, 11(4), 803–815.
187. First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. W. (2002, November). *Structured Clinical Interview for DSM-IV-TR Axis I Disorders, Research Version, Nonpatient Edition* (SCID-I/NP). New York: Biometrics Research, New York State Psychiatric Institute.
188. Fisher, R., & Ury, W. (1981). *Getting to yes: Negotiating agreement without giving in*. New York: Viking.
189. Flament, M. F., Whitaker, A., Rapoport, J. L., Davies, M., Berg, C. Z., Kalikow, K., et al. (1988). Obsessive-compulsive disorder in adolescence: An epidemiological study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 27, 764–771.
190. Foa, E. B., Franklin, M. E., & Moser, J. (2002). Context in the clinic: How well do CBT and medications work in combination? *Biological Psychiatry*, 51, 989–997.
191. Foa, E. B., Hembree, E. A., Cahill, S. P., Rauch, S. A., Riggs, D. S., Feeny, N. C., et al. (2005). Randomized trial of prolonged exposure for post-traumatic stress disorder with and without cognitive restructuring: Outcome at academic and community clinics. *Journal of Consulting and Clinical Psychology*, 73, 953–964.
192. Foa, E. B., Hembree, E. A., & Rothbaum, B. O. (2007). *Prolonged exposure therapy for PTSD: Emotional processing of traumatic experiences. Therapist guide*. New York: Oxford University Press.
193. Foa, E. B., Keane, T. M., Friedman, M. J., & Cohen, J. A. (Eds.). (2009). *Effective treatments for PTSD: Practice guidelines from the International Society for Traumatic stress Studies* (2nd ed.). New York: Guilford Press.
194. Foa, E. B., & Kozak, M. J. (1986). Emotional processing of fear: Exposure to corrective information. *Psychological Bulletin*, 99(1), 20–35.
195. Foa, E. B., & Kozak, M. J. (1991). Emotional processing: Theory, research, and clinical implications for anxiety disorders. In J. D. Safran & L. S. Greenberg (Eds.), *Emotion, psychotherapy, and change*, 21–49. New York: Guilford Press.
196. Foa, E. B., & Kozak, M. J. (1997). Psychological treatment for obsessive-compulsive disorder. In M. R. Mavissakalian & R. G. Prien (Eds.), *Long-term treatments of anxiety disorders*, 285–309. Washington, DC: American Psychiatric Press.
197. Foa, E. B., Kozak, M. J., Steketee, G., & McCarthy, P. R. (1992). Treatment of depressive and obsessive-compulsive symptoms in OCD by imipramine and behavior therapy. *British Journal of Clinical Psychology*, 31, 279–292.
198. Foa, E. B., Liebowitz, M. R., Kozak, M. J., Davies, S. O., Campeas, R., Franklin, M. E., et al. (2005). Treatment of obsessive-compulsive disorder by exposure and ritual

- prevention, clompiramine, and their combination: A randomized, placebo-controlled, trial. *American Journal of Psychiatry*, 162, 151–161.
199. Foa, E. B., & Rauch, S. A. (2004). Cognitive changes during prolonged exposure versus prolonged exposure plus cognitive restructuring in female assault survivors with post-traumatic stress disorder. *Journal of Consulting and Clinical Psychology*, 72, 879–884.
 200. Foa, E. B., & Riggs, D. S. (1994). Post-traumatic stress disorder and rape. In R. S. Pynoos (Ed.), *Post-traumatic stress disorder: A clinical review*, 133–163. Lutherville, MD: Sidran Press.
 201. Foa, E. B., Rothbaum, B. O., & Furr, J. M. (2003). Augmenting exposure therapy with other CBT procedures. *Psychiatric Annals*, 33, 47–53.
 202. Foa, E. B., Rothbaum, B. O., & Molnar, C. (1995). Cognitive-behavioral therapy of post-traumatic stress disorder. In M. J. Friedman, D. S. Charney, & A. Y. Deutch (Eds.), *Neurobiological and clinical consequences of stress: From normal adaptation to PTSD*, 483–494. Philadelphia: Lippincott-Raven.
 203. Foa, E. B., Steketee, G., & Milby, J. B. (1980). Differential effects of exposure and response prevention in obsessive-compulsive washers. *Journal of Consulting and Clinical Psychology*, 48(1), 71–79.
 204. Foa, E. B., Steketee, G., & Rothbaum, B. O. (1989). Behavioral/cognitive conceptualizations of post-traumatic stress disorder. *Behavior Therapy*, 20, 155–176.
 205. Foa, E. B., Steketee, G., Turner, R. M., & Fischer, S. C. (1980). Effects of imaginal exposure to feared disasters in obsessive-compulsive checkers. *Behaviour Research and Therapy*, 18(5), 449–455.
 206. Foa, E. B., Steketee, G. S., Grayson, J. B., Turner, R. M., & Latimer, P. (1984). Deliberate exposure and blocking of obsessive-compulsive rituals: Immediate and long-term effects. *Behavior Therapy*, 15, 450–472.
 207. Foa, E. B., & Wilson, R. R. (2001). *Stop obsessing!: How to overcome your obsessions and compulsions* (rev. ed.). New York: Bantam Books.
 208. Franklin, M. E., Abramowitz, J. S., Kozak, M. J., Levitt, J. T., & Foa, E. B. (2000). Effectiveness of exposure and ritual prevention for obsessive-compulsive disorder: Randomized compared with nonrandomized samples. *Journal of Consulting and Clinical Psychology*, 68(4), 594–602.
 209. Franklin, M. E., & Foa, E. B. (2008). Obsessive-compulsive disorder. In D. H. Barlow (Ed.), *Clinical handbook of psychological disorders: A step-by-step treatment manual* (4th ed., 164–215). New York: Guilford Press.

210. Franklin, M. E., March, J. S., & Garcia, A. (2007). Treating obsessive-compulsive disorder in children and adolescents. In M. M. Antony, C. Purdon, & L. J. Summerfeldt (Eds.), *Psychological treatment of obsessive-compulsive disorder: Fundamentals and beyond*, 253–266. Washington, DC: American Psychological Association.
211. Freeman, J. B., Garcia, A. M., Coyne, L., Ale, C., Przeworski, A., Himle, M., et al. (2008). Early childhood OCD: Preliminary findings from a family-based cognitive-behavioral approach. *Journal of the American Academy of Child and Adolescent Psychiatry*, 47(5), 593–602.
212. Freeston, M. (1994). *Characteristiques et traitement de l'obsession sans compulsion manifeste*. Unpublished thesis, Universite Laval, Québec.
213. Freeston, M. H., Ladouceur, R., Gagnon, F., & Thibodeau, N. (1993). Beliefs about obsessional thoughts. *Journal of Psychopathology and Behavioral Assessment*, 15(1), 1–21.
214. Freeston, M. H., Ladouceur, R., Gagnon, F., Thibodeau, N., Rhaume, J., Letarte, H., et al. (1997). Cognitive-behavioral treatment of obsessive thoughts: A controlled study. *Journal of Consulting and Clinical Psychology*, 65(3), 405–413.
215. Freeston, M. H., Rhéaume, J., Letarte, H., Dugas, M. J., & Ladouceur, R. (1994). Why do people worry? *Personality and Individual Differences*, 17(6), 791–802.
216. Friedman, S., Smith, L. C., Halpern, B., Levine, C., Paradis, C., Viswanathan, R., et al. (2003). Obsessive-compulsive disorder in a multiethnic urban outpatient clinic: Initial presentation and treatment outcome with exposure and ritual prevention. *Behavior Therapy*, 34(3), 397–410.
217. Frommberger, U., Stieglitz, R., Nyberg, E., Richter, H., Novelli-Fischer, U., An-genendt, J., et al. (2004). Comparison between paroxetine and behaviour therapy in patients with post-traumatic stress disorder (PTSD): A pilot study. *International Journal of Psychiatry in Clinical Practice*, 8, 19–23.
218. Fyer, A. J., Mannuzza, S., & Coplan, J. D. (1995). Panic disorders and agoraphobia. In H. I. Kaplan, & B. J. Sadock (Eds.), *Comprehensive textbook of psychiatry* (6th ed., Vol. 1, 1191–1204). Baltimore: Williams & Wilkins.
219. Garvey, M. J., Wesner, R., & Godes, M. (1988). Comparison of seasonal and non-seasonal affective disorders. *American Journal of Psychiatry*, 145, 100–102.
220. Gaustella, A. J., Richardson, R., Lovibond, P. F., Rapee, R. M., Gaston, J. E., Mitchell, P., et al. (2008). A randomized controlled trial of D-cycloserine enhancement of exposure therapy for social anxiety disorder. *Biological Psychiatry*, 63, 544–549.
221. Gershuny, B. S., Baer, L., Jenike, M. A., Minichiello, W. E., & Wilhelm, S. (2002). Comorbid post-traumatic stress disorder: Impact on treatment outcome for obsessive-compulsive disorder. *American Journal of Psychiatry*, 159(5), 852–854.

222. Gibb, B. E., Abramson, L. Y., & Alloy, L. B. (2004). Emotional maltreatment from parents, verbal peer victimization, and cognitive vulnerability to depression. *Cognitive Therapy and Research*, 28(1), 1–21.
223. Gibb, B. E., Alloy, L. B., Abramson, L. Y., Rose, D. T., Whitehouse, W. G., Donovan, P., et al. (2001). History of childhood maltreatment, negative cognitive styles, and episodes of depression in adulthood. *Cognitive Therapy and Research*, 25(4), 425–446.
224. Gilbert, P. (2010). *Compassion focused therapy: Distinctive features*. London: Routledge.
225. Goisman, R. M., Allworth, B. A., Rogers, M. P., Warshaw, M. G., Goldenberg, I., Vasile, R. G., et al. (1998). Simple phobia as a comorbid anxiety disorder. *Depression and Anxiety*, 7, 105–112.
226. Golden, R. N., Gaynes, B. N., Ekstrom, R. D., Hamer, R. M., Jacobsen, F. M., Suppes, T., et al. (2005). The efficacy of light therapy in the treatment of mood disorders: A meta-analysis of the evidence. *American Journal of Psychiatry*, 162, 656–662.
227. Goodman, W. K., Price, L. H., Rasmussen, S. A., Mazure, C., Delgado, P., Heninger, G. R., et al. (1989). The Yale–Brown Obsessive Compulsive Scale: II. Validity. *Archives of General Psychiatry*, 46(11), 1012–1016.
228. Goodman, W. K., Price, L. H., Rasmussen, S. A., Mazure, C., Fleischmann, R. L., Hill, C. L., et al. (1989). The Yale–Brown Obsessive-Compulsive Scale: I. Development, use, and reliability. *Archives of General Psychiatry*, 46(11), 1006–1011.
229. Gould, R. A., Buckminster, S., Pollack, M. H., Otto, M., & Yap, L. (1997). Cognitive-behavioral and pharmacological treatment for social phobia: A meta-analysis. *Clinical Psychology: Science and Practice*, 4, 291–306.
230. Gould, R. A., Otto, M. W., & Pollack, M. H. (1995). A meta-analysis of treatment outcome for panic disorder. *Clinical Psychology Review*, 15(8), 819–844.
231. Grant, B. F., Hasin, D. S., Blanco, C., Stinson, F. S., Chou, S. P., Goldstein, R. B., et al. (2005). The epidemiology of social anxiety disorder in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Clinical Psychiatry*, 66, 1351–1361.
232. Grant, B. F., Hasin, D. S., Stinson, F. S., Dawson, D. A., Goldstein, R. B., Smith, S., et al. (2006). The epidemiology of DSM-IV panic disorder and agoraphobia in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Clinical Psychiatry*, 67(3), 363–374.
233. Greenberg, P. E., Kessler, R. C., Birnbaum, H. G., Leong, S. A., Lowe, S. W., Berglund, P. A., et al. (2003). The economic burden of depression in the United States: How did it change between 1990 and 2000? *Journal of Clinical Psychiatry*, 64(12), 1465–1475.

234. Greener, M. J., & Guest, J. F. (2007). Do antidepressants reduce the burden imposed by depression on employers? *CNS Drugs*, 19, 253–264.
235. Greist, J. H. (1990a). Treating the anxiety: Therapeutic options in obsessive-compulsive disorder. *Journal of Clinical Psychiatry*, 51(Suppl.), 29–34.
236. Greist, J. H. (1990). Treatment of obsessive-compulsive disorder: Psychotherapies, drugs, and other somatic treatment. *Journal of Clinical Psychiatry*, 51(Suppl.), 44–50.
237. Greist, J. H., Jefferson, J. W., Kobak, K. A., Katzelnick, D. J., & Serlin, R. (1995). Efficacy and tolerability of serotonin transport inhibitors in obsessive-compulsive disorder: A meta-analysis. *Archives of General Psychiatry*, 52(1), 53–60.
238. Grisham, J. R., Anderson, T. M., & Perminder, S. S. (2008). Genetic and environmental influences on obsessive-compulsive disorder. *European Archives of Psychiatry and Clinical Neuroscience*, 258(2), 107–116.
239. Guarnaccia, P. J., Rubio-Stipe, M., & Canino, G. (1989). Ataques de nervios in the Puerto Rican Diagnostic Interview Schedule: The impact of cultural categories on psychiatric epidemiology. *Culture, Medicine and Psychiatry*, 13(3), 275–295.
240. Guerney, B. G. (1977). *Relationship enhancement*. San Francisco: Jossey-Bass.
241. Guidano, V. L., & Liotti, G. (1983). *Cognitive processing and the emotional disorders*. New York: Guilford Press.
242. Haeffel, G. J., Abramson, L. Y., Voelz, Z. R., Metalsky, G. I., Halberstadt, L., Dykman, B. M., et al. (2005). Negative cognitive styles, dysfunctional attitudes, and the remitted depression paradigm: A search for the elusive cognitive vulnerability to depression factor among remitted depressives. *Emotion*, 5(3), 343–348.
243. Hammen, C. (2004). Depression in women: The family context and risk for recurrence. *The Economics of Neuroscience*, 6(1), 41–46.
244. Hanna, G. L. (1995). Demographic and clinical features of obsessive-compulsive disorder in children and adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 34(1), 19–27.
245. Hanna, G. L., Veenstra-VanderWeele, J., Cox, N. J., Boehnke, M., Himle, J. A., Curtis, G. C., et al. (2002). Genome-wide linkage analysis of families with obsessive-compulsive disorder ascertained through pediatric probands. *American Journal of Medical Genetics (Neuropsychiatric Genetics)*, 114, 541–552.
246. Harris, T., Brown, G. W., & Bifulco, A. (1986). Loss of parent in childhood and adult psychiatric disorder: The role of lack of adequate parental care. *Psychological Medicine*, 16, 641–659.
247. Hayes, S. C., Strosahl, K. D., & Wilson, K. G. (1999). *Acceptance and commitment therapy: An experiential approach to behavior change*. New York: Guilford Press.

248. Headland, K., & McDonald, B. (1987). Rapid audio-tape treatment of obsessional ruminations: A case report. *Behavioural Psychotherapy*, 15(2), 188–192.
249. Heckelman, L. R., & Schneier, F. R. (1995). Diagnostic issues. In R. G. Heimberg, M. R. Liebowitz, D. A. Hope, & F. R. Schneier (Eds.), *Social phobia: Diagnosis, assessment, and treatment*, 3–20. New York: Guilford Press.
250. Heimberg, R. G. (2002). Cognitive-behavioral therapy for social anxiety disorder: Current status and future directions. *Biological Psychiatry*, 51, 101–108.
251. Heimberg, R. G., & Becker, R. E. (2002). *Cognitive-behavioral group therapy for social phobia: Basic mechanisms and clinical strategies*. New York: Guilford Press.
252. Heimberg, R. G., Liebowitz, M. R., Hope, D. A., Schneier, F. R., Holt, C. S., Welkowitz, L., et al. (1998). Cognitive-behavioral group therapy versus phenelzine in social phobia: 12-week outcome. *Archives of General Psychiatry*, 55, 1133–1141.
253. Heneghan, A. M., Silver, E. J., Bauman, L. J., & Stein, R. E. (2000). Do pediatricians recognize mothers with depressive symptoms? *Pediatrics*, 106, 1367–1373.
254. Herbert, J. D., Gaudiano, B. A., Rheingold, A. A., Myers, V. H., Dalrymple, K., & Nolan, E. M. (2005). Social skills training augments the effectiveness of cognitive behavioral group therapy for social anxiety disorder. *Behavior Therapy*, 36, 125–138.
255. Herbert, J. D., Rheingold, A. A., Gaudiano, B. A., & Myers, V. H. (2004). Standard versus extended cognitive behavioral therapy for social anxiety disorder: A randomized-controlled trial. *Behavioural and Cognitive Psychotherapy*, 32, 131–147.
256. Herrmann, L. L., & Ebmeier, K. P. (2006). Factors modifying the efficacy of transcranial magnetic stimulation in the treatment of depression: A review. *Journal of Clinical Psychiatry*, 67(12), 1870–1876.
257. Hettema, J. M., Neale, M. C., & Kendler, K. S. (2001). A review and meta-analysis of the genetic epidemiology of anxiety disorders. *American Journal of Psychiatry*, 158(10), 1568–1578.
258. Hettema, J. M., Prescott, C. A., & Kendler, K. S. (2003). The effects of anxiety, substance use and conduct disorders on risk of major depressive disorder. *Psychological Medicine*, 33(8), 1423–1432.
259. Hinton, D., Ba, P., Peou, S., & Um, K. (2000). Panic disorder among cambodian refugees attending a psychiatric clinic: Prevalence and subtypes. *General Hospital Psychiatry*, 22(6), 437–444.
260. Hinton, D., Um, K., & Ba, P. (2001). A unique panic-disorder presentation among Khmer refugees: The sore-neck syndrome. *Culture, Medicine and Psychiatry*, 25(3), 297–316.

261. Hiss, H., Foa, E. B., & Kozak, M. J. (1994). Relapse prevention program for treatment of obsessive-compulsive disorder. *Journal of Consulting and Clinical Psychology*, 62(4), 801–808.
262. Hodgson, R., Rachman, S., & Marks, I. M. (1972). The treatment of chronic obsessive-compulsive neurosis: Follow-up and further findings. *Behaviour Research and Therapy*, 10(2), 181–189.
263. Hodgson, R. J., & Rachman, S. (1972). The effects of contamination and washing in obsessional patients. *Behaviour Research and Therapy*, 10(2), 111–117.
264. Hodgson, R. J., & Rachman, S. (1977). Obsessional-compulsive complaints. *Behaviour Research and Therapy*, 15(5), 389–395.
265. Hofmann, S. G., Alpers, G. W., & Pauli, P. (2009). Phenomenology of panic and phobic disorders. In M. M. Antony & M. Stein (Eds.), *Oxford handbook of anxiety and related disorders*, 34–46. New York: Oxford University Press.
266. Hofmann, S. G., Meuret, A. E., Smits, J. A., Simon, N. M., Pollack, M. H., Eisenmenger, K., et al. (2006). Augmentation of exposure therapy with D-cycloserine for social anxiety disorder. *Archives of General Psychiatry*, 63, 298–304.
267. Hofmann, S. G., & Otto, M. W. (2008). *Cognitive-behavioral therapy for social anxiety disorder: Evidence based and disorder-specific treatment techniques*. New York: Routledge.
268. Hofmann, S. G., & Scepkowski, L. A. (2006). Social self-reappraisal therapy for social phobia: Preliminary findings. *Journal of Cognitive Psychotherapy*, 20, 45–57.
269. Hofmann, S. G., & Smits, J. A. J. (2008). Cognitive-behavioral therapy for adult anxiety disorders: A meta-analysis of randomized placebo-controlled trials. *Journal of Clinical Psychiatry*, 69(4), 621–632.
270. Hohagen, F., Winkelmann, G., Rasche-Räuchle, H., Hand, I., König, A., Münchau, N., et al. (1998). Combination of behaviour therapy with fluvoxamine in comparison with behaviour therapy and placebo: Results of a multicentre study. *British Journal of Psychiatry*, 173, 71–78.
271. Hollander, E., Abramowitz, J. S., Koran, L. M., & Pallanti, S. (2008). Obsessive-compulsive disorder: Strategies for optimal treatment. *Journal of Clinical Psychiatry*, 69(10), 1647–1657.
272. Hollander, E., Friedberg, J., Wasserman, S., Allen, A., Birnbaum, M., & Koran, L. M. (2003). Venlafaxine in treatment-resistant obsessive-compulsive disorder. *Journal of Clinical Psychiatry*, 64(5), 546–550.
273. Hope, D. A., Heimberg, R. G., & Turk, C. L. (2006). Managing social anxiety: A cognitive-behavioral approach. *Therapist guide*. New York: Oxford University Press.

274. Horgan, C. M., Garnick, D. W., Merrick, E. L., & Hodgkin, D. (2007). Changes in how health plans provide behavioral health services. *Journal of Behavioral Health Services and Research*, 36, 11–24.
275. Hornsveld, R. H., Kraaimaat, F. W., & Van Dam-Baggen, R. M. (1979). Anxiety/discomfort and handwashing in obsessive-compulsive and psychiatric control patients. *Behaviour Research and Therapy*, 17(3), 223–228.
276. Horwath, E., Johnson, J., & Hornig, C. D. (1993). Epidemiology of panic disorder in African-Americans. *American Journal of Psychiatry*, 150(3), 465–469.
277. Hsia, C. C., & Barlow, D. H. (2001). On the nature of culturally bound syndromes in the nosology of mental disorders. *Transcultural Psychiatry*, 38(4), 474–476.
278. Huppert, J. D., & BakerMorrisette, S. (2003). Beyond the manual: The insider's guide to panic control treatment. *Cognitive and Behavioral Practice*, 10(1), 2–13.
279. Huppert, J. D., Simpson, H. B., Nissenson, K. J., Liebowitz, M. R., & Foa, E. B. (2009). Quality of life and functional impairment in obsessive-compulsive disorder: A comparison of patients with and without comorbidity, patients in remission, and healthy controls. *Depression and Anxiety*, 26(1), 39–45.
280. Ingram, R. E. (2003). Origins of cognitive vulnerability to depression. *Cognitive Therapy and Research*, 27, 77–88.
281. Jackson, C., Nissenson, K., & Cloitre, M. (2009). Treatment for complex PTSD. In D. Sookman & R. L. Leahy (Eds.), *Treatment resistant anxiety disorders: Resolving impasses to symptom remission*, 75–104. New York: Routledge.
282. Jacobson, E. (1938). *Progressive relaxation*. Chicago: University of Chicago Press.
283. Jacobson, N. S., & Margolin, G. (1979). *Marital therapy: Strategies based on social learning and behavior exchange principles*. New York: Brunner Routledge.
284. Jakes, I. (1996). *Theoretical approaches to obsessive-compulsive disorder*. New York: Cambridge University Press.
285. Janzing, J. G. E., Bouwens, J. M. P., Teunisse, R. J., Vant't Hof, M. A., & Zitman, F. G. (1999). The relationship between depression and mortality in elderly subjects with less severe dementia. *Psychological Medicine*, 29(4), 979–983.
286. Jaycox, L. H., Foa, E. B., & Morrel, A. R. (1998). Influence of emotional engagement and habituation on exposure therapy for PTSD. *Journal of Consulting and Clinical Psychology*, 66, 185–192.
287. Jenike, M. A. (1991). Obsessive-compulsive disorders: A clinical approach. The clinical management of anxiety disorders. In W. Coryell & G. Winokur (Eds.), *The clinical management of anxiety disorders*, 101– 124. New York: Oxford University Press.

288. Joiner, T. E., Jr., Van Orden, K. A., Witte, T. K., & Rudd, M. D. (2009). *The interpersonal theory of suicide: Guidance for working with suicidal clients*. Washington, DC: American Psychological Association.
289. Judd, L. L. (1994). Social phobia: A clinical overview. *Journal of Clinical Psychiatry*, 55(6, Suppl.), 5–9.
290. Kabat-Zinn, J. (1994). *Wherever you go, there you are: Mindfulness meditation in everyday life*. New York: Hyperion.
291. Kaeler, C. T., Moul, D. E., & Farmer, M. E. (1995). Epidemiology of depression. In E. E. Beckham & W. R. Leber (Eds.), *Handbook of depression*, 376–390. New York: Guilford Press.
292. Karno, M., Golding, J. M., Sorenson, S. B., & Burnam, M. A. (1988). The epidemiology of obsessive-compulsive disorder in five US communities. *Archives of General Psychiatry*, 45(12), 1094–1099.
293. Kasper, S., Wehr, T. A., Bartko, J. J., Gaist, P. A., & Rosenthal, N. E. (1989). Epidemiological findings of seasonal changes in mood and behavior: A telephone survey of Montgomery County, Maryland. *Archives of General Psychiatry*, 46(9), 823–833.
294. Kearney, C. A., & Silverman, W. K. (1990). Treatment of an adolescent with obsessive-compulsive disorder by alternating response prevention and cognitive therapy: An empirical analysis. *Journal of Behavior Therapy and Experimental Psychiatry*, 21(1), 39–47.
295. Keeley, M. L., Storch, E. A., Merlo, L. J., & Geffken, G. R. (2008). Clinical predictors of response to cognitive-behavioral therapy for obsessive-compulsive disorder. *Clinical Psychology Review*, 28(1), 118–130.
296. Kendler, K. S., Kessler, R. C., Walters, E. E., MacLean, C., Neale, M. C., Heath, A. C., et al. (1995). Stressful life events, genetic liability, and onset of an episode of major depression in women. *American Journal of Psychiatry*, 152(6), 833–842.
297. Kendler, K. S., Kuhn, J. W., & Prescott, C. A. (2004a). Childhood sexual abuse, stressful life events and risk for major depression in women. *Psychological Medicine*, 34(8), 1475–1482.
298. Kendler, K. S., Kuhn, J. W., & Prescott, C. A. (2004b). The inter-relationship of neuroticism, sex, and stressful life events in the prediction of episodes of major depression. *American Journal of Psychiatry*, 161(4), 631–636.
299. Kendler, K. S., Neale, M. C., Kessler, R. C., Heath, A. C., & Eaves, L. J. (1992). The genetic epidemiology of phobias in women: The inter-relations of agoraphobia, social phobia, situational phobia, and simple phobia. *Archives of General Psychiatry*, 49, 273–281.

300. Kendler, K. S., Walters, E. E., Neale, M. C., Kessler, R. C., Heath, A. C., & Eaves, L. J. (1995). The structure of the genetic and environmental risk factors for six major psychiatric disorders in women: Phobia, generalized anxiety disorder, panic disorder, bulimia, major depression, and alcoholism. *Archives of General Psychiatry*, 52(5), 374–383.
301. Kessler, R. C., Andrade, L. H., Bijl, R. V., Offord, D. R., Demler, O. V., & Stein, D. J. (2002). The effects of comorbidity on the onset and persistence of generalized anxiety disorder in the ICPE surveys. *Psychological Medicine*, 32(7), 1213–1225.
302. Kessler, R. C., Avenevoli, S., & Ries Merikangas, K. (2001). Mood disorders in children and adolescents: An epidemiologic perspective. *Biological Psychiatry*, 49(12), 1002–1014.
303. Kessler, R. C., Barber, C., Birnbaum, H. G., Frank, R. G., Greenberg, P. E., Rose, R. M., et al. (1999). Depression in the workplace: Effects on short-term disability. *Health Affairs*, 18, 163–171.
304. Kessler, R. C., Berglund, P., Demler, O., Jin, R., Koretz, D., Merikangas, K. R., et al. (2003). The epidemiology of major depressive disorder: Results from the National Comorbidity Survey Replication (NCS-R). *Journal of the American Medical Association*, 289(23), 3095–3105.
305. Kessler, R. C., Berglund, P., Demler, O., Jin, R., Merikangas, K. R., & Walters, E. E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62(6), 593–602.
306. Kessler, R. C., Chiu, W. T., Demler, O., & Walters, E. E. (2005). Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62(6), 617–627.
307. Kessler, R. C., Ruscio, A. M., Shear, K., & Wittchen, H. (2009). Epidemiology of anxiety disorders. In M. M. Antony & M. B. Stein (Eds.), *Oxford handbook of anxiety and related disorders*, 19–33. New York: Oxford University Press.
308. Kessler, R. C., Walters, E. E., & Wittchen, H.-U. (2004). Epidemiology. In R. G. Heimberg, C. L. Turk, & D. S. Mennin (Eds.), *Generalized anxiety disorder: Advances in research and practice*, 29–50. New York: Guilford Press.
309. Kho, K. H., van Vreeswijk, M. F., Simpson, S., & Zwinderman, A. H. (2003). A meta-analysis of electro-convulsive therapy efficacy in depression. *Journal of ECT*, 19(3), 139–147.
310. Kirk, J. W. (1983). Behavioural treatment of obsessional-compulsive patients in routine clinical practice. *Behaviour Research and Therapy*, 21(1), 57–62.

311. Kleim, B., Ehlers, A., & Glucksman, E. (2007). Early predictors of chronic post-traumatic stress disorder in assault survivors. *Psychological Medicine*, 37, 1457–1467.
312. Klein, D. F. (1964). Delineation of two drug-responsive anxiety syndromes. *Psychopharmacologia*, 17, 397–408.
313. Klerman, G., Weissman, M. M., Rounsville, B. J., & Chevron, E. (1984). *Interpersonal psychotherapy of depression*. New York: Basic Books.
314. Klinger, E., Bouchard, S., Legeron, P., Roy, S., Lauer, S., Chemin, I., et al. (2005). Virtual reality therapy versus cognitive behavior therapy for social phobia: A preliminary controlled study. *Cyberpsychology and Behavior*, 8, 76–88.
315. Koran, L. M. (2000). Quality of life in obsessive-compulsive disorder. *Psychiatric Clinics of North America*, 23(3), 509–517.
316. Koszycki, D., Benger, M., Schlik, J., & Bradwejn, J. (2007). Randomized trial of a meditation-based stress reduction program and cognitive behavioral therapy in generalized social anxiety disorder. *Behaviour Research and Therapy*, 45, 2518–2526.
317. Kozak, M. J., Foa, E., & Steketee, G. (1988). Process and outcome of exposure treatment with obsessive-compulsives: Psychophysiological indicators of emotional processing. *Behaviour Therapy*, 19, 157–169.
318. Kozak, M. J., Leibowitz, M. R., & Foa, E. B. (2000). Cognitive behavior therapy and pharmacotherapy for obsessive-compulsive disorder: The NIMH-sponsored collaborative study. Obsessive-compulsive disorder: Contemporary issues in treatment. In W. K. Goodman, M. V. Rudorfer, & J. D. Maser (Eds.), *Obsessive-compulsive disorder: Contemporary issues in treatment, Personality and clinical psychology series*, 501–530. Mahwah, NJ: Erlbaum.
319. Kuyken, W., Padesky, C. A., & Dudley, R. (2009). *Collaborative case conceptualization: Working effectively with clients in cognitive-behavioral therapy*. New York: Guilford Press.
320. Ladouceur, R., Dugas, M. J., Freeston, M. H., Leger, E., Gagnon, F., & Thibodeau, N. (2000). Efficacy of a cognitive-behavioral treatment for generalized anxiety disorder: Evaluation in a controlled clinical trial. *Journal of Consulting and Clinical Psychology*, 68(6), 957–964.
321. Ladouceur, R., Freeston, M. H., Dumont, M., Letarte, H., Rheaume, J., Thibodeau, N., et al. (1992). *The Penn State Worry Questionnaire: Psychometric properties of a French translation*. Paper presented at the the Annual Convention of the Canadian Psychological Association, Québec City, Québec, Canada.
322. Lazarus, R. S., & Folkman, S. (1984). *Stress, appraisal, and coping*. New York: Springer.

323. Leahy, R. L. (1996). *Cognitive therapy: Basic principles and applications*. Northvale, NJ: Jason Aronson.
324. Leahy, R. L. (Ed.). (1997). *Practicing cognitive therapy: A guide to interventions*. Northvale, NJ: Jason Aronson.
325. Leahy, R. L. (2002a). A model of emotional schemas. *Cognitive and Behavioral Practice*, 9(3), 177–190.
326. Leahy, R. L. (2002b). Cognitive therapy: Current problems and future directions. In R. L. Leahy & E. T. Dowd (Eds.), *Clinical advances in cognitive psychotherapy: Theory and application* (pp. 418–434). New York: Springer.
327. Leahy, R. L. (2002c). Improving homework compliance in the treatment of generalized anxiety disorder. *Journal of Clinical Psychology*, 58(5), 499–511.
328. Leahy, R. L. (2003). *Cognitive therapy techniques: A practitioner's guide*. New York: Guilford Press.
329. Leahy, R. L. (2004). Cognitive-behavioral therapy. In R. G. Heimberg, C. L. Turk, & D. S. Mennin (Eds.), *Generalized anxiety disorder: Advances in research and practice*, 265–292. New York: Guilford Press.
330. Leahy, R. L. (2005). *The worry cure: Seven steps to stop worry from stopping you*. New York: Harmony/Random House.
331. Leahy, R. L. (2007a). Emotional schemas and resistance to change in anxiety disorders. *Cognitive and Behavioral Practice*, 14(1), 36–45.
332. Leahy, R. L. (2007b). Emotional schemas and self-help: Homework compliance and obsessive-compulsive disorder. *Cognitive and Behavioral Practice*, 14(3), 297–302.
333. Leahy, R. L. (2009). *Anxiety free: Unravel your fears before they unravel you*. Carlsbad, CA: Hay House.
334. Leahy, R. L. (2010). *Beat the blues before they beat you: How to overcome depression*. Carlsbad, CA: Hay House.
335. Leahy, R. L., Beck, A. T., & Beck, J. S. (2005). Cognitive therapy of personality disorders. In S. Strack (Ed.), *Handbook of personology and psychopathology: Essays in honor of Theodore Millon*, 442–461. Hoboken, NJ: Wiley.
336. Leahy, R. L., Tirch, D., & Napolitano, L. A. (2011). *Emotion regulation in psychotherapy: A practitioner's guide*. New York: Guilford Press.
337. Ledley, D. R., Pai, A., & Franklin, M. E. (2007). Treating comorbid presentations: Obsessive-compulsive disorder, anxiety disorders, and depression. In M. M. Antony, C. Purdon, & L. J. Summerfeldt (Eds.), *Psychological treatment of obsessive-compulsive disorder: Fundamentals and beyond*, 281–293. Washington, DC: American Psychological Association.

338. Lee, C., Gavriel, H., Drummond, P., Richards, J., & Greenwald, R. (2002). Treatment of PTSD: Stress inoculation training with prolonged exposure compared to EMDR. *Journal of Clinical Psychology*, 58, 1071–1089.
339. Leon, A. C., Portera, L., & Weissman, M. M. (1995). The social costs of anxiety disorders. *British Journal of Psychiatry*, 166, 19–22.
340. Lerner, D., Adler, D. A., Chang, H., Lapitsky, L., Hood, M. Y., Perissinotto, C., et al. (2004). Unemployment, job retention, and productivity loss among employees with depression. *Psychiatric Services*, 55(12), 1371–1378.
341. Leserman, J. (2003). HIV disease progression: Depression, stress, and possible mechanisms. *Biological Psychiatry*, 54(3), 295–306.
342. Levitt, J. T., & Cloitre, M. (2005). A clinician's guide to STAIR/MPE: Treatment for PTSD related to childhood abuse. *Cognitive and Behavioral Practice*, 12, 40–52.
343. Lewinsohn, P. M., Antonuccio, D. O., Steinmetz, J. L., & Teri, L. (1984). *The coping with depression course: A psychoeducational intervention for unipolar depression*. Eugene, OR: Castalia.
344. Lewinsohn, P. M., Munoz, R. F., Youngren, M. A., & Zeiss, A. M. (1986). *Control over depression* (2nd ed.). Englewood Cliffs, NJ: Prentice Hall.
345. Liebowitz, M. R., Gorman, J. M., Fyer, A., Dillon, D., Levitt, M., & Klein, D. F. (1986). Possible mechanisms for lactates induction of panic. *American Journal of Psychiatry*, 143(4), 495–502.
346. Liebowitz, M. R., Heimberg, R. G., Schneier, F. R., Hope, D. A., Davies, S., Holt, C. S., et al. (1999). Cognitive-behavioral group therapy versus phenelzine in social phobia: Long-term outcome. *Depression and Anxiety*, 10, 89–98.
347. Lindsay, M., Crino, R., & Andrews, G. (1997). Controlled trial of exposure and response prevention in obsessive-compulsive disorder. *British Journal of Psychiatry*, 171, 135–139.
348. Linehan, M. M. (1993). *Cognitive-behavioral treatment of borderline personality disorder*. New York: Guilford Press.
349. Lochner, C., & Stein, D. J. (2001). Gender in obsessive-compulsive disorder and obsessive-compulsive spectrum disorders. *Archives of Women's Mental Health*, 4(1), 19–126.
350. Lochner, C., & Stein, D. J. (2003). Heterogeneity of obsessive-compulsive disorder: A literature review. *Harvard Review of Psychiatry*, 11(3), 113–132.
351. Lopatka, C., & Rachman, S. (1995). Perceived responsibility and compulsive checking: An experimental analysis. *Behaviour Research and Therapy*, 33(6), 673–684.
352. Lorenz, K. (1966). *On aggression*. New York: Harcourt, Brace.

353. Lovell, K., Cox, D., Haddock, G., Jones, C., Raines, D., Garvey, R., et al. (2006). Telephone administered cognitive behaviour therapy for treatment of obsessive compulsive disorder: Randomised controlled noninferiority trial. *British Medical Journal.com*, 333, 883.
354. Manber, R., Kraemer, H. C., Arnow, B. A., Trivedi, M. H., Rush, A. J., Thase, M. E., et al. (2008). Faster remission of chronic depression with combined psychotherapy and medication than with each therapy alone. *Journal of Consulting and Clinical Psychology*, 76(3), 459–467.
355. Mancebo, M. C., Greenberg, B., Grant, J. E., Pinto, A., Eisen, J. L., Dyck, I., et al. (2008). Correlates of occupational disability in a clinical sample of obsessive-compulsive disorder. *Comprehensive Psychiatry*, 49(1), 43–50.
356. March, J., Frances, A., Kahn, D., & Carpenter, D. (1997). Expert consensus guidelines: Treatment of obsessive-compulsive disorder. *Journal of Clinical Psychiatry*, 58(Suppl. 4), 1–72.
357. Marks, I. M. (1985). Behavioral treatment of social phobia. *Psychopharmacology Bulletin*, 21, 615–618.
358. Marks, I. M. (1987). *Fears, phobias, and rituals: Panic, anxiety, and their disorders*. New York: Oxford University Press.
359. Marks, I. M., Lelliott, P. T., Basoglu, M., Noshirvani, H., Monteiro, W., Cohen, D., et al. (1988). Clomipramine, self-exposure and therapist-aided exposure for obsessive-compulsive rituals. *British Journal of Psychiatry*, 152, 522–534.
360. Marks, I. M., & Mathews, A. M. (1979). Brief standard self-rating for phobic patients. *Behaviour Research and Therapy*, 17(3), 263–267.
361. Marks, I. M., Stern, R. S., & Mawson, D. (1980). Clomipramine and exposure for obsessive-compulsive rituals. *British Journal of Psychiatry*, 136, 1–25.
362. Martell, C. R., Addis, M. E., & Jacobson, N. S. (2001). *Depression in context: Strategies for guided action*. New York: Norton.
363. Masellis, M., Rector, N. A., & Richter, M. A. (2003). Quality of life in OCD: Differential impact of obsessions, compulsions, and depression comorbidity. *Canadian Journal of Psychiatry/La Revue Canadienne de Psychiatrie*, 48(2), 72–77.
364. Matthews, C. A. (2009). Phenomenology of obsessive-compulsive disorder. In M. M. Antony & M. B. Stein (Eds.), *Oxford handbook of anxiety and related disorders* (pp. 56–64). New York: Oxford University Press.
365. Mavissakalian, M., & Hamann, M. S. (1986). DSM-III personality disorder in agoraphobia. *Comprehensive Psychiatry*, 27(5), 471–479.
366. May, R. (1977). *The meaning of anxiety* (rev. ed.). New York: Norton.

367. McBride, C., Farvolden, P., & Swallow, S. R. (2007). Major depressive disorder and cognitive schemas. In L. P. Riso, P. L. du Toit, D. J. Stein, & J. E. Young (Eds.), *Cognitive schemas and core beliefs in psychological problems: A scientist-practitioner guide*, 11–39. Washington, DC: American Psychological Association.
368. McCabe, R. E., & Gifford, S. (2009). Psychological treatment of panic disorder and agoraphobia. In M. M. Antony & M. B. Stein (Eds.), *Oxford handbook of anxiety and related disorders*, 308–320. New York: Oxford University Press.
369. McFall, M. E., & Wollersheim, J. P. (1979). Obsessive-compulsive neurosis: A cognitive-behavioral formulation and approach to treatment. *Cognitive Therapy and Research*, 3(4), 333–348.
370. McGinn, L. K., & Sanderson, W. C. (1995). The nature of panic disorder. In *Session: Psychotherapy in Practice*, 1(3), 7–19.
371. McGinn, L. K., & Sanderson, W. C. (1999). *Treatment of obsessive compulsive disorder*. Northvale, NJ: Jason Aronson.
372. McHugh, R. K., Otto, M. W., Barlow, D. H., Gorman, J. M., Shear, M. K., & Woods, S. W. (2007). Cost-efficacy of individual and combined treatments for panic disorder. *Journal of Clinical Psychiatry*, 68(7), 1038–1044.
373. McLean, P. D., Whittal, M. L., Thordarson, D. S., Taylor, S., Söchting, I., Koch, W. J., et al. (2001). Cognitive versus behavior therapy in the group treatment of obsessive-compulsive disorder. *Journal of Consulting and Clinical Psychology*, 69(2), 205–214.
374. McLean, P. D., Woody, S., Taylor, S., & Koch, W. J. (1998). Comorbid panic disorder and major depression: Implications for cognitive-behavioral therapy. *Journal of Consulting and Clinical Psychology*, 66(2), 240–247.
375. McManus, F., Clark, D. M., Grey, N., Wild, J., Hirsch, C., Fennell, M., et al. (2009). A demonstration of the efficacy of two of the components of cognitive therapy for social phobia. *Journal of Anxiety Disorders*, 23, 496–503.
376. Mehta, M. (1990). A comparative study of family-based and patients-based behavioural management in obsessive-compulsive disorder. *British Journal of Psychiatry*, 157, 133–135.
377. Meichenbaum, D. (2009). Stress inoculation training. In W. T. O'Donohue & J. E. Fisher (Eds.), *General principles and empirically supported techniques of cognitive behavior therapy*, 627–630. Hoboken, NJ: Wiley.
378. Mendes, D. D., Mello, M. F., Ventura, P., Passarela, C. M., & Mari, J. J. (2008). A systematic review on the effectiveness of cognitive behavioral therapy for post-traumatic stress disorder. *International Journal of Psychiatry in Medicine*, 38, 241–259.

379. Mennin, D. S. (2004). Emotion regulation therapy for generalized anxiety disorder. *Clinical Psychology and Psychotherapy*, 11(1), 17–29.
380. Mennin, D. S., Turk, C. L., Heimberg, R. G., & Carmin, C. N. (2004). Regulation of emotion in generalized anxiety disorder. In M. A. Reinecke & D. A. Clark (Eds.), *Cognitive therapy across the lifespan*, 60–89. New York: Cambridge University Press.
381. Menzies, R. G., & Clarke, J. C. (1994). Retrospective studies of the origins of phobias: A review. *Anxiety, Stress and Coping*, 7, 305–318.
382. Menzies, R. G., & Clarke, J. C. (1995). The etiology of phobias: A nonassociative account. *Clinical Psychology Review*, 15, 23–48.
383. Merikangas, K. R., Lieb, R., Wittchen, H.-U., & Avnelevoli, S. (2003). Family and high-risk studies of social anxiety disorder. *Acta Psychiatrica Scandinavica*, 108, 28–37.
384. Meyer, T. J., Miller, M. L., Metzger, R. L., & Borkovec, T. D. (1990). Development and validation of the Penn State Worry Questionnaire. *Behaviour Research and Therapy*, 28(6), 487–495.
385. Meyer, V. (1966). Modification of expectations in cases with obsessional rituals. *Behaviour Research and Therapy*, 4, 273–280.
386. Meyer, V., Levy, R., & Schnurer, A. (1974). The behavioural treatment of obsessive-compulsive disorders. In H. R. Beech (Ed.), *Obsessional states*, 238–258. London: Methuen.
387. Miklowitz, D. J. (2008). *Bipolar disorder: A family-focused treatment approach* (2nd ed.). New York: Guilford Press.
388. Miklowitz, D. J., Otto, M. W., Frank, E., Reilly-Harrington, N. A., Wisniewski, S. R., Kogan, J. N., et al. (2007). Psychosocial treatments for bipolar depression. *Archives of General Psychiatry*, 64, 419–427.
389. Millon, T., with Millon, C., Davis, R., & Grossman, S. (2006). *Millon Clinical Multiaxial Inventory-III (MCMI-III) manual* (3rd ed.). Minneapolis, MN: Pearson.
390. Mills, H. L., Agras, W. S., Barlow, D. H., & Mills, J. R. (1973). Compulsive rituals treated by response prevention. *Archives of General Psychiatry*, 28, 524–527.
391. Mineka, S., Watson, D., & Clark, L. A. (1998). Comorbidity of anxiety and unipolar mood disorders. *Annual Review of Psychology*, 49, 377–412.
392. Mineka, S., & Zinbarg, R. (1995). Conditioning and ethological models of social phobia. In R. G. Heimberg, M. R. Liebowitz, D. A. Hope, & F. R. Schneier (Eds.), *Social phobia: Diagnosis, assessment, and treatment*, 134–162. New York: Guilford Press.

393. Mitte, K. (2005). A meta-analysis of the efficacy of psycho- and pharmacotherapy in panic disorder with and without agoraphobia. *Journal of Affective Disorders*, 88(1), 27–45.
394. Mogg, A., Pluck, G., Eranti, S. V., Landau, S., Purvis, R., Brown, R. G., et al. (2008). A randomized controlled trial with 4-month follow-up of adjunctive repetitive transcranial magnetic stimulation of the left prefrontal cortex for depression. *Psychological Medicine*, 38(3), 323–333.
395. Molina, S., & Borkovec, T. D. (1994). The Penn State Worry Questionnaire: Psychometric properties and associated characteristics. In G. C. L. Davey & F. Tallis (Eds.), *Worrying: Perspectives on theory, assessment and treatment*, 265–283. New York: Wiley.
396. Morissette, S. B., Spiegel, D. A., & Barlow, D. H. (2008). Combining exposure and pharmacotherapy in the treatment of social anxiety disorder: A preliminary study of state dependent learning. *Journal of Psychopathology and Behavioral Assessment*, 30, 211–219.
397. Mörtberg, E., Clark, D. M., Sundin, Ö., & Wistedt, A. A. (2007). Intensive group cognitive treatment and individual cognitive therapy vs. treatment as usual in social phobia: A randomized controlled trial. *Acta Psychiatrica Scandinavica*, 115, 142–154.
398. Mowrer, O. H. (1939). A stimulus-response analysis of anxiety and its role as a reinforcing agent. *Psychological Review*, 46(6), 553–565.
399. Mowrer, O. H. (1947). On the dual nature of learning: A reinterpretation of “conditioning” and “problem-solving”. *Harvard Educational Review*, 17, 102–148.
400. Mowrer, O. H. (1960). *Learning theory and behavior*. New York: Wiley.
401. Muller, J. E., Koen, L., Seedat, S., & Stein, D. J. (2005). Social anxiety disorder: Current treatment recommendations. *CNS Drugs*, 19, 377–391.
402. Mundo, E., Maina, G., & Uslenghi, C. (2000). Multicentre, double-blind comparison of fluvoxamine and clomipramine in the treatment of obsessive-compulsive disorder. *International Clinical Psychopharmacology*, 15(2), 69–76.
403. Mundo, E., Rouillon, F., Figuera, M. L., & Stigler, M. (2001). Fluvoxamine in obsessive-compulsive disorder: Similar efficacy but superior tolerability in comparison with clomipramine. *Human Psychopharmacology: Clinical and Experimental*, 16(6), 461–468.
404. Nathan, P. E., & Gorman, J. M. (Eds.). (2007). *Treatments that work*. New York: Oxford University Press.
405. Nesse, R. M., & Ellsworth, P. C. (2009). Evolution, emotions, and emotional disorders. *American Psychologist*, 64(2), 129–139.

406. Nestadt, G., Romanoski, A. J., Samuels, J. F., Folstein, M. F., & McHugh, P. R. (1992). The relationship between personality and DSM-III Axis I disorders in the population: Results from an epidemiological survey. *American Journal of Psychiatry*, 149(9), 1228–1233.
407. Nestadt, G., Samuels, J., Riddle, M., Bienvenu, J., Liang, K., LaBuda, M., et al. (2000). A family study of obsessive-compulsive disorder. *Archives of General Psychiatry*, 57(4), 358–363.
408. Newman, C. F., Leahy, R. L., Beck, A. T., Reilly-Harrington, N. A., & Gyulai, L. (2002). *Bipolar disorder: A cognitive therapy approach*. Washington, DC: American Psychological Association.
409. Newman, M. G., Castonguay, L. G., Borkovec, T. D., Fisher, A. J., & Nordberg, S. S. (2008). An open trial of integrative therapy for generalized anxiety disorder. *Psychotherapy: Theory, Research, Practice, Training*, 45(2), 135–147.
410. Nezu, A. M. (2004). Problem solving and behavior therapy revisited. *Behavior Therapy*, 35, 1–33.
411. Nezu, A. M., Nezu, C. M., & D'Zurilla, T. J. (2007). *Solving life's problems: A 5-step guide to enhanced wellbeing*. New York: Springer.
412. Neziroglu, F., McKay, D., & Yaryura-Tobias, J. A. (2000). Overlapping and distinctive features of hypochondriasis and obsessive-compulsive disorder. *Journal of Anxiety Disorders*, 14(6), 603–614.
413. Nierenberg, A. A., Trivedi, M. H., Fava, M., Biggs, M. M., ShoresWilson, K., Wisniewski, S. R., et al. (2007). Family history of mood disorder and characteristics of major depressive disorder: A STAR*D (Sequenced Treatment Alternatives to Relieve Depression) study. *Journal of Psychiatric Research*, 41(3–4), 214–221.
414. Ninan, P. T., & Dunlop, B. W. (2005a). Contemporary choices in the short-term pharmacologic management of depression and anxiety. *Primary Psychiatry*, 12(4), no pagination specified. Retrieved from www.primarypsychiatry.com/aspa/articledetail.aspx?articleid=852.
415. Ninan, P. T., & Dunlop, B. W. (2005). Neurobiology and etiology of panic disorder. *Journal of Clinical Psychiatry*, 66, 3–7.
416. Nolen-Hoeksema, S. (1991). Responses to depression and their effects on the duration of depressive episodes. *Journal of Abnormal Psychology*, 100(4), 569–582.
417. Nolen-Hoeksema, S. (2000). The role of rumination in depressive disorders and mixed anxiety/depressive symptoms. *Journal of Abnormal Psychology*, 109, 504–511.
418. Nolen-Hoeksema, S., Larson, J., & Grayson, C. (1999). Explaining the gender difference in depressive symptoms. *Journal of Personality and Social Psychology*, 77(5), 1061–1072.

419. Nolen-Hoeksema, S., Wisco, B. E., & Lyubomirsky, S. (2008). Rethinking rumination. *Perspectives on Psychological Science*, 3(5), 400–424.
420. Nortje, C., Posthumus, T., & Möller, A. T. (2008). Comparison of integrated cognitive restructuring plus exposure with exposure alone in group treatment of generalised social anxiety disorder. *South African Journal of Psychology*, 38, 647–658.
421. Norton, P. J., & Price, E. C. (2007). A meta-analytic review of adult cognitive-behavioral treatment outcome across the anxiety disorders. *Journal of Nervous and Mental Disease*, 195(6), 521–531.
422. Novaco, R. W. (1978). Anger and coping with stress: Cognitive-behavioral interventions. In J. P. Foreyt & D. P. Rathjen (Eds.), *Cognitive-behavior therapy: Research and applications* (pp. 135–173). New York: Plenum Press.
423. Novaco, R. W., & Taylor, J. L. (2006). Anger. In A. Carr & M. McNulty (Eds.), *The handbook of adult clinical psychology: An evidence-based practice approach*, 978–1009. New York: Routledge/Taylor & Francis.
424. Obsessive Compulsive Cognitions Working Group. (2003). Psychometric validation of the Obsessive Beliefs Questionnaire and the Interpretation of Intrusions Inventory: Part 1. *Behaviour Research and Therapy*, 41, 863–878.
425. Oei, T. P. S., & Baranoff, J. (2007). Young Schema Questionnaire: Review of psychometric and measurement issues. *Australian Journal of Psychology*, 59(2), 78–86.
426. Orsillo, S. M., Roemer, L., & Barlow, D. H. (2003). Integrating acceptance and mindfulness into existing cognitive-behavioral treatment for GAD: A case study. *Cognitive and Behavioral Practice*, 10(3), 222–230.
427. Öst, L. (1987). Applied relaxation: Description of a coping technique and review of controlled studies. *Behavior Research and Therapy*, 25(5), 397–409.
428. Öst, L. (1997). Rapid treatment of specific phobias. In G. C. L. Davey (Ed.), *Phobias: A handbook of theory, research and treatment*, 227–246. New York: Wiley.
429. Öst, L., Salkovskis, P. M., & Hellström, K. (1991). One-session therapist-directed exposure vs. self-exposure in the treatment of spider phobia. *Behavior Therapy*, 22, 407–422.
430. Öst, L., & Westling, B. E. (1995). Applied relaxation vs. cognitive behaviour therapy in the treatment of panic disorder. *Behaviour Research and Therapy*, 33(2), 145–158.
431. Öst, L., Westling, B. E., & Hellström, K. (1993). Applied relaxation, exposure in vivo and cognitive methods in the treatment of panic disorder with agoraphobia. *Behaviour Research and Therapy*, 31(4), 383–394.

432. Öst, L. G., & Hugdahl, K. (1981). Acquisition of phobias and anxiety response patterns in clinical patients. *Behaviour Research and Therapy*, 16, 439–447.
433. Öst, L. G., & Sterner, U. (1987). Applied tension: A specific behavioural method for treatment of blood phobia. *Behaviour Research and Therapy*, 25, 25–29.
434. Otto, M. W., Hinton, D., Korbly, N. B., Chea, A., Ba, P., Gershuny, B. S., et al. (2003). Treatment of pharmacotherapy-refractory post-traumatic stress disorder among Cambodian refugees: A pilot study of combination treatment with cognitive-behaviour therapy vs. sertraline alone. *Behaviour Research and Therapy*, 41, 1271–1276.
435. Otto, M. W., Pollack, M. H., Sachs, G. S., Reiter, S. R., Meltzer-Brody, S., & Rosenbaum, J. F. (1993). Discontinuation of benzodiazepine treatment: Efficacy of cognitive-behavioral therapy for patients with panic disorder. *American Journal of Psychiatry*, 150(10), 1485–1490.
436. Panzarella, C., Alloy, L. B., & Whitehouse, W. G. (2006). Expanded hopelessness theory of depression: On the mechanisms by which social support protects against depression. *Cognitive Therapy and Research*, 30(3), 307–333.
437. Paradis, C. M., Hatch, M., & Friedman, S. (1994). Anxiety disorders in African Americans: An update. *Journal of the National Medical Association*, 86(8), 609–612.
438. Pato, M. T., Zohar-Kadouch, R., Zohar, J., & Murphy, D. L. (1988). Return of symptoms after discontinuation of clomipramine in patients with obsessive-compulsive disorder. *American Journal of Psychiatry*, 145(12), 1521–1525.
439. Patten, S. B. (2009). Accumulation of major depressive episodes over time in a prospective study indicates that retrospectively assessed lifetime prevalence estimates are too low. *BMC Psychiatry*, 9, 19.
440. Pauls, D. L., Alsobrook, J. P., Goodman, W., Rasmussen, S., & Leckman, J. F. (1995). A family study of obsessive-compulsive disorder. *American Journal of Psychiatry*, 152(1), 76–84.
441. Pediatric OCD Treatment Study Team. (2004). Cognitive-behavior therapy, sertraline, and their combination for children and adolescents with obsessive-compulsive disorder: The Pediatric OCD Treatment Study (POTS) randomized controlled trial. *Journal of the American Medical Association*, 292(16), 1969–1976.
442. Persons, J. B. (2008). *The case formulation approach to cognitive-behavior therapy*. New York: Guilford Press.
443. Pollack, M. H. (2005). The pharmacotherapy of panic disorder. *Journal of Clinical Psychiatry*, 66, 23–27.
444. Ponniah, K., & Hollon, S. D. (2008). Empirically supported psychological interventions for social phobia in adults: A qualitative review of randomized controlled trials. *Psychological Medicine*, 38, 3–14.

445. Powers, M. B., Smits, J. A., & Telch, M. J. (2004). Disentangling the effects of safety-behavior utilization and safety-behavior availability during exposure-based treatment: A placebo-controlled trial. *Journal of Consulting and Clinical Psychology*, 72, 448–454.
446. Pratt, L. A., & Brody, D. J. (2008). *Depression in the United States household population, 2005–2006* (NCHS Data Brief No. 7). Retrieved January 5, 2011, from www.cdc.gov/nchs/data/databriefs/db07.htm.
447. Purdon, C., Rowa, K., & Antony, M. M. (2005). Thought suppression and its effects on thought frequency, appraisal and mood state in individuals with obsessive-compulsive disorder. *Behaviour Research and Therapy*, 43(1), 93–108.
448. Rabavilas, A. D., & Boulogeouris, J. C. (1974). Physiological accompaniments of ruminations, flooding and thought stopping in obsessive patients. *Behaviour Research and Therapy*, 12, 239–243.
449. Rabavilas, A. D., Boulogeouris, J. C., & Stefanis, C. (1976). Duration of flooding sessions in the treatment of obsessive-compulsive patients. *Behaviour Research and Therapy*, 14(5), 349–355.
450. Rachman, S. (1978). *Fear and courage*. New York: Freeman.
451. Rachman, S. (1993). Obsessions, responsibility and guilt. *Behaviour Research and Therapy*, 31(2), 149–154.
452. Rachman, S., & de Silva, P. (1978). Abnormal and normal obsessions. *Behaviour Research and Therapy*, 16(4), 233–248.
453. Rachman, S., & Wilson, G. T. (1980). *The effects of psychological therapy*. Oxford: Pergamon.
454. Rapee, R. M. (1991). Psychological factors involved in generalized anxiety. In R. M. Rapee & D. H. Barlow (Eds.), *Chronic anxiety: Generalized anxiety disorder and mixed anxiety-depression*, 76–94. New York: Guilford Press.
455. Rapee, R. M. (1995). Descriptive psychopathology of social phobia. In R. G. Heimberg, M. R. Liebowitz, D. A. Hope, & F. R. Schneier (Eds.), *Social phobia: Diagnosis, assessment, and treatment*, 4–66. New York: Guilford Press.
456. Rapee, R. M., Gaston, J. E., & Abbott, M. J. (2009). Testing the efficacy of theoretically derived improvements in the treatment of social phobia. *Journal of Consulting and Clinical Psychology*, 77, 317–327.
457. Rapee, R. M., & Heimberg, R. G. (1997). A cognitive-behavioural model of anxiety in social phobia. *Behaviour Research and Therapy*, 35, 741–756.
458. Rasmussen, S. A., & Eisen, J. L. (1990). Epidemiology of obsessive compulsive disorder. *Journal of Clinical Psychiatry*, 51(2), 10–13.

459. Rasmussen, S. A., & Tsuang, M. T. (1986). Clinical characteristics and family history in DSM-III obsessive-compulsive disorder. *American Journal of Psychiatry*, 143(3), 317–322.
460. Reed, G. F. (1983). Obsessional-compulsive disorder: A cognitive/structural approach. *Canadian Psychology/Psychologie Canadienne*, 24(3), 169–180.
461. Rehm, L. P. (1990). Cognitive and behavioral theories. In B. B. Wolman & G. Stricker (Eds.), *Depressive disorders: Facts, theories, and treatment methods* (pp. 64–91). New York: Wiley.
462. Reich, J., Noyes, R., & Troughton, E. (1987). Dependent personality disorder associated with phobic avoidance in patients with panic disorder. *American Journal of Psychiatry*, 144(3), 323–326.
463. Resick, P. A., Galovski, T. E., O'Brien Uhlmansiek, M., Scher, C. D., Clum, G. A., & Young-Xu, Y. (2008). A randomized clinical trial to dismantle components of cognitive processing therapy for post-traumatic stress disorder in female victims of interpersonal violence. *Journal of Consulting and Clinical Psychology*, 76, 243–258.
464. Resick, P. A., & Schnicke, M. K. (1993). *Cognitive processing therapy for rape victims*. Newbury Park, CA: Sage.
465. Ressler, K. J., Rothbaum, B. O., Tannenbaum, L., Anderson, P., Graap, K., Zimand, E., et al. (2004). Cognitive enhancers as adjuncts to psychotherapy: Use of D-cycloserine in phobic individuals to facilitate extinction of fear. *Archives of General Psychiatry*, 61, 1136–1144.
466. Riggs, D. S., Hiss, H., & Foa, E. B. (1992). Marital distress and the treatment of obsessive compulsive disorder. *Behavior Therapy*, 23(4), 585–597.
467. Riskind, J. H. (1997). Looming vulnerability to threat: A cognitive paradigm for anxiety. *Behaviour Research and Therapy*, 35(8), 685–702.
468. Robinson, J., Sareen, J., Cox, B. J., & Bolton, J. (2009). Self-medication of anxiety disorders with alcohol and drugs: Results from a nationally representative sample. *Journal of Anxiety Disorders*, 23(1), 38–45.
469. Rodebaugh, T. L., & Heimberg, R. G. (2005). Combined treatment for social anxiety disorder. *Journal of Cognitive Psychotherapy*, 19, 331–345.
470. Rodebaugh, T. L., Holaway, R. M., & Heimberg, R. G. (2004). The treatment of social anxiety disorder. *Clinical Psychology Review*, 24, 883–908.
471. Rohan, K. J., Roecklein, K. A., Lindsey, K. T., Johnson, L. G., Lippy, R. D., & Lacy, T. J. (2007). A randomized controlled trial of cognitive-behavioral therapy, light therapy, and their combination for seasonal affective disorder. *Journal of Consulting and Clinical Psychology*, 75(3), 489–500.

472. Roper, G., & Rachman, S. (1976). Obsessional-compulsive checking: Experimental replication and development. *Behaviour Research and Therapy*, 14(1), 25–32.
473. Roper, G., Rachman, S., & Hodgson, R. (1973). An experiment on obsessional checking. *Behaviour Research and Therapy*, 11(3), 271–277.
474. Rosa-Alcázar, A. I., Sánchez-Meca, J., Gómez-Conesa, A., & Marín-Martínez, F. (2008). Psychological treatment of obsessive-compulsive disorder: A meta-analysis. *Clinical Psychology Review*, 28(8), 1310–1325.
475. Roth, A. D., & Church, J. A. (1994). The use of revised habituation in the treatment of obsessive-compulsive disorders. *British Journal of Clinical Psychology*, 33(2), 201–204.
476. Rounsville, B. J., Weissman, M. M., Prusoff, B. A., & Herceg-Baron, R. L. (1979). Marital disputes and treatment outcome in depressed women. *Comprehensive Psychiatry*, 20(5), 483–490.
477. Rowa, K., & Antony, M. M. (2005). Psychological treatments for social phobia. *Canadian Journal of Psychiatry*, 50, 308–316.
478. Roy-Byrne, P., Craske, M. G., Stein, M. B., Sullivan, G., Bystritsky, A., Katon, W., et al. (2005). A randomized effectiveness trial of cognitive-behavioral therapy and medication for primary care panic disorder. *Archives of General Psychiatry*, 62(3), 290–298.
479. Roy-Byrne, P. P., & Wagner, A. (2004). Primary care perspectives on generalized anxiety disorder. *Journal of Clinical Psychiatry*, 65(Suppl. 13), 20–26.
480. Rubio, G., & López-Ibor, J. J. (2007). Generalized anxiety disorder: A 40-year follow-up study. *Acta Psychiatrica Scandinavica*, 115(5), 372–379.
481. Rush, A. J., Carmody, T. J., Ibrahim, H. M., Trivedi, M. H., Biggs, M. M., Shores-Wilson, K., et al. (2006). Comparison of self-report and clinician ratings on two inventories of depressive symptomatology. *Psychiatric Services*, 57(6), 829–837.
482. Rush, A. J., Trivedi, M. H., Ibrahim, H. M., Carmody, T. J., Arnow, B., Klein, D. N., et al. (2003). The 16-Item Quick Inventory of Depressive Symptomatology (QIDS), clinician rating (QIDS-C), and self-report (QIDS-SR): A psychometric evaluation in patients with chronic major depression. *Biological Psychiatry*, 54(5), 573–583.
483. Rush, A. J., Trivedi, M. H., Wisniewski, S. R., Nierenberg, A. A., Stewart, J. W., Warden, D., et al. (2006). Acute and longer-term outcomes in depressed outpatients requiring one or several treatment steps: A STAR*D report. *American Journal of Psychiatry*, 163(11), 1905–1917.
484. Rush, A. J., Warden, D., Wisniewski, S. R., Fava, M., Trivedi, M. H., Gaynes, B. N., et al. (2009). STAR*D revising conventional wisdom. *CNS Drugs*, 23(8), 627–647.

485. Sadock, B. J., Sadock, V. A., & Ruiz, P. (Eds.). (2009). *Kaplan and Sadock's comprehensive textbook of psychiatry* (9th ed.). Philadelphia: Lippincott Williams & Wilkins.
486. Safran, J. D., & Segal, Z. V. (1990). *Interpersonal process in cognitive therapy*. New York: Basic Books.
487. Salkovskis, P. M. (1983). Treatment of an obsessional patient using habituation to audiotaped ruminations. *British Journal of Clinical Psychology*, 22(4), 311–313.
488. Salkovskis, P. M. (1985). Obsessional-compulsive problems: A cognitive-behavioural analysis. *Behaviour Research and Therapy*, 23(5), 571–583.
489. Salkovskis, P. M. (1989). Cognitive-behavioural factors and the persistence of intrusive thoughts in obsessional problems. *Behaviour Research and Therapy*, 27(6), 677–682.
490. Salkovskis, P. M., Clark, D. M., & Gelder, M. G. (1996). Cognition-behaviour links in the persistence of panic. *Behaviour Research and Therapy*, 34(5–6), 453–458.
491. Salkovskis, P. M., Clark, D. M., Hackmann, A., Wells, A., & Gelder, M. G. (1999). An experimental investigation of the role of safety-seeking behaviours in the maintenance of panic disorder with agoraphobia. *Behaviour Research and Therapy*, 37(6), 559–574.
492. Salkovskis, P. M., & Kirk, J. (1997). Obsessive-compulsive disorder. In D. M. Clark & C. G. Fairburn (Eds.), *Science and practice of cognitive behaviour therapy*, 179–208. New York: Oxford University Press.
493. Salkovskis, P. M., Thorpe, S. J., Wahl, K., Wroe, A. L., & Forrester, E. (2003). Neutralizing increases discomfort associated with obsessional thoughts: An experimental study with obsessional patients. *Journal of Abnormal Psychology*, 112(4), 709–715.
494. Salkovskis, P. M., & Warwick, H. M. C. (1985). Cognitive therapy of obsessive-compulsive disorder: treating treatment failures. *Behavioral Psychotherapy*, 13, 243–255.
495. Salkovskis, P. M., & Warwick, H. M. (1986). Morbid preoccupations, health anxiety and reassurance: A cognitive-behavioural approach to hypochondriasis. *Behaviour Research and Therapy*, 24(5), 597–602.
496. Salkovskis, P. M., & Westbrook, D. (1989). Behaviour therapy and obsessional ruminations: Can failure be turned into success? *Behaviour Research and Therapy*, 27(2), 149–160.

497. Salkovskis, P. M., Westbrook, D., Davis, J., Jeavons, A., & Gledhill, A. (1997). Effects of neutralizing on intrusive thoughts: An experiment investigating the etiology of obsessive-compulsive disorder. *Behaviour Research and Therapy*, 35(3), 211–219.
498. Salkovskis, P. M., Wroe, A. L., Gledhill, A., Morrison, N., Forrester, E., Richards, C., et al. (2000). Responsibility attitudes and interpretations are characteristic of obsessive compulsive disorder. *Behaviour Research and Therapy*, 38(4), 347–372.
499. Sanderson, W. C., Beck, A. T., & McGinn, L. K. (1994). Cognitive therapy for generalized anxiety disorder: Significance of comorbid personality disorders. *Journal of Cognitive Psychotherapy*, 8(1), 13–18.
500. Sanderson, W. C., & McGinn, L. K. (1997). Psychological treatment of anxiety disorder patients with comorbidity. In S. Wetzler & W. C. Sanderson (Eds.), *Treatment strategies for patients with psychiatric comorbidity* (pp. 75–104). New York: Wiley.
501. Sanderson, W. C., & Wetzler, S. (1991). Chronic anxiety and generalized anxiety disorder: Issues in comorbidity. In R. M. Rapee & D. H. Barlow (Eds.), *Chronic anxiety: Generalized anxiety disorder and mixed anxiety-depression*, 119–135. New York: Guilford Press.
502. Sanderson, W. C., & Wetzler, S. (1995). Cognitive behavioral treatment of panic disorder. In G. N. Asnis & H. M. van Praag (Eds.), *Panic disorder: Clinical, biological, and treatment aspects*, 314–335. New York: Wiley.
503. Sasson, Y., Zohar, J., Chopra, M., Lustig, M., Iancu, I., & Hendler, T. (1997). Epidemiology of obsessive-compulsive disorder: A world view. *Journal of Clinical Psychiatry*, 58, 7–10.
504. Scher, C. D., Ingram, R. E., & Segal, Z. V. (2005). Cognitive reactivity and vulnerability: Empirical evaluation of construct activation and cognitive diatheses in unipolar depression. *Clinical Psychology Review*, 25(4), 487–510.
505. Schneier, F. R., Johnson, J., Hornig, C. D., Liebowitz, M. R., & Weissman, M. M. (1992). Social phobia: Comorbidity and morbidity in an epidemiological sample. *Archives of General Psychiatry*, 49, 282–288.
506. Schnurr, P. P., Friedman, M. J., & Bernardy, N. C. (2002). Research on post-traumatic stress disorder: Epidemiology, pathophysiology, and assessment. *Journal of Clinical Psychology/In Session: Psychotherapy in Practice*, 58, 877–889.
507. Schoenfeld, F. B., Marmar, C. R., & Neylan, T. C. (2004). Current concepts in pharmacotherapy for post-traumatic stress disorder. *Psychiatric Services*, 55, 519–531.
508. Schwartz, J. M., Stoessel, P. W., Baxter, L. R., Martin, K. M., & Phelps, M. E. (1996). Systematic changes in cerebral glucose metabolic rate after successful behavior modification treatment of obsessive-compulsive disorder. *Archives of General Psychiatry*, 53(2), 109–113.

509. Segal, Z. V., Williams, J. M. G., & Teasdale, J. D. (2002). *Mindfulness-based cognitive therapy for depression: A new approach to preventing relapse*. New York: Guilford Press.
510. Seligman, M. E. P. (1971). Phobias and preparedness. *Behavior Therapy*, 2, 307–320.
511. Seligman, M. E. P. (1975). *Helplessness: On depression, development, and death*. New York: Freeman.
512. Shapiro, F. (1999). Eye movement desensitization and reprocessing (EMDR) and the anxiety disorders: Clinical and research implications of an integrated psychotherapy treatment. *Journal of Anxiety Disorders*, 13, 35–67.
513. Shear, K. M., Brown, T. A., Barlow, D. H., Money, R., Sholomskas, D. E., Woods, S. W., et al. (1997). Multicenter collaborative Panic Disorder Severity Scale. *American Journal of Psychiatry*, 154, 1571–1575.
514. Shugart, Y. Y., Samuels, J., Willour, V. L., Grados, M. A., Greenberg, B. D., Knowles, J. A., et al. (2006). Genomewide linkage scan for obsessive-compulsive disorder: Evidence for susceptibility loci on chromosomes 3q, 7p, 1q, 15q, and 6q. *Molecular Psychiatry*, 11(8), 763–770.
515. Siev, J., & Chambless, D. L. (2007). Specificity of treatment effects: cognitive therapy and relaxation for generalized anxiety and panic disorders. *Journal of Consulting and Clinical Psychology*, 75(4), 513–522.
516. Simon, N. M., & Fischmann, D. (2005). The implications of medical and psychiatric comorbidity with panic disorder. *Journal of Clinical Psychiatry*, 66, 8–15.
517. Smith, J. P., & Smith, G. C. (2010). Long-term economic costs of psychological problems during childhood. *Social Science and Medicine*, 71, 110–115.
518. Smith, L. C., Friedman, S., & Nevid, J. (1999). Clinical and socio-cultural differences in African American and European American patients with panic disorder and agoraphobia. *Journal of Nervous and Mental Disease*, 187(9), 549–560.
519. Smucker, M. R., & Niederee, J. (1995). Treating incestrelated PTSD and pathogenic schemas through imaginal exposure and rescripting. *Cognitive and Behavioral Practice*, 2, 63–93.
520. Solomon, R. L., & Wynne, L. C. (1954). Traumatic avoidance learning: The principles of anxiety conservation and partial irreversibility. *Psychological Review*, 61(6), 353–385.
521. Solomon, S. D., & Johnson, D. M. (2002). Psychosocial treatment of post-traumatic stress disorder: A practice-friendly review of outcome research. *Journal of Clinical Psychology/In Session: Psychotherapy in Practice*, 58, 947–959.

522. Sookman, D., & Leahy, R. L. (2009). *Treatment resistant anxiety disorders: Resolving impasses to symptom remission*. New York: Routledge.
523. Spanier, G. B. (1976). Measuring dyadic adjustment: New scales for assessing the quality of marriage and similar dyads. *Journal of Marriage and the Family*, 38, 15–25.
524. Spiegel, D. A., Bruce, T. J., Gregg, S. F., & Nuzzarello, A. (1994). Does cognitive behavior therapy assist slow-taper alprazolam discontinuation in panic disorder? *American Journal of Psychiatry*, 151(6), 876–881.
525. Spiegler, M. D., & Guevremont, D. C. (2010). *Contemporary behavior therapy* (5th ed.). Belmont, CA: Wadsworth/Cengage Learning.
526. Spielberger, C. D., Gorsuch, R. L., Lushene, R. E., Vagg, P. R., & Jacobs, G. A. (1983). *Manual for the State-Trait Anxiety Inventory*. Palo Alto, CA: Consulting Psychologists.
527. Stanley, M. A., & Turner, S. M. (1995). Current status of pharmacological and behavioral treatment of obsessive-compulsive disorder. *Behavior Therapy*, 26(1), 163–186.
528. Stanley, M. A., Wilson, N. L., Novy, D. M., Rhoades, H. M., Wagener, P. D., Greisinger, A. J., et al. (2009). Cognitive behavior therapy for generalized anxiety disorder among older adults in primary care: A randomized clinical trial. *Journal of the American Medical Association*, 301(14), 1460–1467.
529. Stein, M. B., Jang, K. L., Taylor, S., Vernon, P. A., & Livesley, W. J. (2002). Genetic and environmental influences on trauma exposure and post-traumatic stress disorder symptoms: A twin study. *American Journal of Psychiatry*, 159, 1675–1681.
530. Steketee, G. (1993). *Treatment of obsessive compulsive disorder*. New York: Guilford Press.
531. Steketee, G., Chambless, D. L., & Tran, G. Q. (2001). Effects of Axis I and II comorbidity on behavior therapy outcome for obsessive-compulsive disorder and agoraphobia. *Comprehensive Psychiatry*, 42(1), 76–86.
532. Steketee, G., Quay, S., & White, K. (1991). Religion and guilt in OCD patients. *Journal of Anxiety Disorders*, 5(4), 359–367.
533. Steketee, G., & White, K. (1990). *When once is not enough: Help for obsessive-compulsives*. Oakland, CA: New Harbinger.
534. Steketee, G. S., & White, K. (1990). *When once is not enough*. Oakland, CA: New Harbinger Press.
535. Stewart, W. F., Ricci, J. A., Chee, E., Hahn, S. R., & Morganstein, D. (2003). Cost of lost productive work time among US workers with depression. *Journal of the American Medical Association*, 289, 3135–3144.

536. Stinson, F. S., Dawson, D. A., Chou, S. P., Smith, S., Goldstein, R. B., Ruan, W. J., et al. (2007). The epidemiology of DSM-IV specific phobia in the USA: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Psychological Medicine*, 37, 1047–1059.
537. Storch, E. A., Geffken, G., Merlo, L., Mann, G., Duke, D., Munson, M., et al. (2007). Family-based cognitive-behavioral therapy for pediatric obsessive-compulsive disorder: Comparison of intensive and weekly approaches. *Journal of the American Academy of Child and Adolescent Psychiatry*, 46, 469–478.
538. Storch, E. A., Larson, M. J., Merlo, L. J., Keeley, M. L., Jacob, M. L., Geffken, G. R., et al. (2008). Comorbidity of pediatric obsessive-compulsive disorder and anxiety disorders: Impact on symptom severity and impairment. *Journal of Psychopathology and Behavioral Assessment*, 30(2), 111–120.
539. Storch, E. A., Merlo, L. J., Lehmkuhl, H., Geffken, G. R., Jacob, M., Ricketts, E., et al. (2008). Cognitive-behavioral therapy for obsessive-compulsive disorder: A nonrandomized comparison of intensive and weekly approaches. *Journal of Anxiety Disorders*, 22(7), 1146–1158.
540. Stravynski, A., Marks, I., & Yule, W. (1982). Social skills problems in neurotic outpatients: Social skills training with and without cognitive modification. *Archives of General Psychiatry*, 39, 1378–1385.
541. Sullivan, P. F., Neale, M. C., & Kendler, K. S. (2000). Genetic epidemiology of major depression: Review and meta-analysis. *American Journal of Psychiatry*, 157, 1552–1562.
542. Tang, T. Z., DeRubeis, R. J., Beberman, R., & Pham, T. (2005). Cognitive changes, critical sessions, and sudden gains in cognitive-behavioral therapy for depression. *Journal of Consulting and Clinical Psychology*, 73(1), 168–172.
543. Tang, T. Z., DeRubeis, R. J., Hollon, S. D., Amsterdam, J., & Shelton, R. (2007). Sudden gains in cognitive therapy of depression and depression relapse/recurrence. *Journal of Consulting and Clinical Psychology*, 75(3), 404–408.
544. Taylor, S. (1996). Meta-analysis of cognitive-behavioral treatments for social phobia. *Journal of Behavior Therapy and Experimental Psychiatry*, 27, 1–9.
545. Taylor, S., Thordarson, D. S., Maxfield, L., Fedoroff, I. C., Lovell, K., & Ogrodniczuk, J. (2003). Comparative efficacy, speed, and adverse effects of three PTSD treatments: Exposure therapy, EMDR, and relaxation training. *Journal of Consulting and Clinical Psychology*, 71, 330–338.
546. Teachman, B. A., Marker, C. D., & Smith-Janik, S. (2008). Automatic associations and panic disorder: Trajectories of change over the course of treatment. *Journal of Consulting and Clinical Psychology*, 76(6), 988–1002.

547. Teasdale, J. D., Segal, Z. V., Williams, M. J. G., Ridgeway, V. A., Soulsby, J. M., & Lau, M. A. (2000). Prevention of relapse/recurrence in major depression by mindfulness-based cognitive therapy. *Journal of Consulting and Clinical Psychology*, 68, 615–623.
548. Terman, M., & Terman, J. S. (2006). Controlled trial of naturalistic dawn simulation and negative air ionization for seasonal affective disorder. *American Journal of Psychiatry*, 163(12), 2126–2133.
549. Tinbergen, N. (1951). *The study of instinct*. Oxford: Clarendon Press.
550. Tolin, D. F., Abramowitz, J. S., Brigidi, B. D., & Foa, E. B. (2003). Intolerance of uncertainty in obsessive-compulsive disorder. *Journal of Anxiety Disorders*, 17(2), 233–242.
551. Tollefson, G. D., Tollefson, S. L., Pederson, M., Luxenberg, M., & Dunsmore, G. (1991). Comorbid irritable bowel syndrome in patients with generalized anxiety and major depression. *Annals of Clinical Psychiatry*, 3(3), 215–222.
552. Tsao, J. C. I., Lewin, M. R., & Craske, M. G. (1998). The effects of cognitive-behavior therapy for panic disorder on comorbid conditions. *Journal of Anxiety Disorders*, 12, 357–371.
553. Tsao, J. C. I., Mystkowski, J. L., Zucker, B. G., & Craske, M. G. (2002). Effects of cognitive-behavioral therapy for panic disorder on comorbid conditions: Replication and extension. *Behavior Therapy*, 33(4), 493–509.
554. Tsao, J. C. I., Mystkowski, J. L., Zucker, B. G., & Craske, M. G. (2005). Impact of cognitive-behavioral therapy for panic disorder on comorbidity: A controlled investigation. *Behaviour Research and Therapy*, 43(7), 959–970.
555. Tükel, R., Polat, A., Özdemir, Ö., Aksüt, D., & Türksoy, N. (2002). Comorbid conditions in obsessive-compulsive disorder. *Comprehensive Psychiatry*, 43(3), 204–209.
556. Turner, S. M., Beidel, D. C., Cooley, M. R., Woody, S. R., & Messer, S. C. (1994). A multicomponent behavioral treatment for social phobia: Social effectiveness training. *Behaviour Research and Therapy*, 32(4), 381–390.
557. Turner, S. M., Hersen, N., Bellack, A. S., et al. (1980). Behavioral and pharmacological treatment of obsessive-compulsive disorder. *Journal of Nervous and Mental Disease*, 168, 651–657.
558. Uhde, T. W. (1994). The anxiety disorders: Phenomenology and treatment of the core symptoms and associated sleep disturbance. In M. Kryger, T. Roth, & W. Dement (Eds.), *Principles and practice of sleep medicine*, 871–898. Philadelphia: Saunders.
559. Ulaszek, A. A., Hauner, K. K. Y., Zinbarg, R. E., Craske, M. G., Mineka, S., Griffith, J. W., et al. (2009). An examination of content overlap and disorder-specific

- predictions in the associations of neuroticism with anxiety and depression. *Journal of Research in Personality*, 43(5), 785–794.
560. Vallen-Basile, L., Garrison, C. Z., Jackson, K. L., Waller, J. L., McKeown, R. E., Addy, C. L., et al. (1994). Frequency of obsessive-compulsive disorder in a community sample of young adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 33(6), 782–791.
561. van Balkom, A. J. L. M., Bakker, A., Spinhoven, P., Blaauw, B. M. J. W., Smeenk, S., & Ruesink, B. (1997). A meta-analysis of the treatment of panic disorder with or without agoraphobia: A comparison of psycho-pharmacological, cognitive-behavioral, and combination treatments. *Journal of Nervous and Mental Disease*, 185(8), 510–516.
562. van Balkom, A. J. L. M., de Haan, E., van Oppen, P., Spinhoven, P., Hoogduin, K. A. L., & van Dyck, R. (1998). Cognitive and behavioral therapies alone versus in combination with fluvoxamine in the treatment of obsessive compulsive disorder. *Journal of Nervous and Mental Disease*, 186(8), 492–499.
563. van Grootheest, D. S., Cath, D. C., Beekman, A. T., & Boomsma, D. I. (2005). Twin studies on obsessive-compulsive disorder: A review. *Twin Research and Human Genetics*, 8(5), 450–458.
564. van Minnen, A., & Foa, E. B. (2006). The effect of imaginal exposure length on outcome of treatment for PTSD. *Journal of Traumatic Stress*, 19, 427–438.
565. van Minnen, A., & Hagenaars, M. (2002). Fear activation and habituation patterns as early process predictors of response to prolonged exposure treatment in PTSD. *Journal of Traumatic Stress*, 15(5), 359–367.
566. van Oppen, P., & Arntz, A. (1994). Cognitive therapy for obsessive-compulsive disorder. *Behaviour Research and Therapy*, 32(1), 79–87.
567. van Oppen, P., de Haan, E., van Balkom, A. J. L. M., Spinhoven, P., Hoogduin, K., & van Dyck, R. (1995). Cognitive therapy and exposure *in vivo* in the treatment of obsessive-compulsive disorder. *Behaviour Research and Therapy*, 33(4), 379–390.
568. Vogel, P. A., Stiles, T. C., & Gatestam, K. G. (2004). Adding cognitive therapy elements to exposure therapy for obsessive-compulsive disorder: A controlled study. *Behavioural and Cognitive Psychotherapy*, 32(3), 275–290.
569. Wade, W. A., Treat, T. A., & Stuart, G. L. (1998). Transporting an empirically supported treatment for panic disorder to a service clinic setting: A benchmarking strategy. *Journal of Consulting and Clinical Psychology*, 66(2), 231–239.
570. Warren, R., & Thomas, J. C. (2001). Cognitive-behavior therapy of obsessive-compulsive disorder in private practice: An effectiveness study. *Journal of Anxiety Disorders*, 15(4), 277–285.

571. Watson, J. B., & Rayner, R. (1920). Conditioned emotional reactions. *Journal of Experimental Psychology*, 3(1), 1–14.
572. Weathers, F. W., Litz, B. T., Herman, D. S., Huska, J. A., & Keane, T. M. (1993). *The PTSD Checklist (PCL): Reliability, validity, and diagnostic utility*. Paper presented at the annual meeting of the International Society for Traumatic Stress Studies, San Antonio, TX.
573. Wegner, D. M. (1989). *White bears and other unwanted thoughts: Suppression, obsession, and the psychology of mental control*. New York: Viking.
574. Weissman, M. M. (1987). Advances in psychiatric epidemiology: Rates and risks for major depression. *American Journal of Public Health*, 77, 445–451.
575. Weissman, M. M. (2000). Social functioning and the treatment of depression. *Journal of Clinical Psychiatry*, 61(Suppl.), 33–38.
576. Weissman, M. M., Bland, R. C., Canino, G. J., Greenwald, S., Hwu, H. G., Lee, C. K., et al. (1994). The cross national epidemiology of obsessive compulsive disorder: The Cross National Collaborative Group. *Journal of Clinical Psychiatry*, 55(3), 5–10.
577. Weissman, M. M., & Merikangas, K. R. (1986). The epidemiology of anxiety and panic disorders: An update. *Journal of Clinical Psychiatry*, 47(Suppl.), 11–17.
578. Wells, A. (1997). *Cognitive therapy of anxiety disorders: A practice manual and conceptual guide*. New York: Wiley.
579. Wells, A. (2003). Anxiety disorders, metacognition and change. In R. L. Leahy (Ed.), *Roadblocks in cognitive behavioral therapy*, 69–90. New York: Springer.
580. Wells, A. (2004). A cognitive model: Metacognitions and pathological worry. In R. G. Heimberg, C. L. Turk, & D. S. Mennin (Eds.), *Generalized anxiety disorder: Advances in research and practice*, 164–186. New York: Guilford Press.
581. Wells, A. (2006). Cognitive therapy case formulation in anxiety disorders. In N. Tarrier (Ed.), *Case formulation in cognitive behavior therapy: The treatment of challenging and complex cases*, 52–80. New York: Routledge/Taylor & Francis.
582. Wells, A. (2008). Metacognitive therapy: Cognition applied to regulating cognition. *Behavioural and Cognitive Psychotherapy*, 36(6), 651–658.
583. Wells, A. (2009). *Metacognitive therapy for anxiety and depression*. New York: Guilford Press.
584. Wells, A., & Butler, G. (1997). Generalized anxiety disorder. In D. M. Clark & C. G. Fairburn (Eds.), *Science and practice of cognitive behaviour therapy*, 155–178. New York: Oxford University Press.

585. Whiteside, S. P., Port, J. D., & Abramowitz, J. S. (2004). A meta-analysis of functional neuroimaging in obsessive-compulsive disorder. *Psychiatry Research: Neuroimaging*, 132(1), 69–79.
586. Whittal, M. L., Robichaud, M., Thordarson, D. S., & McLean, P. D. (2008). Group and individual treatment of obsessive-compulsive disorder using cognitive therapy and exposure plus response prevention: A 2-year follow-up of two randomized trials. *Journal of Consulting and Clinical Psychology*, 76(6), 1003–1014.
587. Whittal, M. L., Thordarson, D. S., & McLean, P. D. (2005). Treatment of obsessive-compulsive disorder: Cognitive behavior therapy versus exposure and response prevention. *Behaviour Research and Therapy*, 46, 1559–1576.
588. Wild, J., Hackmann, A., & Clark, D. M. (2008). Rescripting early memories linked to negative images in social phobia: A pilot study. *Behavior Therapy*, 39, 47–56.
589. Wilhelm, S., Buhlmann, U., Tolin, D. F., Meunier, S. A., Pearlson, G. D., Reese, H. E., et al. (2008). Augmentation of behavior therapy with D-cycloserine for obsessive-compulsive disorder. *American Journal of Psychiatry*, 165(3), 335–341.
590. Wilhelm, S., & Steketee, G. S. (2006). *Cognitive therapy for obsessive-compulsive disorder: A guide for professionals*. Oakland, CA: New Harbinger.
591. Williams, J. M. G., Watts, F. N., MacLeod, C., & Mathews, A. (1997). *Cognitive psychology and emotional disorders*. Chichester, UK: Wiley.
592. Williams, S. L. (1992). Perceived self-efficacy and phobic disability. In R. Schwarzer (Ed.), *Self-efficacy: Thought control of action*, 149–176. Washington, DC: Hemisphere.
593. Williams, S. L., & Falbo, J. (1996). Cognitive and performance-based treatments for panic attacks in people with varying degrees of agoraphobic disability. *Behaviour Research and Therapy*, 34(3), 253–264.
594. Willour, V. L., Shugart, Y. Y., Samuels, J., Grados, M., Cullen, B., Bienvenu, O. J., et al. (2004). Replication study supports evidence for linkage to 9p24 in obsessive-compulsive disorder. *American Journal of Human Genetics*, 75, 508–513.
595. Wilson, R. (2009). *Don't panic: Taking control of anxiety attacks* (3rd ed.). New York: Collins.
596. Wittchen, H.-U., Zhao, S., Kessler, R. C., & Eaton, W. W. (1994). DSM-III-R generalized anxiety disorder in the National Comorbidity Survey. *Archives of General Psychiatry*, 51(5), 355–364.
597. Wolitzky-Taylor, K. B., Horowitz, J. D., Powers, M. B., & Telch, M. J. (2008). Psychological Approaches in the treatment of specific phobias: A meta-analysis. *Clinical Psychology Review*, 28, 1021–1037.

598. Wolpe, J. (1990). *The practice of behavior therapy* (4th ed.). Elmsford, NY: Pergamon Press.
599. World Health Organization. (2004). *The World Health Report 2004: Changing history. Annex Table 3: Burden of disease in DALYs by cause, sex, and mortality stratum in WHO regions, estimates for 2002*. Geneva: Author.
600. Wroe, A. L., & Salkovskis, P. M. (2000). Causing harm and allowing harm: A study of beliefs in obsessional problems. *Behaviour Research and Therapy*, 38(12), 1141–1162.
601. Yonkers, K. A., Bruce, S. E., Dyck, I. R., & Keller, M. B. (2003). Chronicity, relapse, and illness-course of panic disorder, social phobia, and generalized anxiety disorder: Findings in men and women from 8 years of follow-up. *Depression and Anxiety*, 17(3), 173–179.
602. Young, J. E., Klosko, J. S., & Weishaar, M. (2003). *Schema therapy: A practitioner's guide*. New York: Guilford Press.
603. Zaider, T. I., & Heimberg, R. G. (2003). Nonpharmacologic treatments for social anxiety disorder. *Acta Psychiatrica Scandinavica*, 108, 72–84.
604. Zettle, R. (2007). *Act for depression: A clinician's guide to using acceptance and commitment therapy in treating depression*. Oakland, CA: New Harbinger.