

Список литературы

1. Abbasnejad, M., Mahani, K. N., & Zamyad, A. (2007). Efficacy of “eye movement desensitization and reprocessing” in reducing anxiety and unpleasant feelings due to earthquake experience. *Psychological Research*, 9(3–4), 104–117.
2. Abreaction. (2007, November 10). In *Wikipedia, the free encyclopedia*. Retrieved December 1, 2007, from <http://en.wikipedia.org/w/index.php?title=Abreaction&oldid=170595413>
3. Adler-Tapia, R., & Settle, C. (2008). *EMDR and the art of psychotherapy with children*. New York, NY: Springer.
4. Adshead, G. (2000). Psychological therapies for post-traumatic stress disorder. *The British Journal of Psychiatry*, 177, 144–148.
5. Ahmad, A., Larsson, B., & Sundelin-Wahlsten, V. (2007). EMDR treatment for children with PTSD: Results of a randomized controlled trial. *Nordic Journal of Psychiatry*, 61(5), 349–354.
6. Ainsworth, M. D., Blehar, M. C., Waters, E., & Wall, S. (1978). *Patterns of attachment: Assessed in the strange situation and at home*. Hillsdale, NJ: Lawrence Erlbaum.
7. Allami, N., Paulignan, Y., Brovelli, A., & Boussaoud, D. (2008). Visuo-motor learning with combination of different rates of motor imagery and physical practice. *Experimental Brain Research*, 184(1), 105–113.
8. Allen, J. G. (2003). Mentalizing. *Bulletin of the Menninger Clinic*, 67, 91–112.
9. Altmaier, E. M. (2002). EMDR: Past, present and future. *Clinician's Research Digest*, 20(6), 5.
10. American Association for Marriage and Family Therapy. (2015). *AAMFT code of ethics*. Retrieved August 13, 2015, from <http://aamftca.org/code-of-ethics/>
11. American Psychiatric Association. (1980). *Diagnostic and statistical manual of mental disorders* (3rd ed.). Washington, DC: Author.
12. American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.). Washington, DC: Author.

13. American Psychiatric Association. (1998). Practice guideline for the treatment of patients with panic disorder. *American Journal of Psychiatry*, 155(5 Suppl.), 1–34.
14. American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed.). Washington, DC: Author.
15. American Psychiatric Association. (2004). *Practice guideline for the treatment of patients with acute stress disorder and posttraumatic stress disorder*. Arlington, VA: American Psychiatric Association Practice Guidelines.
16. American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders: DSM-5* (5th ed.). Washington, DC: Author.
17. American Psychological Association, Working Group on Investigation of Memories of Childhood Abuse. (1998). Final conclusions of the American Psychological Association Working Group on Investigation of Memories of Child Abuse. *Psychology, Public Policy, and Law*, 4(4), 933–940. doi:10.1037/1076-8971.4.4.933
18. American Psychological Association. (1992). Ethical principles of psychologists and code of conduct. *American Psychologist*, 57, 1597–1611.
19. American Psychological Association. (2002). Ethical principles of psychologists and code of conduct. *American Psychologist*, 57(12), 1060–1073.
20. American Psychological Association. (2010). *Ethical principles of psychologists and code of conduct, as amended 2010*. Retrieved August 13, 2015, from <http://www.apa.org/ethics/code/index.aspx>
21. Amundsen, J. E., & Karstad, K. (2006). Om bare Jeppe visste -EMDR og rusbehandling. [Integrating EMDR and the treatment of substance abuse.]. *Tidsskrift for Norsk Psykologforening*, 43(5), 469.
22. Anderson, G., Yassenik, L., & Ross, C. A. (1993). Dissociative experiences and disorders among women who identify themselves as sexual abuse survivors. *Child Abuse and Neglect*, 17(5), 677–686.
23. Andrade, J., Kavanagh, D., & Baddeley, A. (1997). Eye-movements and visual imagery: A working memory approach to the treatment of post-traumatic stress disorder. *British Journal of Clinical Psychology*, 36, 209–223.
24. APA — *Questions and Answers About Memories of Childhood Abuse*. (n.d.). [Web page]. Retrieved June 11, 2015, from www.apa.org; <http://www.apa.org/topics/trauma/memories.aspx>
25. Arabia, E., Manca, M. L., & Solomon, R. M. (2011). EMDR for survivors of life-threatening cardiac events: Results of a pilot study. *Journal of EMDR Practice and Research*, 5, 2–13. doi:10.1891/1933-3196.5.1.2.

26. Armstrong, M. S., & Vaughan, K. (1996). An orienting response model of eye movement desensitization. *Journal of Behavior Therapy and Experimental Psychiatry*, 27, 21–32.
27. Armstrong, N., & Vaughan, K. (1994, June). *An orienting response model for EMDR*. Paper presented at the meeting of the New South Wales Behaviour Therapy Interest Group, Sydney, Australia.
28. Arntz, A. (2002). Cognitive therapy versus interoceptive exposure as treatment of panic disorder without agoraphobia. *Behaviour Research and Therapy*, 40, 325–341.
29. Aubert-Khalifa, S., Roques, J., & Blin, O. (2008). Evidence of a decrease in heart rate and skin conductance responses in PTSD patients after a single EMDR session. *Journal of EMDR Practice and Research*, 2(1), 51–56. doi:10.1891/1933-3196.2.1.51
30. Australian Centre for Posttraumatic Mental Health. (2007). *Australian guidelines for the treatment of adults with acute stress disorder and posttraumatic stress disorder*. Melbourne, Victoria: Author.
31. Baddeley, A. D. (1986). *Working memory*. Oxford, UK: Oxford University Press.
32. Baddeley, A. D., & Hitch, G. J. (1974). *Working memory*. In G. A. Bower (Ed.), *The psychology of learning and motivation* (pp. 47–89). New York, NY: Academic Press.
33. Bae, H., & Kim, D. (2012). Desensitization of triggers and urge reprocessing for an adolescent with internet addiction disorder. *Journal of EMDR Practice and Research*, 6(2), 73–81. doi:10.1891/1933-3196.6.2.73
34. Bae, H., Kim, D., & Park, Y. C. (2008). Eye movement desensitization and reprocessing for adolescent depression. *Psychiatry Investigation*, 5(1), 60–65.
35. Bakker, A., van Dyck, R., Spinhoven, P., & van Balkom, A. J. (1999). Paroxetine, clomipramine and cognitive therapy in the treatment of panic disorder. *Journal of Clinical Psychiatry*, 60, 831–838.
36. Baldwin, D. V. (Revised April 9, 2002). *EMDR bibliography: 1989 through 2001, Published journal articles, by year*. Retrieved July 7, 2002, from Trauma Information website: <http://www.trauma-pages.com/emdr-2001.htm>
37. Bandelow, B. (1995). Assessing the efficacy of treatments for panic disorder and agoraphobia. II. The panic and agoraphobia scale. *International Clinical Psychopharmacology*, 10(2), 73–81.

38. Barach, P. M. (1991). Multiple personality disorder as an attachment disorder. *Dissociation*, 4, 117–123.
39. Barber, B. (1961). Resistance by scientists to scientific discovery. *Science*, 134, 596–602.
40. Barlow, D. H. (1994). Effectiveness of behavior treatment for panic disorder with and without agoraphobia. In B. Wolfe & J. Maser (Eds.), *Treatment of panic disorder: A consensus development conference*. Washington, DC: American Psychiatric Press.
41. Barlow, D. H. (2002). *Anxiety and its disorders: The nature and treatment of anxiety and panic* (2nd ed.). New York, NY: Guilford Press.
42. Barlow, D. H., Gorman, J. M., Shear, M. K., & Woods, S. W. (2000). Cognitive-behavioral therapy, imipramine, or their combination for panic disorder: A randomized controlled trial. *The Journal of the American Medical Association*, 283, 2529–2536.
43. Barone, L., Fossati, A., & Guiducci, V. (2011). Attachment mental states and inferred pathways of development in borderline personality disorder: A study using the adult attachment interview. *Attachment & Human Development*, 13(5), 451–469. doi:10.1080/14616734.2011.602245
44. Barrowcliff, A. L., Gray, N. S., Freeman, T. C. A., & MacCulloch, M. J. (2004). Eye-movements reduce the vividness, emotional valence and electrodermal arousal associated with negative autobiographical memories. *Journal of Forensic Psychiatry and Psychology*, 15, 325–345.
45. Barrowcliff, A. L., Gray, N. S., MacCulloch, S., Freeman, T. C., & MacCulloch, M. J. (2003). Horizontal rhythmical eye movements consistently diminish the arousal provoked by auditory stimuli. *British Journal of Clinical Psychology*, 42(Pt. 3), 289–302.
46. Barrowcliff, A. L., MacCulloch, M. J., & Gray, N. S. (2001). *The de-arousal model of eye movement desensitization and reprocessing (EMDR), Part III: Psychophysiological and psychological concomitants of change in the treatment of posttraumatic stress disorder (PTSD) and their relation to the EMDR protocol*. Paper presented at the EMDR Europe 2nd Annual Conference on EMDR Innovations in Theory and Practice, London, UK.
47. Barrowcliff, A. L., MacCulloch, M. J., Gray, N. S., MacCulloch, S., & Freeman, T. C. A. (2001). *The dearousal model of eye movement desensitization and reprocessing (EMDR), Part II: An investigation of the mechanisms underlying treatment effects in EMDR*. Paper presented at the EMDR Europe

- 2nd Annual Conference on EMDR Innovations in Theory and Practice, London, UK.
48. Bartholomew, K. (1990). Avoidance of intimacy: An attachment perspective. *Journal of Social and Personal Relationships*, 7, 147–178.
 49. Bartholomew, K. (1997). Adult attachment processes: Individual and couple perspectives. *British Journal of Medical Psychology*, 70(Pt. 3), 249–263; discussion 281–290.
 50. Bartholomew, K., & Horowitz, L. M. (1991). Attachment styles among young adults: A test of a four category model. *Journal of Personality and Social Psychology*, 61, 226–244.
 51. Beck, A. T., & Emery, G. (1985). *Anxiety disorders and phobias*. New York, NY: Basic Books.
 52. Beck, A. T., Emery, G., & Greenberg, R. L. (2005). *Anxiety disorders and phobias: A cognitive perspective* (15th anniversary ed.). Cambridge, MA: Basic Books.
 53. Becker, E. S., Rinck, M., Turke, V., Kause, P., Goodwin, R., Neumer, S., & Margraf, J. (2007). Epidemiology of specific phobia subtypes: Findings from the Dresden Mental Health Study. *European Psychiatry*, 22(2), 69–74.
 54. Becker, L., Todd-Overmann, T., Stoothoff, W., & Lawson, P. (1998). *Ironic memory, PTSD and EMDR: Do eye movements hinder the avoidance process leading to greater accessibility of traumatic memories?* Paper presented at the EMDRIA Annual Conference, Baltimore, MD.
 55. Becker-Blease, K. A., DePrince, A. P., & Freyd, J. J. (2011). Why and how people forget sexual abuse. The role of traumatic memories. In V. Ardin (Ed.), *Posttraumatic syndromes in children and adolescents* (pp. 135–155). West Sussex, UK: Wiley/Blackwell.
 56. Bedi, R., Muller, R. T., & Classen, C. C. (2014). Cumulative risk for deliberate self-harm among treatment-seeking women with histories of childhood abuse. *Psychological Trauma: Theory, Research, Practice, and Policy*, 6(6), 600. doi:10.1037/a0033897
 57. Beers, M. H. (2004). *The Merck manual of health & aging*. Whitehouse Station, NJ: Merck Research Laboratories.
 58. Benson, H. (1975). *The relaxation response*. New York, NY: Morrow.
 59. Bergmann, U. (1998). Speculations on the neurobiology of EMDR. *Traumatology*, 4(1), 4–16. Retrieved January 31, 2009, from <http://www.fsu.edu/~trauma/contv4i1.html>

60. Bergmann, U. (2001). Further thoughts on the neurobiology of EMDR: The role of the cerebellum in accelerated information processing. *Traumatology*, 6(3), 175–200. Retrieved January 31, 2009, from www.fsu.edu/~trauma
61. Bergmann, U. (2008). Hidden selves: Treating dissociation in the spectrum of personality disorders. In C. Forgash & M. Copeley (Eds.), *Healing the heart of trauma and dissociation with EMDR and ego state therapy* (pp. 227–266). New York, NY: Springer.
62. Bergmann, U. (2008). The neurobiology of EMDR: Exploring the thalamus and neural integration. *Journal of EMDR Practice and Research*, 2(4), 300–314. doi:10.1891/1933-3196.2.4.300
63. Bergmann, U. (2010). EMDR's neurobiological mechanisms of action: A survey of 20 years of searching. *Journal of EMDR Practice and Research*, 4(1), 22–42. doi:10.1891/1933-3196.4.1.22
64. Bergmann, U. (2012). Consciousness examined: An introduction to the foundations of neurobiology for EMDR. *Journal of EMDR Practice and Research*, 6(3), 87–91. doi:10.1891/1933-3196.6.3.87
65. Bernstein, E. M., & Putnam, F. W. (1986). Development, reliability and validity of a dissociation scale. *Journal of Nervous and Mental Disease*, 174, 727–735.
66. Besson, J., Eap, C., Rougemont-Buecking, A., Simon, O., Nikolov, C., & Bon-sack, C., & Gothuey, I. (2006). [Addictions]. *Revue Medicale Suisse*, 2(47), 9–13.
67. Bienvenu, O. J., Onyike, C. U., Stein, M. B., Chen, L. S., Samuels, J., Nestadt, G., & Eaton, W. W. (2006). Agoraphobia in adults: Incidence and longitudinal relationship with panic. *The British Journal of Psychiatry*, 188, 432–438.
68. Bisson, J., & Andrew, M. (2007). Psychological treatment of post-traumatic stress disorder (PTSD). *Cochrane Database of Systematic Reviews*, (3), CD003388.
69. Bisson, J. I., Roberts, N. P., Andrew, M., Cooper, R., & Lewis, C. (2013). Psychological therapies for chronic posttraumatic stress disorder (PTSD) in adults. *Cochrane Database of Systematic Reviews* (Online), 12, CD003388. doi:10.1002/14651858.CD003388.pub4
70. Black, D. W. (2007). Compulsive buying disorder: A review of the evidence. *CNS Spectrum*, 12(2), 124–132.
71. Blake, D. D., Weathers, F. W., Nagy, L. M., Kaloupek, D. G., Gusman, F. D., Charney, D. S., & Keane, T. M. (1995). The development of a clinician-administered PTSD scale. *Journal of Traumatic Stress*, 8(1), 75–90.

72. Blore, D. C., Holmshaw, E. M., Swift, A., Standart, S., & Fish, D. M. (2013). The development and uses of the blind to therapist EMDR protocol. *Journal of EMDR Practice and Research*, 7(2), 95–105. doi:10.1891/1933-3196.7.2.95
73. Bodycoat, N., Grauaug, L., Olson, A., & Page, A. C. (2000). Constant versus rhythmic muscle tension in applied tension. *Behaviour Change*, 17(2), 97–102.
74. Bohm, K., & Voderholzer, U. (2010). Use of EMDR in the treatment of obsessive-compulsive disorders: A case series. *Verhaltenstherapie*, 20(3), 175–181.
75. Borstein, S. S. (2009). Brief adjunctive EMDR. *Journal of EMDR Practice and Research*, 3(3), 198–204. doi:10.1891/1933-3196.3.3.198
76. Bossini, L., Tavanti, M., Calossi, S., Polizzotto, N. R., Vatti, G., Marino, D., & Castrogiovanni, P. (2011). EMDR treatment for posttraumatic stress disorder, with focus on hippocampal volumes: A pilot study. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 23(2), E1–E2. doi:10.1176/appi.neuropsych.23.2.E1
77. Bower, G. (1981). Mood and memory. *American Psychologist*, 36, 129–148.
78. Bowlby, J. (1973). *Separation: Anxiety and anger*. New York, NY: Basic Books.
79. Bowman, E. S. (2006). Why conversion seizures should be classified as a dissociative disorder. *Psychiatric Clinics of North America*, 29(1), 185–211.
80. Bowman, E. S., & Coons, P. M. (2000). The differential diagnosis of epilepsy, pseudoseizures, dissociative identity disorder, and dissociative disorder not otherwise specified. *Bulletin of the Menninger Clinic*, 64(2), 164–180.
81. Bradley, R. T., McCraty, R., Atkinson, M., Arguelles, L., Rees, R. A., & Tomasino D. (2007). *Reducing test anxiety and improving test performance in American's schools: Summary of results from the TestEdge National Demonstration Study*. Retrieved August 22, 2008, from Institute of HeartMath Publication website: <http://www.heartmath.org>
82. Bremner, J. D., Randal, P., Scott, T. M., Bronen, T. A., Seibyl, J. P., Southwick, S., ... Innis, R. B. (1995). MRI-based measurement of hippocampal volume in patients with PTSD. *American Journal of Psychiatry*, 152, 973–981.
83. Bremner, J. D., Elzinga, B., Schmahl, C., & Vermetten, E. (2008). Structural and functional plasticity of the human brain in posttraumatic stress disorder. *Progress in Brain Research*, 167, 171–186.

84. Breuer, J., & Freud, S. (1955). Studies on hysteria. In J. Strachey (Ed. & Trans.), *The standard edition of the complete psychological works of Sigmund Freud* (Vol. 2, pp. 1–335). London, UK: Hogarth Press. (Original work published in 1895)
85. Brewin, C. R., & Holmes, E. A. (2003). Psychological theories of posttraumatic stress disorder. *Clinical Psychology Review*, 23, 339–376.
86. Brewin, C. R., Andrews, B., & Valentine, J. D. (2000). Meta-analysis of risk factors for posttraumatic stress disorder in trauma-exposed adults. *Journal of Consulting and Clinical Psychology*, 68(5), 748–766. doi:10.1037//0022-006x.68.5.748
87. Briere, J. (1995). *Trauma symptom inventory (TSI-2), psychological assessment resources*, P.O. Box 998, Odessa, FL, 33556; (800) 331-TEST. Retrieved November 20, 2015, from <http://www4.parinc.com/Products/Product.aspx?ProductID=TSI-2>
88. Briere, J. (1996). *Therapy for adults molested as children: Beyond survival* (2nd ed.). New York, NY: Springer.
89. Briere, J. (2000). *Inventory of altered self-capacities (IASC), psychological assessment resources*, P.O. Box 998, Odessa, FL, 33556; (800) 331-TEST. Retrieved November 20, 2015, from <http://www4.parinc.com/products/product.aspx?Productid=IASC>
90. Brown, D., & Fromm, E. (1986). *Hypnotherapy and hypnoanalysis*. Hillsdale, NJ: Lawrence Erlbaum Associates.
91. Brown, K. W., McGoldrick, T., & Buchanan, R. (1997). Body dysmorphic disorder: Seven cases treated with eye movement desensitization and reprocessing. *Behavioral and Cognitive Psychotherapy*, 25, 203–207.
92. Brown, M. Z., Comtois, K. A., & Linehan, M. M. (2002). Reasons for suicide attempts and non-suicidal self-injury in women with borderline personality disorder. *Journal of Abnormal Psychology*, 111(1), 198–202.
93. Brown, S., & Gilman, S. (2007). *Integrated trauma treatment program for co-occurring PTSD and substance abuse in a drug court program*. Retrieved October 25, 2008, from www.nadcp.org/postcon/agendadocs/clinic%20%20H01.pdf
94. Brown, S., & Shapiro, F. (2006). EMDR in the treatment of borderline personality disorder. *Clinical Case Studies*, 5(5), 403–420.
95. Brown, S., Gilman, S. G., & Kelso, T. (2008). *Integrated trauma treatment program: A novel EMDR approach for PTSD and substance abuse*. Paper presented at the EMDRIA Conference, Phoenix, AZ.

96. Brown, S. H., Gilman, S. G., Goodman, E. G., Adler-Tapia, R., & Freng, S. (2015). Integrated trauma treatment in drug court: Combining EMDR therapy and seeking safety. *Journal of EMDR Practice and Research*, 9(3), 123–136. doi:10.1891/1933-3196.9.3.123
97. Brown, T. A., DiNardo, P., & Barlow, D. H. (2004). *Anxiety disorder interview schedule ADIS-IV and ADIS-IV-L combination specimen set*. New York, NY: Oxford University Press.
98. Brunstein Klomek, A., & Stanley, B. (2007). Psychosocial treatment of depression and suicidality in adolescents. *CNS Spectrum*, 12(2), 135–144.
99. Bryan, C. J., & Rudd, M. D. (2006). Advances in the assessment of suicide risk. *Journal of Clinical Psychology*, 62(2), 185–200.
100. Bryant, R. A., O'Donnell, M. L., Creamer, M., McFarlane, A. C., & Silove, D. (2013). A multisite analysis of the fluctuating course of posttraumatic stress disorder. *JAMA Psychiatry*, 70(8), 839–846. doi:10.1001/jamapsychiatry.2013.1137
101. Caldirola, D., & Perna, G. (2015). Is there a role for pharmacogenetics in the treatment of panic disorder? *Pharmacogenomics*, 16(8), 771–774. doi:10.2217/pgs.15.66
102. California Association for Marriage and Family Therapy (CAMFT). (2011). *Ethical standards*. Retrieved August 15, 2015, from <http://www.camft.org/images/PDFs/CodeOfEthics.pdf>
103. Campbell-Sills, L., & Stein, M. B. (2006). *Guideline watch: Practice guideline for the treatment of patients with panic disorder*. Retrieved December 12, 2008, from American Psychiatric Association website: http://www.psych.org/psych_pract/treatg/pg/prac_guide.cfm
104. Capezzani, L., Ostacoli, L., Cavallo, M., Carletto, S., Fernandez, I., Solomon, R., ... Cantelmi, T. (2013). EMDR and CBT for cancer patients: Comparative study of effects on PTSD, anxiety, and depression. *Journal of EMDR Practice and Research*, 7(3), 134–143. doi:10.1891/1933-3196.7.3.134
105. Cardena, E., Maldonado, J., van der Hart, O., & Spiegel, D. (2000). Hypnosis. In E. B. Foa, T. M. Keane, & M. J. Friedman (Eds.), *Effective treatments for PTSD: Practice guidelines from the International Society for Traumatic Stress Studies*. New York, NY: The Guilford Press.
106. Carlson, E. A., & Sroufe, L. A. (1995). Contribution of attachment theory to developmental psychopathology. In D. Cicchetti & D. J. Cohen (Eds.), *Developmental psychopathology* (Vol. 1, pp. 581–587). New York, NY: Wiley.

107. Carlson, E. B. (1997). *Trauma assessments: A clinician's guide*. New York, NY: The Guilford Press.
108. Carlson, E. B., & Putnam, F. W. (1993). An update on the Dissociative Experiences Scale. *Dissociation*, 6, 16–27.
109. Carlson, J. G., Chemtob, C. M., Rusnak, K., & Hedlund, N. L. (1996). Eye movement desensitization and reprocessing treatment for combat related posttraumatic stress disorder. *Psychotherapy*, 33, 104–113.
110. Carnes, P. J. (2000). Sexual addiction and compulsion: Recognition, treatment, and recovery. *CNS Spectrum*, 5(10), 63–72.
111. Cassidy, J., & Shaver, P. R. (Eds.). (1999). *Handbook of attachment: Theory, research, and clinical applications*. New York, NY: Guilford Press.
112. Chambless, D. L., & Gillis, M. M. (1993). Cognitive therapy of anxiety disorders. *Journal of Consulting and Clinical Psychology*, 61, 248–260.
113. Chambless, D. L., & Gillis, M. M. (1994). A review of psychosocial treatments for panic disorder. In B. F. Wolfe & J. D. Maser (Eds.), *Treatment of panic disorder: A consensus development conference* (pp. 149–173). Washington, DC: American Psychiatric Press.
114. Chemali, Z., & Meadows, M. E. (2004). The use of eye movement desensitization and reprocessing in the treatment of psychogenic seizures. *Epilepsy & Behavior*, 5(5), 784–787.
115. Chemtob, C. M., Nakashima, J., & Carlson, J. G. (2002). Brief treatment for elementary school children with disaster-related posttraumatic stress disorder: A field study. *Journal of Clinical Psychology*, 58(1), 99–112.
116. Chen, Y. R., Hung, K. W., Tsai, J. C., Chu, H., Chung, M. H., Chen, S. R., ... Chou, K. R. (2014). Efficacy of eye-movement desensitization and reprocessing for patients with posttraumatic-stress disorder: A meta-analysis of randomized controlled trials. *PLoS ONE*, 9(8), e103676. doi:10.1371/journal.pone.0103676
117. Christman, S. D., & Propper, R. E. (2001). Superior episodic memory is associated with interhemispheric processing. *Neuropsychology*, 15, 607–616.
118. Christman, S. D., Garvey, K. J., Propper, R. E., & Phaneuf, K. A. (2003). Bilateral eye movements enhance the retrieval of episodic memories. *Neuropsychology*, 17(2), 221–229.
119. Christman, S. D., Propper, R. E., & Brown, T. J. (2006). Increased interhemispheric interaction is associated with earlier offset of childhood amnesia. *Neuropsychology*, 20(3), 336–345. doi:10.1037/0894-4105.20.3.336

120. Christman, S. D., Propper, R. E., & Dion, A. (2004). Increased interhemispheric interaction is associated with decreased false memories in a verbal converging semantic associates paradigm. *Brain and Cognition*, 56, 313–319.
121. Chu, J. A. (1998). *Rebuilding shattered lives: Treating complex post-traumatic and dissociative disorders*. New York, NY: John Wiley & Sons.
122. Clark, D. M. (1994). Cognitive therapy for panic disorder. In B. Wolfe & J. Maser (Eds.), *Treatment of panic disorder: A consensus development conference*. Washington, DC: American Psychiatric Press.
123. Clarkin, J. F., Levy, K. N., Lenzenweger, M. F., & Kernberg, O. F. (2007). Evaluating three treatments for borderline personality disorder: A multi-wave study. *American Journal of Psychiatry*, 164(6), 922–928.
124. Cloitre, M. (2009). Effective psychotherapies for posttraumatic stress disorder: A review and critique. *CNS Spectrums*, 14(1 Suppl. 1), 32–43.
125. Cloitre, M., Koenen, K. C., Cohen, L. R., & Han, H. (2002). Skills training in affective and interpersonal regulation followed by exposure: A phase-based treatment for PTSD related to childhood abuse. *Journal of Consulting and Clinical Psychology*, 70(5), 1067.
126. Coffey, S. F., Gudmundsdottir, B., Beck, J. G., Palyo, S. A., & Miller, L. (2006). Screening for PTSD in motor vehicle accident survivors using the PSS-SR and IES. *Journal of Traumatic Stress*, 19(1), 119–128.
127. Cohen, J. S. (2004). *The underlying cause of suicides and homicides with SSRI antidepressants: Is it the drugs, the doctors, or the drug companies?* Retrieved July 1, 2008, from http://www.medicationsense.com/articles/april_june_04/underlying_cause.html
128. Compton, R. J., & Mintzer, D. A. (2001). Effects of worry and evaluation stress on interhemispheric interaction. *Neuropsychology*, 15, 427–433.
129. Comtois, K. A., & Linehan, M. M. (2006). Psychosocial treatments of suicidal behaviors: A practice-friendly review. *Journal of Clinical Psychology*, 62(2), 161–170.
130. Connor, D. F., Melloni, R. H., Jr., & Harrison, R. J. (1998). Overt categorical aggression in referred children and adolescents. *Journal of the American Academy of Child Adolescent Psychiatry*, 37(1), 66–73.
131. Connors, R. (1996). Self-injury in trauma survivors: 1. Functions and meanings. *American Journal of Orthopsychiatry*, 66(2), 197–206.
132. Conrad, A., & Roth, W. T. (2007). Muscle relaxation therapy for anxiety disorders: It works but how? *Journal of Anxiety Disorders*, 21(3), 243–264.

133. Cooper, N. A., & Clum, G. A. (1989). Imaginal flooding as a supplementary treatment for PTSD in combat veterans: A controlled study. *Behavior Therapy, 20*, 381–391.
134. Corrigan, F. M. (2004). Psychotherapy as assisted homeostasis: Activation of emotional processing mediated by the anterior cingulate cortex. *Medical Hypotheses, 63*(6), 968–973.
135. Courtois, C. (1988). *Healing the incest wound: Adult survivors in therapy*. New York, NY: Norton.
136. Courtois, C. A. (1999). *Recollections of sexual abuse: Treatment principles and guidelines*. New York, NY: W.W. Norton.
137. Cox, R. P., & Howard, M. D. (2007). Utilization of EMDR in the treatment of sexual addiction: A case study. *Sexual Addiction & Compulsivity, 14*(1), 1.
138. Craske, M. G., Rowe, M., Lewin, M., & Noriega-Dimitri, R. (1997). Interoceptive exposure versus breathing retraining within cognitive-behavioural therapy for panic disorder with agoraphobia. *The British Journal of Clinical Psychology, 36*(Pt. 1), 85–99.
139. Craske, M. G., Roy-Byrne, P., Stein, M. B., Donald-Sherbourne, C., Bys-tritsky, A., Katon, W., & Greer, S. (2002). Treating panic disorder in primary care: A collaborative care intervention. *General Hospital Psychiatry, 24*, 148–155.
140. Crouch, J. L., & Behl, L. E. (2001). Relationships among parental beliefs in corporal punishment, reported stress, and physical child abuse potential. *Child Abuse and Neglect, 25*(3), 413–419.
141. Crowell, J. A., Fraley, R. C., & Shaver, P. R. (1999). Measurement of individual differences in adolescent and adult attachment. In J. Cassidy & P. R. Shaver (Eds.), *Handbook of attachment: Theory, research, and clinical applications* (pp. 434–465). New York, NY: Guilford Press.
142. Curcio, G., Ferrara, M., & De Gennaro, L. (2006). Sleep loss, learning capacity and academic performance. *Sleep Medicine Reviews, 10*(5), 323–337.
143. Czyz, B., & Muhlbauer, C. (2015). EMDR adjunctive therapy at a community agency, treating clients with a spectrum of mental health disorders. *Journal of EMDR Practice and Research, 9*(1), 35–45. doi:10.1891/1933-3196.9.1.35
144. Dalenberg, C. J. (2000). *Countertransference and the treatment of trauma* (1st ed.). Washington, DC: American Psychological Association.
145. Dammen, T., Bringager, C. B., Arnesen, H., Ekeberg, O., & Friis, S. (2006). A 1-year follow-up study of chest-pain patients with and without panic

- disorder. *General Hospital Psychiatry*, 28(6), 516–524. doi:10.1016/j.genhosppsy.2006.08.005
146. Dannon, P. N., Lowengrub, K., Gonopolski, Y., Musin, E., & Kotler, M. (2006). Pathological gambling: A review of phenomenological models and treatment modalities for an underrecognized psychiatric disorder. *Primary Care Companion to the Journal of Clinical Psychiatry*, 8(6), 334–339.
 147. Davanloo, H. (1989a). The technique of unlocking the unconscious in patients suffering from functional disorders. Part I. Restructuring ego's defenses. *International Journal Short-Term Psychotherapy*, 4(2), 93–116.
 148. Davanloo, H. (1989b). The technique of unlocking the unconscious in patients suffering from functional disorders. Part II. Direct view of the dynamic unconscious. *International Journal Short-Term Psychotherapy*, 4(2), 117–148.
 149. Davey, G. (1997). *Phobias: A handbook of theory, research, and treatment*. Chichester, NY: Wiley.
 150. de Beurs, E., van Balkom, A. J., Van Dyck, R., & Lange, A. (1999). Long-term outcome of pharmacological and psychological treatment for panic disorder with agoraphobia: A 2-year naturalistic follow-up. *Acta Psychiatrica Scandinavica*, 99(1), 59–67.
 151. de Bont, P. A., van Minnen, A., & de Jongh, A. (2013). Treating PTSD in patients with psychosis: A within-group controlled feasibility study examining the efficacy and safety of evidence-based PE and EMDR protocols. *Behavior Therapy*, 44(4), 717–730. doi:10.1016/j.beth.2013.07.002
 152. de Castro Lopes, C., Carvalho, S. C., & Barbosa, M. R. (2014). Tratamento de fobia especifica por dessensibilizacao e reprocessamento por meio dos movimentos oculares [Treatment of specific phobia through eye movement desensitization and reprocessing]. *Psicologia: Teoria E Pratica*, 1(1), 31–42. doi:10.15348/1980-6906/psicologia.v16n1p31-42
 153. de Jongh, A. (2012). Treatment of a woman with emetophobia: A trauma focused approach. *Mental Illness*, 4(1), e3.
 154. de Jongh, A., & Ten Broeke, E. (1994). Opmerkelijke veranderingen na een zitting met eye movement desensitization and reprocessing: Een geval van angst voor misselijkheid en braken. [Remarkable changes after one session of EMDR: Fear of nausea and vomiting]. *Tijdschrift voor Directieve Therapie en Hypnose*, 14, 89–101.
 155. de Jongh, A., & Ten Broeke, E. (1996). Eye movement desensitization and reprocessing (EMDR): een procedure voor de behandeling van aan trauma

- gerelateerde angst. [Eye movement desensitization and reprocessing (EMDR): A procedure for the treatment of trauma-related anxiety]. *Tijdschrift voor Psychotherapie*, 22, 93–114.
156. de Jongh, A., & Ten Broeke, E. (2007). Treatment of specific phobias with EMDR: Conceptualization and strategies for the selection of appropriate memories. *Journal of EMDR Practice and Research*, 1(1), 46–56.
 157. de Jongh, A., & Ten Broeke, E. (2009). EMDR and the anxiety disorders: Exploring the current status. *Journal of EMDR Practice and Research*, 3(3), 133–140. doi:10.1891/1933-3196.3.3.133
 158. de Jongh, A., Ernst, R., Marques, L., & Hornsveld, H. (2013). The impact of eye movements and tones on disturbing memories involving PTSD and other mental disorders. *Journal of Behavior Therapy and Experimental Psychiatry*, 44(4), 477–483. doi:10.1016/j.jbtep.2013.07.002
 159. de Jongh, A., Holmshaw, M., Carswell, W., & van Wijk, A. (2010). Usefulness of a trauma-focused treatment approach for travel phobia. *Clinical Psychology & Psychotherapy*, 18(2), 124–137. doi:10.1002/cpp.680
 160. de Jongh, A., Ten Broeke, E., & Meijer, S. (2010). Two method approach: A case conceptualization model in the context of EMDR. *Journal of EMDR Practice and Research*, 4(1), 12–21. doi:10.1891/1933-3196.4.1.12
 161. de Jongh, A., Ten Broeke, E., & Renssen, M. R. (1999). Treatment of specific phobias with eye movement desensitization and reprocessing (EMDR): Protocol, empirical status, and conceptual issues. *Journal of Anxiety Disorders*, 13(1–2), 69–85.
 162. de Jongh, A., Ten Broeke, E., & Van der Meer, K. (1995). Eine neue entwicklung in der behandlung von angst und traumata [Eye movement desensitization and reprocessing (EMDR)]. *Zeitschrift fur Klinische Psychologie, Psychopathologie und Psychotherapie*, 43, 226–233.
 163. de Jongh, A., Van Den Oord, H. J., & Ten Broeke, E. (2002). Efficacy of eye movement desensitization and reprocessing in the treatment of specific phobias: Four single-case studies on dental phobia. *Journal of Clinical Psychology*, 58(12), 1489–1503.
 164. de Roos, C., & de Jongh, A. (2008). EMDR treatment of children and adolescents with a choking phobia. *Journal of EMDR Practice and Research*, 2(3), 201–211. doi:10.1891/1933-3196.2.3.201
 165. de Roos, C., Greenwald, R., den Hollander-Gijsman, M., Noorthoorn, E., van Buuren, S., & de Jongh, A. (2011). A randomised comparison of cognitive behavioural therapy (CBT) and eye movement desensitisation and

- reprocessing (EMDR) in disaster exposed children. *The European Journal of Psychotraumatology*, 2, 5694. doi:10.3402/ejpt.v2i0.5694
166. de Roos, C., Veenstra, A. C., de Jongh, A., den Hollander-Gijsman, M., van der Wee, N. J., Zitman, F. G., & van Rood, Y. R. (2010). Treatment of chronic phantom limb pain using a trauma-focused psychological approach. *Pain Research and Management*, 15(2), 65–71.
 167. Dell, P. F. (2006a). The multidimensional inventory of dissociation (MID): A comprehensive measure of pathological dissociation. *Journal of Trauma and Dissociation*, 7(2), 77–106.
 168. Dell, P. F. (2006b). A new model of dissociative identity disorder. *Psychiatric Clinics of North America*, 29(1), 1–26.
 169. Dell, P. F., & Lawson, D. (2009). Empirically delineating the domain of pathological dissociation. In P. F. Dell, & J. A. O’Neil (Eds.), *Dissociation and the dissociative disorders: DSM-V and beyond* (pp. 667–692). New York, NY: Routledge.
 170. Demos, E. V. (1988). Affect and development of the self: A new frontier. In A. Goldberg (Ed.), *Frontiers in self-psychology* (pp. 27–53). Hillsdale NJ: The Analytic Press.
 171. Department of Veterans Affairs and Department of Defense. (2004). *VA/DoD Clinical practice guideline for the management of post-traumatic stress*. Veterans Health Administration, Department of Veterans Affairs and Health Affairs, Department of Defense: Office of Quality and Performance Publication.
 172. Derogatis, L. R. (1991). *Symptom checklist revised*. Minneapolis, MN: NCS Professional Assessment Services.
 173. Diamond, D. M., Campbell, A. M., Park, C. R., Halonen, J., & Zoladz, P. R. (2007). The temporal dynamics model of emotional memory processing: A synthesis on the neurobiological basis of stress-induced amnesia, flashbulb and traumatic memories, and the Yerkes–Dodson law. *Neural Plasticity*, 2007, 60803. doi:10.1155/2007/60803
 174. Doering, S., Ohlmeier, M.-C., de Jongh, A., Hofmann, A., & Bisping, V. (2013). Efficacy of a trauma-focused treatment approach for dental phobia: A randomized clinical trial. *European Journal of Oral Sciences*, 121(6), 584–593. doi:10.1111/eos.12090
 175. Dolan, Y. M. (1991). *Resolving sexual abuse: Solution-focused therapy and Ericksonian hypnosis for adult survivors* (1st ed.). New York, NY: Norton.
 176. Dorahy, M. J., Brand, B. L., Sar, V., Kruger, C., Stavropoulos, P., Martinez-Taboas, A., ... Middleton, W. (2014). Dissociative identity disorder:

- An empirical overview. *The Australian and New Zealand Journal of Psychiatry*, 48(5), 402–417. doi:10.1177/0004867414527523
177. Dozier, M., Stovall, K. D., & Albus, K. E. (1999). Attachment and psychopathology in adulthood. In J. Cassidy & P. R. Shaver (Eds.), *Handbook of attachment: Theory, research and clinical applications* (pp. 497–519). New York, NY: Guilford.
 178. Drescher, K. D., Foy, D. W., Kelly, C., Leshner, A., Schutz, K., & Litz, B. (2011). An exploration of the viability and usefulness of the construct of moral injury in war veterans. *Traumatology*, 17(1), 8–13. doi:10.1177/1534765610395615
 179. Dunn, A. L., Trivedi, M. H., Kampert, J. B., Clark, C. G., & Chambliss, H. O. (2002). The DOSE study: A clinical trial to examine efficacy and dose response of exercise as treatment for depression. *Control Clinical Trials*, 23(5), 584–603.
 180. Dutch National Steering Committee Guidelines Mental Health Care. (2003). *Multidisciplinary guideline anxiety disorders*. Utrecht, the Netherlands: Quality Institute Health Care CBO/Trimbos Institute.
 181. Dworkin, M. (2005). *EMDR and the relational imperative: The therapeutic relationship in EMDR treatment*. New York, NY: Routledge.
 182. Dyck, M. J. (1993). A proposal for a conditioning model of eye movement desensitization treatment of posttraumatic stress disorder. *Journal of Behavior Therapy and Experimental Psychiatry*, 24, 201–210.
 183. Dziegielewski, S., & Wolfe, P. (2000). Eye movement desensitization and reprocessing (EMDR) as a time-limited treatment intervention for body image disturbance and self-esteem: A single subject case study design. *Journal of Psychotherapy in Independent Practice*, 1, 1–16.
 184. Edlin, J. M., & Lyle, K. B. (2013). The effect of repetitive saccade execution on the attention network test: Enhancing executive function with a flick of the eyes. *Brain and Cognition*, 81(3), 345–351. doi:/10.1016/j.bandc.2012.12.006
 185. Edmond, T., & Rubin, A. (2004). Assessing the long-term effects of EMDR: Results from an 18-month follow-up study with adult female survivors of CSA. *Journal of Child Sexual Abuse*, 13(1), 69–86.
 186. Edmond, T., Rubin, A., & Wambach, K. (1999, June). The effectiveness of EMDR with adult female survivors of childhood sexual abuse. *Social Work Research*, 23(2), 103–116.

187. Egan, K. J., Carr, J. E., Hunt, P. P., & Adamson, R. (1988). Endogenous opiate system and systematic desensitization. *Journal of Clinical and Consulting Psychology, 56*(2), 287–291.
188. Egli-Bernd, H. (2011). EMDR in dissociative processes within the framework of personality disorders: The impact of cognitions in the EMDR process: The dialogue protocol. *Journal of EMDR Practice and Research, 5*(3), 131–139. doi:10.1891/1933-3196.5.3.131
189. Ehrsson, H. H. (2007). The experimental induction of out-of-body experiences. *Science, 317*(5841), 1048.
190. Eifert, G. H., & Heffner, M. (2003). The effects of acceptance versus control contexts on avoidance of panic-related symptoms. *Journal of Behavior Therapy and Experimental Psychiatry, 34*(3–4), 293–312.
191. Eisen, M. R., & Fromm, E. (1983). The clinical use of self-hypnosis in hypnotherapy: Tapping the functions of imagery and adaptive regression. *International Journal of Clinical and Experimental Hypnosis, 31*(4), 243–255.
192. Ekman, P., & Friesen, W. V. (2003). *Unmasking the face: A guide to recognizing emotions from facial clues*. Cambridge MA: Malor Books.
193. El Khoury-Malhame, M., Lanteaume, L., Beetz, E. M., Roques, J., Reynaud, E., Samuelian, J. C., ... Khalifa, S. (2011). Attentional bias in post-traumatic stress disorder diminishes after symptom amelioration. *Behaviour Research and Therapy, 49*(11), 796–801. doi:10.1016/j.brat.2011.08.006
194. Ellis, A. (1994). *Reason and emotion in psychotherapy* (Rev. and updated ed.). Secaucus, NJ: Carol Publishing Group.
195. Elofsson, U. O., von Scheele, B., Theorell, T., & Sondergaard, H. P. (2008). Physiological correlates of eye movement desensitization and reprocessing. *Journal of Anxiety Disorders, 22*(4), 622–634.
196. EMDRIA. (2008a). *History*. Retrieved February 18, 2015, from <http://www.emdria.org/?page=3>
197. EMDRIA. (2008b). *Resources for researchers*. Retrieved February 7, 2015, from EMDRIA website: <https://emdria.site-ym.com/?page=46>
198. EMDRIA. (2015a). *Basic training curriculum requirements*. Retrieved May 31, 2015, from <http://c.ymcdn.com/sites/www.emdria.org/resource/resmgr/BasicTraining/BTCRequirements.pdf>
199. EMDRIA Professional Development Subcommittee. (2015b). *Clinical competencies for the six core competencies: An update on the work of the*

- EMDRIA professional development subcommittee*. Retrieved January 16, 2015, from http://c.ymcdn.com/sites/emdria.site-ym.com/resource/resmgr/Files/Document_1_-_Clinical_Compert.pdf
200. EMDRIA. (2015c) *Randomized clinical trials*. Retrieved February 18, 2015, from <http://www.emdria.org/?page=Randomized>
201. EMDRIA. (2015d). *Certification criteria; application for EMDRIA certification in EMDR; frequently asked questions*. Retrieved August 15, 2015, from <http://www.emdria.org/?page=21>
202. EMDRIA. (2015e). *EMDR International Association consultation packet*. Retrieved August 15, 2015, from <http://www.emdria.org/?page=113>
203. EMDRIA. (2015f). *Application for EMDRIA approved consultant*. Retrieved August 15, 2015, from <http://www.emdria.org/?page=51>
204. EMDRIA. (2015g). *Certification in EMDR*. Retrieved August 15, 2015, from <http://www.emdria.org/?page=21>
205. EMDRIA. (2015h). *Mission*. Retrieved August 15, 2015, from <http://www.emdria.org/?page=4>
206. EMDR Europe. (2015). *EMDR Europe accredited practitioner competency based framework*. Retrieved February 7, 2015, from http://www.emdrassociation.org.uk/training/practitioners_accreditation.htm
207. EMDR Research Foundation. (2015). *EMDR early intervention researcher's toolkit*. Retrieved February 21, 2015, from <http://emdrresearch-foundation.org/emdr-early-intervention-researchers-toolkit/>
208. Fairbank, J. A., & Keane, T. M. (1982). Flooding for combat-related stress disorders: Assessment of anxiety reduction across traumatic memories. *Behavior Therapy*, 13, 499–510.
209. Faretta, E. (2013). EMDR and cognitive behavioral therapy in the treatment of panic disorder: A comparison. *Journal of EMDR Practice and Research*, 7(3), 121–133. doi:10.1891/1933-3196.7.3.121
210. Farima, R., Dowlatabadi, S., & Behzadi, S. (2015). The effectiveness of eye movement desensitization and reprocessing (EMDR) in reducing pathological worry in patients with generalized anxiety disorder: A preliminary study. *Archives of Psychiatry and Psychotherapy*, 1, 33–43. doi:10.12740/APP/39259

211. Farina, B., Imperatori, C., Quintiliani, M. I., Castelli Gattinara, P., Onofri, A., Lepore, M., ... Della Marca, G. (2014). Neurophysiological correlates of eye movement desensitization and reprocessing sessions: Preliminary evidence for traumatic memories integration. *Clinical Physiology and Functional Imaging*, 35(6), 460–468. doi:10.1111/cpf.12184
212. Fava, G. A., & Mangelli, L. (1999). Subclinical symptoms of panic disorder: New insights into pathophysiology and treatment. *Psychotherapy and Psychosomatics*, 68, 281–289.
213. Feldman, G. (2007). Cognitive and behavioral therapies for depression: Overview, new directions, and practical recommendations for dissemination. *Psychiatric Clinics of North America*, 30(1), 39–50.
214. Felitti, V. J., Anda, R. F., Nordenberg, D., Williamson, D. F., Spitz, A. M., Edwards, V., ... Marks, J. S. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: The Adverse Childhood Experiences (ACE) study. *American Journal of Preventative Medicine*, 14(4), 245–258.
215. Fernandez, I. (2008). EMDR after a critical incident: Treatment of a tsunami survivor with acute posttraumatic stress disorder. *Journal of EMDR Practice and Research*, 2(2), 156–159.
216. Fernandez, I., & Faretta, E. (2007). EMDR in the treatment of panic disorder with agoraphobia. *Clinical Case Studies*, 6(1), 44–63.
217. Ferreira, C., Deslandes, A., Moraes, H., Cagy, M., Basile, L. F., Piedade, R., & Ribeiro, P. (2006). The relation between EEG prefrontal asymmetry and subjective feelings of mood following 24 hours of sleep deprivation. *Arquivos de Neuro-Psiquiatria*, 64(2B), 382–387.
218. Ferrie, R. K., & Lanius, U. F. (2001). *Opioid antagonists and EMDR*. Paper presented at the EMDR International Association, Austin, TX.
219. Feske, U., & Goldstein, A. J. (1997). Eye movement desensitization and reprocessing treatment for panic disorder: A controlled outcome and partial dismantling study. *Journal of Consulting and Clinical Psychology*, 65(6), 1026–1035.
220. Fine, C. G., Paulsen, S., Rouanzoin, C., Luber, M., Puk, G., & Young, W. (1995). EMDR dissociative disorders task force recommended guidelines: A general guide to EMDR's use in the dissociative disorders. In F. Shapiro (Ed.), *Eye movement desensitization and reprocessing, basic Principles, protocols and procedures* (pp. 365–369). New York, NY: The Guilford Press.

221. Fine, C. G., Paulsen, S., Rouanzoin, C., Luber, M., Puk, G., & Young, W. (2001). EMDR dissociative disorders task force recommended guidelines: A general guide to EMDR's use in the dissociative disorders. In F. Shapiro (Ed.), *Eye movement desensitization and reprocessing, basic principles, protocols and procedures* (2nd ed., pp. 441–445). New York, NY: The Guilford Press.
222. Fleet, R. P., Dupuis, G., Marchand, A., Burelle, D., Arsenault, A., & Beitman, B. D. (1996). Panic disorder in emergency department chest pain patients: Prevalence, comorbidity, suicidal ideation, and physician recognition. *American Journal of Medicine*, *101*, 371–380.
223. Fleet, R. P., Lavoie, K. L., Martel, J. P., Dupuis, G., Marchand, A., & Beitman, B. D. (2003). Two-year follow-up status of emergency department patients with chest pain: Was it panic disorder? *CJEM: Canadian Journal of Emergency Medical Care = JCMU: Journal Canadien De Soins Medicaux D'urgence*, *5*(4), 247–254.
224. Fleming, J. (2012). The effectiveness of eye movement desensitization and reprocessing in the treatment of traumatized children and youth. *Journal of EMDR Practice and Research*, *6*(1), 16–26. doi:10.1891/1933-3196.6.1.16
225. Flik, C. E., & de Roos, C. (2010). [Eye movement desensitisation and reprocessing (EMDR) as a treatment for phantom limb pain.]. *Tijdschrift Voor Psychiatrie*, *52*(8), 589–593.
226. Flipse Vargas, A., Hanson, T., Kraus, D., Drescher, K., & Foy, D. (2013). Moral injury themes in combat veterans' narrative responses from the national vietnam veterans' readjustment study. *Traumatology*, *19*(3), 243–250. doi:10.1177/1534765613476099
227. Foa, E. B., Hembree, E. A., & Rothbaum, B. O. (2007). *Prolonged exposure therapy for PTSD: emotional processing of traumatic experiences: Therapist guide*. New York, NY: Oxford University Press.
228. Foa, E. B., Keane, T. M., Friedman, M. J., Cohen, J. A., & International Society for Traumatic Stress Studies. (2009). *Effective treatments for PTSD: Practice guidelines from the International Society for Traumatic Stress Studies* (2nd ed.). New York, NY: Guilford Press.
229. Foa, E. B., Keane, T. M., & Friedman, M. J. (2000). *Effective treatments for PTSD: Practice guidelines from the International Society for Traumatic Stress Studies*. New York, NY: Guilford Press.
230. Foa, E. B., & Kozak, M. J. (1985). Treatment of anxiety disorders: Implications for psychopathology. In A. H. Tuma & J. D. Maser (Eds.), *Anxiety and the anxiety disorders* (pp. 451–452). Hillsdale, NJ: Erlbaum.

231. Foa, E. B., & Kozak, M. J. (1986). Emotional processing of fear: Exposure to corrective information. *Psychological Bulletin*, 99(1), 20–35.
232. Foa, E. B., & Meadows, E. A. (1997). Psychosocial treatments for posttraumatic stress disorder: A critical review. *Annual Review of Psychology*, 48, 449–480.
233. Foa, E., & Riggs, D. (1995). Posttraumatic stress disorder following assault: Theoretical considerations and empirical findings. *Current Directions in Psychological Science*, 4, 61–65.
234. Foa, E. B., & Rothbaum, B. O. (1998). *Treating the trauma of rape: Cognitive-behavioral therapy for PTSD*. New York, NY: Guilford.
235. Foldvary-Schaefer, N. (2006). *Getting a good night's sleep*. Cleveland, OH: Cleveland Clinic Press.
236. Follette, V. M., & Ruzek, J. I. (2006). *Cognitive-behavioral therapies for trauma* (2nd ed.). New York, NY: Guilford Press.
237. Fonagy, P., Gergely, G., Jurist, E. L., & Target, M. (2002). *Affect regulation, mentalization, and the development of the self*. New York, NY: Other Press.
238. Fonagy, P., Leigh, T., Steele, M., Steele, H., Kennedy, R., Mattoon, G., ... Gerber, A. (1996). The relation of attachment status, psychiatric classification, and response to psychotherapy. *Journal of Consulting and Clinical Psychology*, 64(1), 22–31.
239. Forgash, C., & Copeley, M. (2008). *Healing the heart of trauma and dissociation with EMDR and ego state therapy*. New York, NY: Springer.
240. Forgash, C., & Leeds, A. M. (1999). Case inquiry format. Unpublished manuscript.
241. Forgash, C., Leeds, A. M., Stramrood, C. A. I., & Robbins, A. (2013). Case consultation: Traumatized pregnant woman. *Journal of EMDR Practice and Research*, 7(1), 45–49. doi:10.1891/1933-3196.7.1.45
242. Foster, S., & Lendl, J. (1995). Eye movement desensitization and reprocessing: Initial application for enhancing performance in athletes. *Journal of Applied Sport Psychology*, 7(Suppl.), 63.
243. Foster, S., & Lendl, J. (1996). Eye movement desensitization and reprocessing: Four case studies of a new tool for executive coaching and restoring employee performance after setbacks. *Consulting Psychology Journal*, 48, 155–161.
244. Fowler, J. C. (2012). Suicide risk assessment in clinical practice: Pragmatic guidelines for imperfect assessments. *Psychotherapy*, 49(1), 81–90. doi:10.1037/a0026148

245. Fraley, R. C., Waller, N. G., & Brennan, K. A. (2000). An item response theory analysis of self-report measures of adult attachment. *Journal of Personality and Social Psychology*, 78(2), 350. doi:10.1037/0022-3514.78.2.350
246. Francine Shapiro Library. (2015). *History*. Retrieved February 20, 2015, from <https://emdria.omeka.net/items/search?collection=1>
247. Frederick, C., & McNeal, S. (1999). *Inner strengths: Contemporary psychotherapy and hypnosis for ego-strengthening*. Mahwah, NJ: Lawrence Erlbaum Associates.
248. Freud, S. (1955). Beyond the pleasure principle. In S. Freud & J. Strachey (Eds.), *The standard edition of the complete psychological works of Sigmund Freud*. London, UK: Hogarth Press.
249. Freyd, J. J. (1996). *Betrayal trauma: The logic of forgetting childhood abuse*. Cambridge, MA: Harvard University Press.
250. Freyd, J. J., & Birrell, P. (2013). *Blind to betrayal: Why we fool ourselves, we aren't being fooled*. Hoboken, NJ: Wiley.
251. Freyd, J. J., & DePrince, A. P. (Eds.). (2001). *Trauma and cognitive science: A meeting of minds, science and human experience*. New York, NY: The Haworth Maltreatment & Trauma Press.
252. Fried, R., Fox, M. C., & Carlton, R. M. (1990). Effect of diaphragmatic respiration with end-tidal CO₂ biofeedback on respiration, EEG, and seizure frequency in idiopathic epilepsy. *Annals of the New York Academy of Sciences*, 602, 67–96.
253. Friedman, M. J. (2013). Finalizing PTSD in DSM-5: Getting here from there and where to go next. *Journal of Traumatic Stress*, 26(5), 548–556. doi:10.1002/jts.21840
254. Fromm, E., & Kahn, S. (1990). *Self-hypnosis: The Chicago paradigm*. New York, NY: Guilford Press.
255. Frustaci, A., Lanza, G. A., Fernandez, I., di Giannantonio, M., & Pozzi, G. (2010). Changes in psychological symptoms and heart rate variability during EMDR treatment: A case series of subthreshold PTSD. *Journal of EMDR Practice and Research*, 4(1), 3–11. doi:10.1891/1933-3196.4.1.3
256. Furukawa, T. A., Watanabe, N., & Churchill, R. (2006). Psychotherapy plus antidepressant for panic disorder with or without agoraphobia: Systematic review. *British Journal of Psychiatry*, 188, 305–312.
257. Galfalvy, H., Oquendo, M. A., Carballo, J. J., Sher, L., Grunebaum, M. F., Burke, A., & Mann, J. J. (2006). Clinical predictors of suicidal acts after ma-

- for depression in bipolar disorder: A prospective study. *Bipolar Disorder*, 8(5 Pt. 2), 586–595.
258. Gauvreau, P., & Bouchard, S. P. (2008). Preliminary evidence for the efficacy of EMDR in treating generalized anxiety disorder. *Journal of EMDR Practice and Research*, 2(1), 26–40.
259. Gauvry, S. B., Lesta, P., Alonso, A. L., & Pallia, R. (2013). Complex regional pain syndrome (CRPS), Sudeck's dystrophy: EMDR reprocessing therapy applied to the psychotherapeutic strategy. *Journal of EMDR Practice and Research*, 7(3), 167–172. doi:10.1891/1933-3196.7.3.167
260. Geer, J. H. (1965). The development of a scale to measure fear. *Behaviour Research and Therapy*, 3, 45–53.
261. Gelinas, D. J. (2003). Integrating EMDR into phase-oriented treatment for trauma. *Journal of Trauma and Dissociation*, 4(3), 91–135.
262. George, C., & West, M. (2001). The development and preliminary validation of a new measure of adult attachment: The adult attachment projective. *Attachment and Human Development*, 3(1), 30–61.
263. George, C., Kaplan, N., & Main, M. (1996). *Adult attachment interview* (3rd ed.). Unpublished manuscript, Department of Psychology, University of California, Berkeley, CA.
264. Gerlach, A. L., Spellmeyer, G., Vogele, C., Huster, R., Stevens, S., Hetzel, G., & Deckert, J. (2006). Blood-injury phobia with and without a history of fainting: Disgust sensitivity does not explain the fainting response. *Psychosomatic Medicine*, 68(2), 331–339.
265. Giesen-Bloo, J., van Dyck, R., Spinhoven, P., van Tilburg, W., Dirksen, C., van Asselt, T., ... Arntz, A. (2006). Outpatient psychotherapy for borderline personality disorder: Randomized trial of schema-focused therapy vs transference-focused psychotherapy. *Archives of General Psychiatry*, 63(6), 649–658.
266. Gil, E. (1988). *Treatment of adult survivors of childhood abuse*. Walnut Creek, CA: Launch Press.
267. Gloster, A. T., Wittchen, H. U., Einsle, F., Lang, T., Helbig-Lang, S., Fydrich, T., ... Arolt, V. (2011). Psychological treatment for panic disorder with agoraphobia: A randomized controlled trial to examine the role of therapist-guided exposure in situ in CBT. *Journal of Consulting and Clinical Psychology*, 79(3), 406–420. doi:10.1037/a0023584
268. Gold, S. N. (2000). *Not trauma alone: Therapy for child abuse survivors in family and social context*. Philadelphia, PA: Brunner/Routledge.

269. Goldstein, A. (1995). Treatment of panic disorder with agoraphobia: Going beyond the barrier. *In Session: Psychotherapy in Practice*, 1(3), 83–98.
270. Goldstein, A. J., de Beurs, E., Chambless, D. L., & Wilson, K. A. (2000). EMDR for panic disorder with agoraphobia: Comparison with waiting list and credible attention-placebo control conditions. *Journal of Consulting and Clinical Psychology*, 68(6), 947–956.
271. Goldstein, A., & Chambless, D. L. (1978). A reanalysis of agoraphobia. *Behavior Therapy*, 9, 47–59.
272. Goldstein, A., & Feske, U. (1994). Eye movement desensitization and reprocessing for panic disorder: A case series. *Journal of Anxiety Disorders*, 8(4), 351–362.
273. Goldstein, J. (1994). *Insight meditation: The practice of freedom*. Boston, MA: Shambhala Publications.
274. Gomez, A. M. (2012). *EMDR therapy and adjunct approaches with children*. New York, NY: Springer.
275. Gonzalez, A., & Mosquera, D. (2012). *EMDR and dissociation: The progressive approach*. Charleston, SC: Amazon Imprint.
276. Gonzalez, A., Mosquera, D., & Fisher, J. (2012). Trauma processing in structural dissociation. In A. Gonzalez & D. Mosquera (Eds.), *EMDR and dissociation: The progressive approach* (pp. 231–252). Charleston, SC: Amazon Imprint.
277. Gonzalez, A., Mosquera, D., Leeds, A. M., Knipe, J., & Solomon, R. (2012). The AIP model and structural dissociation: A proposal to extend the framework. In A. Gonzalez & D. Mosquera (Eds.), *EMDR and dissociation: The progressive approach* (pp. 31–50). Charleston, SC: Amazon Imprint.
278. Gorman, S., & Slavik, R. (2014). Should key performance indicators be a component of performance assessment for individual clinical pharmacists? *The Canadian Journal of Hospital Pharmacy*, 67(2), 165–168.
279. Grand, D. (2003). Emerging from the coffin: Treatment of a masochistic personality disorder. In P. Manfield (Ed.), *EMDR casebook* (pp. 69–94). New York, NY: Norton.
280. Grant, M. (2009). *Pain control with EMDR: Treatment manual*. CreateSpace.
281. Grant, M., & Threlfo, C. (2002). EMDR in the treatment of chronic pain. *Journal of Clinical Psychology*, 58(12), 1505–1520. doi:10.1002/jclp.10101
282. Grbesa, G., Simonovic, M., & Jankovic, D. (2010). Electrophysiological changes during EMDR treatment in patients with combat-related PTSD.

- Annals of General Psychiatry*, 9(Suppl. 1), S209. doi:10.1186/1744-859X-9-S1-S209
283. Greenwald, R. (2007). *EMDR: Within a phase model of trauma-informed treatment*. New York, NY: Haworth Press.
 284. Greenwald, R., & Shapiro, F. (2010). What is EMDR? Commentary by Greenwald and invited response by Shapiro. *Journal of EMDR Practice and Research*, 4(4), 170–179. doi:10.1891/19333196.4.4.170
 285. Greenwald, R., & Shapiro, F. (2011). What is EMDR? Concluding commentary by Greenwald and response by Shapiro. *Journal of EMDR Practice and Research*, 5, 25–28. doi:10.1891/1933-3196.5.1.25
 286. Grey, E. (2011). A pilot study of concentrated EMDR: A brief report. *Journal of EMDR Practice and Research*, 5, 14–24. doi:10.1891/1933-3196.5.1.14
 287. Griffin, R. M. (n.d.). 10 natural depression treatments [Webpage]. Retrieved from <http://www.webmd.com/depression/features/natural-treatments?page=2>
 288. Grimmer, J., & Galvin, M. D. (2015). Clinician experiences with EMDR: Factors influencing continued use. *Journal of EMDR Practice and Research*, 9(1), 3–16. doi:10.1891/1933-3196.9.1.3
 289. Gunter, R. W., & Bodner, G. E. (2008). How eye movements affect unpleasant memories: Support for a working-memory account. *Behavior Research and Therapy*, 46, 913–931.
 290. Gunter, R. W., & Bodner, G. E. (2009). EMDR works ... But how? Recent progress in the search for treatment mechanisms. *Journal of EMDR Practice and Research*, 3(3), 161–168. doi:10.1891/1933-3196.3.3.161
 291. Gupta, M. A., & Gupta, A. K. (2002). Use of eye movement desensitization and reprocessing (EMDR) in the treatment of dermatologic disorders. *Journal of Cutaneous Medicine and Surgery*, 6(5), 415–421.
 292. Gupta, D., Gupta, N., & Choudhary, T. (2014). Effectiveness of the EMDR therapy on specific phobia in young children. *Delhi Psychiatry Journal*, 17(2), 175–178.
 293. Guralnik, D. B. (1970). *Webster's New World dictionary of the American language* (2nd college ed.). New York, NY: World Pub. Co.
 294. Hall-Flavin, D. (n.d.). *Natural remedies for depression: Are they effective? — Mayo Clinic* [Webpage]. Retrieved from <http://www.mayoclinic.org/diseases-conditions/depression/expert-answers/natural-remedies-for-depression/FAQ-20058026>

295. Hammond, D. C. (1990). *Handbook of hypnotic suggestions and metaphors*. New York, NY: Norton.
296. Hansen, P. A. (1991). *Survivors and partners: Healing the relationships of sexual abuse survivors*. Longmont, CO: Heron Hill Publishing Co.
297. Harper, M. L., Rasolkhani-Kalhorn, T., & Drozd, J. F. (2009). On the neural basis of EMDR therapy: Insights from qEEG studies. *Traumatology*, 15(2), 81–95. doi:10.1177/1534765609338498
298. Harris, A. H., Cronkite, R., & Moos, R. (2006). Physical activity, exercise coping, and depression in a 10-year cohort study of depressed patients. *Journal of Affective Disorders*, 93(1–3), 79–85.
299. Hase, M. (2010). CravEx: An EMDR approach to treat substance abuse and addiction. In M. Luber (Ed.), *Eye movement desensitization and reprocessing (EMDR) scripted protocols: Special populations* (pp. 467–488). New York, NY: Springer.
300. Hase, M., Balmaceda, U. M., Hase, A., Lehnung, M., Tumani, V., Huchzermeyer, C., & Hofmann, A. (2015). Eye movement desensitization and reprocessing (EMDR) therapy in the treatment of depression: A matched pairs study in an inpatient setting. *Brain and Behavior*, 5(6), e00342. doi:10.1002/brb3.342
301. Hase, M., Schallmayer, S., & Sack, M. (2008). EMDR reprocessing of the addiction memory: Pretreatment, posttreatment, and 1-month follow-up. *Journal of EMDR Practice and Research*, 2(3), 170–179.
302. Haskell, W. L., Lee, I. M., Pate, R. R., Powell, K. E., Blair, S. N., Franklin, B. A., ... Bauman, A. (2007). Physical activity and public health: Updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Medicine & Science in Sports & Exercise*, 39(8), 1423–1434.
303. Hassett, A. L., Radvanski, D. C., Vaschillo, E. G., Vaschillo, B., Sigal, L. H., Karavidas, M. K., ... Lehrer, P. M. (2007). A pilot study of the efficacy of heart rate variability (HRV) biofeedback in patients with fibromyalgia. *Applied Psychophysiology and Biofeedback*, 32(1), 1–10.
304. Hazan, C., & Shaver, P. (1987). Romantic love conceptualized as an attachment process. *Journal of Personality and Social Psychology*, 52(3), 511–524.
305. Heber, R., Kellner, M., & Yehuda, R. (2002). Salivary cortisol levels and the cortisol response to dexamethasone before and after EMDR: A case report. *Journal of Clinical Psychology*, 58(12), 1521–1530.

306. Heide, F. J., & Borkovec, T. D. (1983). Relaxation-induced anxiety: Paradoxical anxiety enhancement due to relaxation training. *Journal of Consulting and Clinical Psychology, 51*(2), 171–182.
307. Heide, F. J., & Borkovec, T. D. (1984). Relaxation-induced anxiety: Mechanisms and theoretical implications. *Behaviour Research and Therapy, 22*(1), 1–12.
308. Hekmat, H., Groth, S., & Rogers, D. (1994). Pain ameliorating effect of eye movement desensitization. *Journal of Behavior Therapy and Experimental Psychiatry, 25*(2), 121–129.
309. Hembree, E. A., Foa, E. B., Dorfan, N. M., Street, G. P., Kowalski, J., & Tu, X. (2003). Do patients drop out prematurely from exposure therapy for PTSD? *Journal of Traumatic Stress, 16*(6), 555–562.
310. Hemingway, R. B., 3rd., & Reigle, T. G. (1987). The involvement of endogenous opiate systems in learned helplessness and stress-induced analgesia. *Psychopharmacology, 93*(3), 353–357.
311. Henry, S. L. (1996). Pathological gambling: Etiologic considerations and treatment efficacy of eye movement desensitization/reprocessing. *Journal of Gambling Studies, 12*(4, Winter), 395–405.
312. Herman, J. L., & van der Kolk, B. A. (1987). Traumatic origins of borderline personality disorder. In B. A. van der Kolk (Ed.), *Psychological trauma*. Washington, DC: American Psychiatric Press.
313. Herman, J. L. (1992a). Complex PTSD: A syndrome in survivors of prolonged and repeated trauma. *Journal of Traumatic Stress, 5*, 377–391.
314. Herman, J. L. (1992b). *Trauma and recovery: The aftermath of violence — from domestic abuse to political terror*. New York, NY: Basic Books.
315. Hofmann, A. (2004). *EMDR in the treatment of complex PTSD*. Paper presented at the EMDR International Association Conference, Montreal, Quebec.
316. Hofmann, A. (2005). *EMDR in der Behandlung psychotraumatischer Belastungssyndrome [EMDR therapy with posttraumatic stress syndromes]*. Stuttgart, Germany: Thieme.
317. Hofmann, A. (2010). The inverted EMDR standard protocol for unstable complex post-traumatic stress disorder. In M. Luber (Ed.), *Eye movement desensitization and reprocessing (EMDR) scripted protocols: Special populations* (pp. 313–328). New York, NY: Springer.
318. Hofmann, A., Hilgers, A., Lehnung, M., Liebermann, P., Ostacoli, L., Schneider, W., & Hase, M. (2014). Eye movement desensitization and

- reprocessing as an adjunctive treatment of unipolar depression: A controlled study. *Journal of EMDR Practice and Research*, 8(3), 103–112. doi:10.1891/1933-3196.8.3.103
319. Hogberg, G., Pagani, M., Sundin, O., Soares, J., Aberg-Wistedt, A., Tarnell, B., & Hallstrom, T. (2007). On treatment with eye movement desensitization and reprocessing of chronic post-traumatic stress disorder in public transportation workers —A randomized controlled trial. *Nordic Journal of Psychiatry*, 61(1), 54–61.
320. Hogberg, G., Pagani, M., Sundin, O., Soares, J., Aberg-Wistedt, A., Tarnell, B., & Hallstrom, T. (2008). Treatment of post-traumatic stress disorder with eye movement desensitization and reprocessing: Outcome is stable in 35-month follow-up. *Psychiatry Research*, 159, 101–108.
321. Hornsveld, H. K., de Jongh, A., & Ten Broeke, E. (2012). Stop the use of eye movements in resource development and installation, until their additional value has been proven: A rejoinder to Leeds and Korn. *Journal of EMDR Practice and Research*, 6(4), 174–178. doi:10.1891/1933-3196.6.4.174
322. Hornsveld, H. K., Houtveen, J. H., Vroomen, M., Aalbers, I. K. D., Aalbers, D., & van den Hout, M. A. (2011). Evaluating the effect of eye movements on positive memories such as those used in resource development and installation. *Journal of EMDR Practice and Research*, 5(4), 146–155. doi:10.1891/1933-3196.5.4.146
323. Hornsveld, H. K., Landwehr, F., Stein, W., Stomp, M., Smeets, S., & van den Hout, M. A. (2010). Emotionality of loss-related memories is reduced after recall plus eye movements but not after recall plus music or recall only. *Journal of EMDR Practice and Research*, 4(3), 106–112. doi:10.1891/1933-3196.4.3.106
324. Horowitz, M. J. (1979). Psychological response to serious life events. In V. Hamilton & D. M. Warburton (Eds.), *Human stress and cognition*. New York, NY: Wiley.
325. Horowitz, M. J. (1986). *Stress response syndromes* (2nd ed.). Northvale, NJ: Jason Aronson Inc.
326. Horowitz, M., Wilner, M., & Alvarez, W. (1979). Impact of event scale: A measure of subjective stress. *Psychosomatic Medicine*, 41, 209–218.
327. Horvath, A. O., & Greenberg, L. S. (1989). Development and validation of the working alliance inventory. *Journal of Counseling Psychology*, 36(2), 223–233. Retrieved from Google Scholar.

328. Horvath, A., Gaston, L., & Luborsky, L. (1993). The therapeutic alliance and its measures. In N. E. Miller, L. Luborsky, J. P. Barber, & J. P. Docherty (Eds.), *Psychodynamic treatment research* (pp. 247–273). New York, NY: Basic Books.
329. Hunt, C. (2000). The unmet need for treatment in panic disorder and social phobia. In G. Andrews & S. Henderson (Eds.), *Unmet need in psychiatry: Problems, resources, responses* (pp. 277–289). New York, NY: Cambridge University Press.
330. Hyman, J. W. (1999). *Women living with self-injury*. Philadelphia, PA: Temple University Press.
331. Ichii, M. (2003). *Effect of RDI for ameliorating depression in college students*. Poster session presented at the EMDR International Association, Denver, CO.
332. Ichii, M., & Nakajima, T. (2014). *Effect of eye movements in RDI (resource development and installation) procedure*. Paper presented at the EMDR Europe Conference Edinburgh, Scotland.
333. Institute of Medicine (IOM). (2007). *Treatment of posttraumatic stress disorder: An assessment of the evidence*. Washington, DC: The National Academies Press.
334. International Society for the Study of Trauma and Dissociation. (2011). Guidelines for treating dissociative disorder in adults, third revision. *Journal of Trauma & Dissociation*, 12(2), 115–187.
335. Ironson, G. I., Freund, B., Strauss, J. L., & Williams, J. (2002). A comparison of two treatments for traumatic stress: A pilot study of EMDR and prolonged exposure. *Journal of Clinical Psychology*, 58(1), 113–128.
336. ISTSS — *Remembering Childhood Trauma*. (n.d.). [Webpage]. Retrieved June 11, 2015, from <http://www.istss.org/public-resources/remembering-childhood-trauma.aspx>
337. Iyengar, B. K. S. (1981). *Light on pranayama: The yogic art of breathing*. New York, NY: Crossroad.
338. Jaberghaderi, N., Greenwald, R., Rubin, A., S., D., & Zand, S. O. (2004). A comparison of CBT and EMDR for sexually abused Iranian girls. *Clinical Psychology and Psychotherapy*, 11(5), 358–368.
339. Jacobs, D. G., & Brewer, M. L. (2006). Application of the APA Practice Guidelines on suicide to clinical practice. *CNS Spectrums*, 11(6), 447–454.
340. Jacobson, E. (1938). *Progressive relaxation*. Chicago, IL: University of Chicago Press.

341. Jacobson, N. S., & Gortner, E. T. (2000). Can depression be de-medicalized in the 21st century: Scientific revolutions, counter-revolutions and the magnetic field of normal science. *Behaviour Research and Therapy*, 38(2), 103–117.
342. Jacobson, N. S., Dobson, K. S., Truax, P. A., Addis, M. E., Koerner, K., Gollan, J. K., ... Prince, S. E. (1996). A component analysis of cognitive-behavioral treatment for depression. *Journal of Consulting and Clinical Psychology*, 64(2), 295–304.
343. Janet, P. (1889). *L'Automatisme psychologique [Psychological automatism]*. Paris, France: Felix Alcan.
344. Janet, P. (1977). *The mental state of hystericals*. In D. N. Robinson (Ed.), C. R. Corson (Trans.). Washington, DC: University Publications of America.
345. Janoff-Bulman, R. (1992). *Shattered assumptions: Toward a new psychology of trauma*. New York, NY: Free Press.
346. Jarero, I., Artigas, L., & Lubet, M. (2011). The EMDR protocol for recent critical incidents: Application in a disaster mental health continuum of care context. *Journal of EMDR Practice and Research*, 5(3), 82–94. doi:10.1891/1933-3196.5.3.82
347. Jeffries, F. W., & Davis, P. (2012). What is the role of eye movements in eye movement desensitization and reprocessing (EMDR) for post-traumatic stress disorder (PTSD)? A review. *Behavioural and Cognitive Psychotherapy*, 41(3), 1–11. doi:10.1017/S1352465812000793
348. Jobes, D. A., Wong, S. A., Conrad, A. K., Drozd, J. F., & Neal-Walden, T. (2005). The collaborative assessment and management of suicidality versus treatment as usual: A retrospective study with suicidal outpatients. *Suicide and Life Threatening Behavior*, 35(5), 483–497.
349. Johns, M. W. (1991). A new method for measuring daytime sleepiness: The Epworth sleepiness scale. *Sleep*, 14(6), 540–545.
350. Johnstone, K. A., & Page, A. C. (2004). Attention to phobic stimuli during exposure: The effect of distraction on anxiety reduction, self-efficacy and perceived control. *Behaviour Research and Therapy*, 42(3), 249–275.
351. Jones, L. K., & Cureton, J. L. (2014). Trauma redefined in the DSM-5: Rationale and implications for counseling practice. *The Professional Counselor*, 4(3), 257–271. doi:10.15241/1kj.4.3.257
352. Joseph, R. (1998). Traumatic amnesia, repression, and hippocampus injury due to emotional stress, corticosteroids and enkephalins. *Child Psychiatry and Human Development*, 29(2), 169–185.

353. Kabat-Zinn, J. (1994). *Wherever you go, there you are: Mindfulness meditation in everyday life* (p. 278). New York: Hyperion.
354. Kapoula, Z., Yang, Q., Bonnet, A., Bourtoire, P., & Sandretto, J. (2010). EMDR effects on pursuit eye movements. *PLoS ONE*, 5(5), e10762. doi:10.1371/journal.pone.0010762
355. Kar, N. (2011). Cognitive behavioral therapy for the treatment of post-traumatic stress disorder: A review. *Neuropsychiatric Disease and Treatment*, 7, 167–181. doi:10.2147/NDT.S10389
356. Karavidas, M. K., Lehrer, P. M., Vaschillo, E., Vaschillo, B., Marin, H., Buyske, S., ... Hassett, A. (2007). Preliminary results of an open label study of heart rate variability biofeedback for the treatment of major depression. *Applied Psychophysiology and Biofeedback*, 32(1), 19–30.
357. Kavanagh, D. J., Freese, S., Andrade, J., & May, J. (2001). Effects of visuospatial tasks on desensitization to emotive memories. *British Journal of Clinical Psychology*, 40(Pt. 3), 267–280.
358. Kazdin, A. E. (2007). Mediators and mechanisms of change in psychotherapy research. *Annual Review of Clinical Psychology*, 3, 1–27. doi:10.1146/annurev.clinpsy.3.022806.091432
359. Keane, T. M., Fairbank, J. A., Caddell, J. M., & Zimering, R. T. (1989). Implosive (flooding) therapy reduced symptoms of PTSD in Vietnam combat veterans. *Behavior Therapy*, 20, 245–260.
360. Keller, B., Stevens, L., Lui, C., Murray, J., & Yaggie, M. (2014). The effects of bilateral eye movements on EEG coherence when recalling a pleasant memory. *Journal of EMDR Practice and Research*, 8(3), 113–128. doi:10.1891/1933-3196.8.3.113
361. Kelley, S. D. M., & Selim, B. (2007). Eye movement desensitization and reprocessing in the psychological treatment of trauma-based psychogenic non-epileptic seizures. *Clinical Psychology and Psychotherapy*, 14(2), 135.
362. Kemp, M., Drummond, P., & McDermott, B. (2010). A wait-list controlled pilot study of eye movement desensitization and reprocessing (EMDR) for children with post-traumatic stress disorder (PTSD) symptoms from motor vehicle accidents. *Clinical Child Psychology and Psychiatry*, 15(1), 5–25. doi:10.1177/1359104509339086
363. Kessler, R. C., Chiu, W. T., Demler, O., & Walters, E. E. (2005). Prevalence, severity, and comorbidity of twelvemonth DSM-IV disorders in the National Comorbidity Survey Replication (NCS-R). *Archives of General Psychiatry*, 62(6), 617–627.

364. Kessler, R. C., Sonnega, A., Bromet, E. J., Hughes, M., Nelson, C. B., & Breslau, N. (1999). Epidemiological risk factors for trauma and PTSD. In R. Yehuda (Ed.), *Risk factors for post-traumatic stress disorder* (pp. 23–59). Washington, DC: American Psychiatric Press.
365. Kessler, R. C., Sonnega, A., Bromet, E., Hughes, M., & Nelson, C. B. (1995). Posttraumatic stress disorder in the National Comorbidity Survey. *Archives of General Psychiatry*, 52(12), 1048–1060.
366. Killgore, W. D., Kahn-Greene, E. T., Lipizzi, E. L., Newman, R. A., Kamimori, G. H., & Balkin, T. J. (2007). Sleep deprivation reduces perceived emotional intelligence and constructive thinking skills. *Sleep Medicine*, 8(3), 215–221.
367. Killgore, W. D., Killgore, D. B., Day, L. M., Li, C., Kamimori, G. H., & Balkin, T. J. (2007). The effects of 53 hours of sleep deprivation on moral judgment. *Sleep*, 30(3), 345–352.
368. Kilpatrick, D. G., Resnick, H. S., Baber, B., Guille, C., & Gros, K. (2011). *The National Stressful Events Web Survey (NSES-W)*. Charleston, SC: Medical University of South Carolina.
369. Kilpatrick, D. G., Resnick, H. S., Milanak, M. E., Miller, M. W., Keyes, K. M., & Friedman, M. J. (2013). National estimates of exposure to traumatic events and PTSD prevalence using DSM-IV and DSM-5 criteria. *Journal of Traumatic Stress*, 26(5), 537–547. doi:10.1002/jts.21848
370. Kim, D., & Kim, K.-I. (2004). A case series of eye movement desensitization and reprocessing (EMDR) in 30 psychiatric patients: Korean experience. *Journal of the Korean Neuropsychiatric Association*, 43(1), 113–118.
371. Kim, D., Bae, H., & Park, Y. C. (2008). Validity of the subjective units of disturbance scale in EMDR. *Journal of EMDR Practice and Research*, 2(1), 57–62.
372. Kirsch, I., & Lynn, S. J. (1995). The altered state of hypnosis: Changes in the theoretical landscape. *American Psychologist*, 50(10), 846–858.
373. Kleinknecht, R. A. (1993). Rapid treatment of blood and injection phobias with eye movement desensitization. *Journal of Behaviour Therapy and Experimental Psychiatry*, 24, 211–217.
374. Klosko, J., Barlow, D., Tassinari R., & Cerny J. (1990). A comparison of alprazolam and behavior therapy in treatment of panic disorder. *Journal of Consulting and Clinical Psychology*, 58(1), 77–84.
375. Kluff, R. P. (1993). Basic principles in conducting the psychotherapy of multiple personality disorder. In R. P. Kluff & C. G. Fine (Eds.), *Clinical*

- perspectives on multiple personality disorder* (pp. 19–50). Washington, DC: American Psychiatric Press.
376. Kluft, R. P. (1999). An overview of the psychotherapy of dissociative identity disorder. *American Journal of Psychotherapy*, 53(3), 289–319.
377. Knapp, S., & VandeCreek, L. (2006). *Practical ethics for psychologists: A positive approach* (1st ed.). Washington, DC: American Psychological Association.
378. Kneff, J. C., & Krebs, K. (2004). Eye movement desensitization and reprocessing (EMDR): Another helpful mind-body technique to treat GI problems. *Gastroenterology Nursing*, 27(6), 286–287.
379. Knipe, J. (2002). A tool for working with dissociative clients. *The EMDRIA Newsletter*, 7(2), 14–16.
380. Knipe, J. (2003). “It was a golden time.” Treating narcissistic vulnerability. In P. Manfield (Ed.), *EMDR casebook* (pp. 296–319). New York, NY: Norton.
381. Knipe, J. (2014). *EMDR toolbox: Theory and treatment of complex PTSD and dissociation*. New York, NY: Springer.
382. Knipe, J., & Forgash, C. (2001). *Safety focused EMDR/Ego state treatment of severe ego state disorders*. Paper presented at the EMDR International Association Conference, Austin, TX.
383. Koerner, K., Miller, A. L., & Wagner, A. W. (1998). Dialectical behavior therapy: Part I. Principle based intervention with multi-problem patients. *Journal of Practical Psychiatry and Behavioral Health*, 4, 28–36.
384. Konuk, E., & Zat, Z. (2015). Humanitarian programs and interventions in turkey. *Journal of EMDR Practice and Research*, 9(2), 106–113. doi:10.1891/1933-3196.9.2.106
385. Konuk, E., Epozdemir, H., Haciomeroglu Atceken, S., Aydin, Y. E., & Yurtsever, A. (2011). EMDR treatment of migraine. *Journal of EMDR Practice and Research*, 5(4), 166–176. doi:10.1891/1933-3196.5.4.166
386. Konuk, E., Knipe, J., Eke, I., Yuksek, H., Yurtsever, A., & Ostep, S. (2006). The effects of eye movement desensitization and reprocessing (EMDR) therapy on posttraumatic stress disorder in survivors of the 1999 Marmara, Turkey, *Earthquake. International Journal of Stress Management*, 13(3), 291.
387. Korn, D. L. (2009). EMDR and the treatment of complex PTSD: A review. *Journal of EMDR Practice and Research*, 3(4), 264–278. doi:10.1891/1933-3196.3.4.264

388. Korn, D. L., & Leeds, A. M. (1998). *Clinical applications of EMDR in the treatment of adult survivors of childhood abuse and neglect*. Baltimore, MD: EMDR International Association.
389. Korn, D. L., & Leeds, A. M. (2002). Preliminary evidence of efficacy for EMDR resource development and installation in the stabilization phase of treatment of complex posttraumatic stress disorder. *Journal of Clinical Psychology*, 58(12), 1465–1487.
390. Korn, D. L., Weir, J., & Rozelle, D. (2004). *Looking beyond the data: Clinical lessons learned from an EMDR treatment outcome study, Session 321*. Paper presented at the EMDR International Association Conference, Montreal, Quebec.
391. Korn, D. L., Zangwill, W., Lipke, H., & Smyth, M. J. (2001). *EMDR fidelity scale*. Unpublished monograph, The Trauma Center, Brookline, MA.
392. Krause, R., & Kirsch, A. (2006). [On the relationship between traumatization, amnesia and symptom stress — an empirical pilot study]. *Zeitschrift für Psychosomatische Medizin und Psychotherapie*, 52(4), 392–405.
393. Kristjansdottir, K., & Lee, C. W. (2011). A comparison of visual versus auditory concurrent tasks on reducing the distress and vividness of aversive autobiographical memories. *Journal of EMDR Practice and Research*, 5(2), 34–41. doi:10.1891/1933-3196.5.2.34
394. Krystal, S., Prendergast, J., Krystal, P., Fenner, P., Shapiro, I., & Shapiro, K. (2002). Transpersonal psychology, eastern nondual philosophy, and EMDR. In F. Shapiro (Ed.), *EMDR as an integrative psychotherapy approach: Experts of diverse orientations explore the paradigm prism* (pp. 319–339). Washington, DC: American Psychological Association.
395. Kuhn, T. S. (1996). *The structure of scientific revolutions* (3rd ed.). Chicago, IL: University of Chicago Press.
396. Kuiken, D., Bears, M., Miall, D., & Smith, L. (2001–2002). Eye movement desensitization reprocessing facilitates attentional orienting. *Imagination, Cognition and Personality*, 21(1), 3–20.
397. Kutz, I., Resnik, V., & Dekel, R. (2008). The effect of single-session modified EMDR on acute stress syndromes. *Journal of EMDR Practice and Research*, 2(3), 190–200.
398. Kvale G., Berggren U., & Milgrom P. (2004). Dental fear in adults: A meta-analysis of behavioral interventions. *Community Dentistry and Oral Epidemiology*, 32, 250–264.

399. Ladd, G. (2007). Treatment of psychological injury after a scuba-diving fatality. *Diving and Hyperbaric Medicine*, 37(1), 36–39.
400. Lamprecht, F., Kohnke, C., Lempa, W., Sack, M., Matzke, M., & Munte, T. F. (2004). Event-related potentials and EMDR treatment of post-traumatic stress disorder. *Neuroscience Research*, 49(2), 267–272.
401. Landin-Romero, R., Novo, P., Vicens, V., McKenna, P. J., Santed, A., Pomarol-Clotet, E., ... Amann, B. L. (2013). EMDR therapy modulates the default mode network in a subsyndromal, traumatized bipolar patient. *Neuropsychobiology*, 67(3), 181–184. doi:10.1159/000346654
402. Lang, P. J. (1968). Fear reduction and fear behavior: Problems in treating a construct. In J. M. Shlien (Ed.), *Research in psychotherapy* (Vol. 3, pp. 90–102). Washington, DC: American Psychological Association.
403. Lang, P. J. (1977). Imagery in therapy: An information processing analysis of fear. *Behavior Therapy*, 8, 862–886.
404. Lang, P. J. (1979). A bioinformational theory of emotional imagery. *Psychophysiology*, 16, 495–512.
405. Lanius, U. F. (2004, September 11, 2004). *PTSD, information processing and thalamo-cortical dialogue*. Paper presented at the EMDR International Association Conference, Montreal, Quebec.
406. Lanius, U. F. (2005). EMDR processing with dissociative clients: Adjunctive use of opioid antagonists. In R. Shapiro (Ed.), *EMDR solutions: Pathways to healing* (pp. 121–146). New York, NY: W.W. Norton.
407. Lanius, U. F. (2014). Dissociation and endogenous opioids: A foundational role. In U. F. Lanius, S. L. Paulsen, & F. M. Corrigan (Eds.), *Neurobiology and treatment of traumatic dissociation: Towards an embodied self* (pp. 81–104). New York, NY: Springer.
408. Lanius, U. F., & Bergmann, U. (2014). Dissociation, EMDR, and adaptive information processing: The role of sensory stimulation and sensory awareness. In U. F. Lanius, S. L. Paulsen, & F. M. Corrigan (Eds.), *Neurobiology and treatment of traumatic dissociation: Towards an embodied self* (pp. 213–242). New York, NY: Springer.
409. Lanius, U. F., Paulsen, S. L., & Corrigan, F. M. (2014). *Neurobiology and treatment of traumatic dissociation: Towards an embodied self*. New York, NY: Springer.
410. Lankton, S. R. E. (1987). *Central themes and principles of Ericksonian therapy (Ericksonian Monographs, No. 2)*. New York, NY: Brunner-Routledge.

411. Lansing, K. (2012). *The rite of return: Coming back from duty-induced PTSD*. High Ground Press.
412. Lansing, K. M., Amen, G. G., & Klindt, W. C. (2000, November). *Tracking the neurological impact of CBT and EMDR in the treatment of PTSD*. Paper presented at the Annual Meeting of the Association for the Advancement for Behavior Therapy, New Orleans, LA.
413. Lansing, K., Amen, D. G., Hanks, C., & Rudy, L. (2005). High-resolution brain SPECT imaging and eye movement desensitization and reprocessing in police officers with PTSD. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 17(4), 526–532.
414. Lazarus, A. A. (1989). *The practice of multimodal therapy: Systematic, comprehensive, effective psychotherapy*. Baltimore, MD: John Hopkins University Press.
415. Lazarus, A., & Lazarus, C. (1991). *Multimodal life history inventory*. Champaign, IL: Research Press.
416. Lazrove, S., & Fine, C. G. (1996). The use of EMDR in patients with dissociative identity disorder. *Dissociation*, 9(4), 289–299.
417. LeDoux, J. E. (1996). *The emotional brain: The mysterious underpinnings of emotional life*. New York, NY: Simon & Schuster.
418. LeDoux, J., Romanski, L., & Xagoraris, A. (1989). Indelibility of subcortical emotional memories. *Journal of Cognitive Neuroscience*, 1(3), 238–243.
419. Lee, C. W. (2008). Crucial processes in EMDR: More than imaginal exposure. *Journal of EMDR Practice and Research*, 2(4), 262–268. doi: 10.1891/1933-3196.2.4.262
420. Lee, C. W., & Cuijpers, P. (2013). A meta-analysis of the contribution of eye movements in processing emotional memories. *Journal of Behavior Therapy and Experimental Psychiatry*, 44(2), 231–239. doi:10.1016/j.jbtep.2012.11.001
421. Lee, C. W., & Cuijpers, P. (2014). What does the data say about the importance of eye movement in EMDR? *Journal of Behavior Therapy and Experimental Psychiatry*, 45(1), 226–228. doi:10.1016/j.jbtep.2013.10.002
422. Lee, C. W., & Drummond, P. D. (2008). Effects of eye movement versus therapist instructions on the processing of distressing memories. *Journal of Anxiety Disorders*, 22(5), 801–808.
423. Lee, C. W., & Schubert, S. (2009). Omissions and errors in the institute of medicine's report on scientific evidence of treatment for posttraumatic stress disorder. *Journal of EMDR Practice and Research*, 3, 32–38.

424. Lee, C., Gavriel, H., & Richards, J. (1996, November). Eye movement desensitisation: Past research, complexities, and future direction. *Australian Psychologist*, 31(3), 168–173.
425. Lee, C., Gavriel, H., Drummond, P., Richards, J., & Greenwald, R. (2002). Treatment of PTSD: Stress inoculation training with prolonged exposure compared to EMDR. *Journal of Clinical Psychology*, 58(9), 1071–1089.
426. Lee, C., Taylor, G., & Drummond, P. D. (2006). The active ingredient in EMDR: Is it traditional exposure or dual focus of attention? *Clinical Psychology and Psychotherapy*, 13, 97–107.
427. Leeds, A. M. (1997, July). *In the eye of the beholder: Reflections on shame, dissociation, and transference in complex posttraumatic stress and attachment related disorders*. Principles of case formulation for EMDR treatment planning and the use of Resource Installation. Paper presented at the EMDR International Association, San Francisco, CA.
428. Leeds, A. M. (1998a). Lifting the burden of shame: Using EMDR resource installation to resolve a therapeutic impasse. In P. Manfield (Ed.), *Extending EMDR: A casebook of innovative applications* (pp. 256–282). New York, NY: W.W. Norton.
429. Leeds, A. M. (1998b). *EMDR safe place survey*. Unpublished manuscript. Santa Rosa, CA, USA.
430. Leeds, A. M. (2001). *Strengthening the self: Principles and procedures for creating successful treatment outcomes for adult survivors of neglect and abuse* (Cassette Recording and Manual). Available from Andrew M. Leeds, PhD, 1049 Fourth Street, Suite G, Santa Rosa, CA 95404.
431. Leeds, A. M. (2004). *EMDR treatment made simple*. EMDRIA Approved Continuing Education Workshop, May 22, 2004, Los Angeles, CA.
432. Leeds, A. M. (2006, September 9). *Learning to feel good about positive emotions with the positive affect tolerance and integration protocol*. Paper presented at the EMDRIA Conference, Philadelphia, PA.
433. Leeds, A. M. (2009). Resources in EMDR and other trauma-focused psychotherapy: A review. *Journal of EMDR Practice and Research*, 3(3), 152–160. doi:10.1891/1933-3196.3.3.152
434. Leeds, A. M. (2012). EMDR treatment of panic disorder and agoraphobia: Two model treatment plans. *Journal of EMDR Practice and Research*, 6(3), 110–119. doi:10.1891/1933-3196.6.3.110

435. Leeds, A. M. (2015). *Learning to feel good sharing positive emotion: the Positive Affect Tolerance protocol*. Workshop presented at EMDR International Association, August 30, 2015, Philadelphia, PA.
436. Leeds, A. M., & Korn, D. L. (2012). A commentary on Hornsveld et al. (2011): A valid test of resource development and installation? Absolutely not. *Journal of EMDR Practice and Research*, 6(4), 170–173. doi:10.1891/1933-3196.6.4.170
437. Leeds, A. M., & Shapiro, F. (2000). EMDR and resource installation: Principles and procedures for enhancing current functioning and resolving traumatic experiences. In J. Carlson & L. Sperry (Eds.), *Brief therapy strategies with individuals and couples* (pp. 469–534). Phoenix, AZ: Zeig, Tucker, Theisen, Inc.
438. Lehrer, P. M., Carr, R., Sargunraj, D., & Woolfolk, R. L. (1994). Stress management techniques: Are they all equivalent, or do they have specific effects? *Biofeedback & Self Regulation*, 19(4), 353–401.
439. Lehrer, P. M., Woolfolk, R. L., & Sime, W. E. (2007). *Principles and practice of stress management* (3rd ed.). New York, NY: Guilford Press.
440. Lendl, J., & Foster, S. (2003). *EMDR 'Performance Enhancement' for the workplace: A practitioners' manual* (2nd USA Edition ed.). San Jose, CA: Performance Enhancement Unlimited.
441. Lenggenhager, B., Smith, S. T., & Blanke, O. (2006). Functional and neural mechanisms of embodiment: Importance of the vestibular system and the temporal parietal junction. *Reviews Neuroscience*, 17(6), 643–657.
442. Lenggenhager, B., Tadi, T., Metzinger, T., & Blanke, O. (2007). Video ergo sum: Manipulating bodily self-consciousness. *Science*, 317(5841), 1096–1099.
443. Le-Niculescu, H., Balaraman, Y., Patel, S. D., Ayalew, M., Gupta, J., Kuczenski, R., ... Niculescu, A. B. (2011). Convergent functional genomics of anxiety disorders: Translational identification of genes, biomarkers, pathways and mechanisms. *Translational Psychiatry*, 1, e9. doi:10.1038/tp.2011.9
444. Levin, P., Lazrove, S., & van der Kolk, B. (1999). What psychological testing and neuroimaging tell us about the treatment of posttraumatic stress disorder (PTSD) by eye movement desensitization and reprocessing (EMDR). *Journal of Anxiety Disorders*, 13(1–2), 159–172.
445. Levy, K. N., Johnson, B. N., Clouthier, T. L., Scala, J. W., & Temes, C. M. (2015). An attachment theoretical framework for personality disorders. *Canadian Psychology/Psychologie Canadienne*, 56(2), 197. doi:10.1037/cap0000025

446. Lilley, S. A., Andrade, J., Turpin, G., Sabin-Farrell, R., & Holmes, E. A. (2009). Visuospatial working memory interference with recollections of trauma. *British Journal of Clinical Psychology*, 48(3), 309–321.
447. Linehan, M. M. (1993). *Cognitive-behavioral treatment of borderline personality disorder*. New York, NY: Guilford Press.
448. Liotti, G. (1992). Disorganized/disoriented attachment in the etiology of the dissociative disorders. *Dissociation*, 5(4), 196–204.
449. Liotti, G., Pasquini, P., & The Italian Group for the Study of Dissociation. (2000). Predictive factors for borderline personality disorder: Patients' early traumatic experiences and losses suffered by the attachment figure. *Acta Psychiatrica Scandinavica*, 102(4), 282–289.
450. Lipke, H. (1992). *Manual for the teaching of Shapiro's EMDR in the treatment of combat-related PTSD*. Pacific Grove, CA: EMDR Institute.
451. Lipke, H. (1995). EMDR clinician survey. In F. Shapiro (Ed.), *Eye movement desensitization and reprocessing, basic principles, protocols and procedures* (1st ed., pp. 376–386). New York, NY: The Guilford Press.
452. Lipke, H. (1999). *EMDR and psychotherapy integration: Theoretical and clinical suggestions with focus on traumatic stress*. Boca Raton, FL: CRC Press.
453. Llinas, R., & Ribary, U. (2001). Consciousness and the brain. The thalamo-cortical dialogue in health and disease. *Annals of the New York Academy of Sciences*, 929, 166–175.
454. Lobenstine, F., & Courtney, D. (2013). A case study: The integration of intensive EMDR and ego state therapy to treat comorbid posttraumatic stress disorder, depression, and anxiety. *Journal of EMDR Practice and Research*, 7(2), 65–80. doi:201310.1891/1933-3196.7.2.65
455. Loewenstein, R. J. (1991). An office mental status examination for complex chronic dissociative symptoms and multiple personality disorder. *Psychiatric Clinics of North America*, 14(3), 567–604.
456. Lohr, J. M., Tolin, D. F., & Kleinknecht, R. A. (1995). Eye movement desensitization of medical phobias: Two case studies. *Journal of Behavior Therapy and Experimental Psychiatry*, 26, 141–151.
457. Luber, M., & Shapiro, F. (2009). Interview with Francine Shapiro: Historical overview, present issues, and future directions of EMDR. *Journal of EMDR Practice and Research*, 3(4), 217–231. doi:10.1891/1933-3196.3.4.217
458. Lyle, K. B., & Jacobs, N. E. (2010). Is saccade-induced retrieval enhancement a potential means of improving eyewitness evidence? *Memory*, 18(6), 581–594. doi:10.1080/09658211.2010.493891

459. Lyle, K. B., & Martin, J. M. (2010). Bilateral saccades increase intrahemispheric processing but not interhemispheric interaction: Implications for saccade-induced retrieval enhancement. *Brain and Cognition*, 73(2), 128–134. doi:/10.1016/j.bandc.2010.04.004
460. MacCulloch, M. J., & Barrowcliff, A. L. (2001, May). *The de-arousal model of eye movement desensitization and reprocessing (EMDR), Part I: A theoretical perspective on EMDR*. Paper presented at the EMDR Europe 2nd Annual Conference “EMDR innovations in theory and practice,” London, UK.
461. MacCulloch, M. J., & Feldman, P. (1996). Eye movement desensitization treatment utilizes the positive visceral element of the investigatory reflex to inhibit the memories of post-traumatic stress disorder: A theoretical analysis. *British Journal of Psychiatry*, 169, 571–579.
462. Magee, W. J., Eaton, W. W., Wittchen, H. U., McGonagle, K. A., & Kessler, R. C. (1996). Agoraphobia, simple phobia, and social phobia in the National Comorbidity Survey. *Archives of General Psychiatry*, 53(2), 159–168.
463. Main, M. (1996). Introduction to the special section on attachment and psychopathology: 2. Overview of the field of attachment. *Journal of Consulting and Clinical Psychology*, 64(2), 237–243.
464. Main, M., & Solomon, J. (1986). Discovery of a new, insecure-disorganized/disoriented attachment pattern. In T. B. Brazelton & M. Yogman (Eds.), *Affective development in infancy* (pp. 95–124). Norwood, NJ: Ablex.
465. Manfield, P. (2003). *EMDR casebook: Expanded* (2nd ed.). New York, NY: Norton.
466. Manfield, P. (2010). *Dyadic resourcing: Creating a foundation for processing trauma*. Seattle, WA: CreateSpace.
467. Marcus, S. V. (2008). Phase 1 of integrated EMDR: An abortive treatment for migraine headaches. *Journal of EMDR Practice and Research*, 2(1), 15–25. doi:10.1891/1933-3196.2.1.15
468. Marcus, S., Marquis, P., & Sakai, C. (1997). Controlled study of treatment of PTSD using EMDR in an HMO setting. *Psychotherapy*, 34, 307–315.
469. Marks, I., & Mathews, A. (1979). Brief standard self-rating for phobic patients. *Behaviour Research and Therapy*, 17, 59–68.
470. Marks, I., Kenwright, M., McDonough, M., Whittaker, M., O'Brien, T., & Mataix-Cols, D. (2004). Saving clinicians' time by delegating routine aspects of therapy to a computer: A randomised controlled trial in panic/phobia disorder. *Psychological Medicine*, 34, 9–17.

471. Marquis, J. N. (1991). A report on seventy-eight cases treated by eye movement desensitization. *Journal of Behavior Therapy and Experimental Psychiatry*, 22, 187–192.
472. Marr, J. (2012). EMDR treatment of obsessive-compulsive disorder: Preliminary research. *Journal of EMDR Practice and Research*, 6(1), 2–15. doi:10.1891/1933-3196.6.1.2
473. Martinsen, E. W., Hoffart, A., & Solberg, O. (1989). Comparing aerobic with nonaerobic forms of exercise in the treatment of clinical depression: A randomized trial. *Comprehensive Psychiatry*, 30(4), 324–331.
474. Mathews, A. M. (1971). Psychophysiological approaches to the investigation of desensitization and related procedures. *Psychological Bulletin*, 76(2), 73–91.
475. Maxfield, L. (2003). Clinical implications and recommendations arising from EMDR research findings. *Journal of Trauma Practice*, 2, 61–81.
476. Maxfield, L. (2008). Considering mechanisms of action in EMDR. *Journal of EMDR Practice and Research*, 2(4), 234–238. doi:10.1891/1933-3196.2.4.234
477. Maxfield, L. J. (2004). *A working memory analysis of the dual attention component of eye movement desensitization and reprocessing* (Doctoral dissertation, Lakehead University). *Dissertation Abstracts International*, 64(10-B).
478. Maxfield, L., & Hyer, L. (2002). The relationship between efficacy and methodology in studies investigating EMDR treatment of PTSD. *Journal of Clinical Psychology*, 58(1), 23–41.
479. Maxfield, L., Melnyk, W. T., & Hayman, G. C. A. (2008). A working memory explanation for the effects of eye movements in EMDR. *Journal of EMDR Practice and Research*, 2(4), 247–261. doi:10.1891/1933-3196.2.4.247
480. McCann, I. L., & Pearlman, L. A. (1990). *Psychological trauma and the adult survivor: Theory, therapy and transformation*. New York, NY: Brunner/Mazel, Inc.
481. McCraty, R., & Schaffer, F. (2015). Heart rate variability: New perspectives on physiological mechanisms, assessment of self-regulatory capacity, and health risk. *Global Advances in Health and Medicine*, 4(1), 46–61. doi:10.7453/gahmj.2014.073
482. McCraty, R., Atkinson, M., Tomasino, D., & Bradley, R. T. (2001). *The science of the heart: Exploring the role of the heart in human performance*. Boulder Creek, CO: Institute of HeartMath Publication. Retrieved August 22, 2008, from www.heartmath.org

483. McCraty, R., Atkinson, M., Tomasino, D., & Stuppy, W. P. (2001). Analysis of twenty-four hour heart rate variability in patients with panic disorder. *Biological Psychology*, 56(2), 131–150.
484. McCullough, L. (1996). *Changing character: Short-term anxiety-regulating psychotherapy for restructuring defenses, affects, and attachment*. New York, NY: Basic Books.
485. McCullough, L. (1998). *PAC summary form*. Retrieved May 31, 2015, from <http://affectphobiatherapy.com/forms/>
486. McCullough, L. (2001). *Psychotherapy assessment checklist*. Retrieved May 31, 2015, from <http://affectphobiatherapy.com/forms/>
487. McCullough, L. (2003, February 13, 2003). *Directions for the Psychotherapy Assessment Checklist (PAC Forms)*. Retrieved May 31, 2015, from <http://affectphobiatherapy.com/forms/>
488. McCullough, L., Kuhn, N., Andrews, S., Kaplan, A., Wolf, J., & Hurley, C. (2003). *Treating affect phobia: A manual for short-term dynamic psychotherapy*. New York, NY: Guilford Press.
489. McEwan, T., Mullen, P. E., & Purcell, R. (2007). Identifying risk factors in stalking: A review of current research. *International Journal of Law and Psychiatry*, 30(1), 1–9.
490. McEwan, B. S. (2006). Protective and damaging effects of stress mediators: Central role of the brain. *Dialogues in Clinical Neuroscience*, 8(4), 367–381.
491. McGhan, W. F., Stimmel, G. L., Gilman, T. M., & Segal, J. L. (1982). Pharmacists as drug prescribers: Validation of certification exams and evaluation instruments. *Evaluation & The Health Professions*, 5(2), 115–129.
492. McGoldrick, M., Gerson, R., & Petry, S. S. (2008). *Genograms: Assessment and intervention* (3rd ed.). New York, NY:
493. W.W. Norton. McGoldrick, T., Begum, M., & Brown, K. W. (2008). EMDR and olfactory reference syndrome A case series. *Journal of EMDR Practice and Research*, 2(1), 63–68. doi:10.1891/1933-3196.2.1.63
494. McLeod, J. (1997). *Narrative and psychotherapy*. London, UK: Sage.
495. McMahan, D. L. (2008). *The making of Buddhist modernism*. Oxford, UK; New York, NY: Oxford University Press.
496. McNally, V. J., & Solomon, R. M. (1999). The FBI's critical incident stress management program. *FBI Law Enforcement Bulletin*, 68, 20–26.
497. Meichenbaum, D. (1985). *Stress inoculation training*. New York, NY: Pergamon Press.

498. Merckelbach, H., Hogervorst, E., Kampman, M., & de Jongh, A. (1994). Effects of “eye movement desensitization” on emotional processing in normal subjects. *Behavioural and Cognitive Psychotherapy*, 22, 331–335.
499. Merluzzi, T. V., Taylor, C. B., Boltwood, M., & Gotestam, K. G. (1991). Opioid antagonist impedes exposure. *Journal of Clinical and Consulting Psychology*, 59(3), 421–430.
500. Merrill, R. M., Aldana, S. G., Greenlaw, R. L., Diehl, H. A., & Salberg, A. (2007). The effects of an intensive lifestyle modification program on sleep and stress disorders. *Journal of Nutrition, Health & Aging*, 11(3), 242–248.
501. Mick, T. M., & Hollander, E. (2006). Impulsive-compulsive sexual behavior. *CNS Spectrum*, 11(12), 944–955.
502. Miller, P. (2007). *A case series detailing phenomenology, EMDR protocol and clinical outcome of EMDR in severe depression, with psychosis, delusional dysmorphobia and schizophrenia*. Paper presented at the 8th EMDR Europe Conference, Paris, France.
503. Miller, P. (2015). *EMDR therapy for schizophrenia and other psychoses*. New York, NY: Springer.
504. Miller, R. (2010). The feeling-state theory of impulse-control disorders and the impulse-control disorder protocol. *Traumatology*, 16(3), 2–10. doi:10.1177/1534765610365912
505. Miller, R. (2012). Treatment of behavioral addictions utilizing the feeling-state addiction protocol: A multiple baseline study. *Journal of EMDR Practice and Research*, 6(4), 159–169. doi:10.1891/1933-3196.6.4.159
506. Mol, S. S., Arntz, A., Metsemakers, J. F., Dinant, G. J., Vilters-van Montfort, P. A., & Knottnerus, J. A. (2005). Symptoms of post-traumatic stress disorder after non-traumatic events: Evidence from an open population study. *British Journal of Psychiatry*, 186, 494–499.
507. Mosquera, D. (2014, September 19). *Self-harm, suicide and EMDR*. Paper presented at the EMDRIA Conference, Denver, CO.
508. Mosquera, D., & Gonzalez, A. (2014). *Borderline personality disorder and EMDR therapy*. D.M.B.
509. Mosquera, D., & Gonzalez-Vazquez, A. (2012). [Borderline personality disorder, trauma and EMDR]. *Rivista Di Psichiatria*, 47(2), 26–32. doi:10.1708/1071.11736
510. Mosquera, D., & Knipe, J. (2015). Understanding and treating narcissism with EMDR therapy. *Journal of EMDR Practice and Research*, 9(1), 46–63. doi:10.1891/1933-3196.9.1.46

511. Mosquera, D., Gonzalez, A., & Leeds, A. M. (2012). Working on ambivalence, defenses and motivation for therapy. In A. Gonzalez & D. Mosquera (Eds.), *EMDR and dissociation: The progressive approach* (pp. 211–229). Charleston, SC: Amazon Imprint.
512. Mosquera, D., Leeds, A. M., & Gonzalez, A. (2014). Application of EMDR therapy for borderline personality disorder. *Journal of EMDR Practice and Research*, 8(2), 74–89. doi:10.1891/1933-3196.8.2.74
513. Mott, J. M., Mondragon, S., Hundt, N. E., Beason-Smith, M., Grady, R. H., & Teng, E. J. (2014). Characteristics of U.S. Veterans who begin and complete prolonged exposure and cognitive processing therapy for PTSD. *Journal of Traumatic Stress*, 27(3), 265–273. doi:10.1002/jts.21927
514. Mulkens, A. A. N., De Jong, P., & Merckelbach, H. (1997). Disgust sensitivity and spider phobia. *Journal of Abnormal Psychology*, 105, 464–468.
515. Muris, P., & De Jongh, A. (1996). Eye movement desensitization and reprocessing. Een nieuwe behandelingstechniek voor trauma-gerelateerde angstklachten: Over de behandeling van kinderen. [Eye movement desensitization and reprocessing. A new treatment method for trauma-related anxiety complaints: About the treatment of children]. *Kind en Adolescent*, 17, 159–217.
516. Muris, P., & Merckelbach, H. (1995). Treating spider phobia with eye movement desensitization and reprocessing: Two case reports. *Journal of Anxiety Disorders*, 9, 439–449.
517. Muris, P., Merckelbach, H., Holdrinet, I., & Sijsenaar, M. (1998). Treating phobic children: Effects of EMDR versus exposure. *Journal of Clinical and Consulting Psychology*, 66(1), 193–198.
518. Muris, P., Merckelbach, H., Van Haaften, H., & Mayer, B. (1997). Eye movement desensitisation and reprocessing versus exposure in vivo. A single-session crossover study of spider-phobic children. *British Journal of Psychiatry*, 171, 82–86.
519. Muzina, D. J., Colangelo, E., Manning, J. S., & Calabrese, J. R. (2007). Differentiating bipolar disorder from depression in primary care. *Cleveland Clinic Journal of Medicine*, 74(2), 89, 92, 95–89 passim.
520. Myers, K. J. (2015). EMDR with choking phobia: Reflections on the 2008 study by de roos and de jongh. *Journal of EMDR Practice and Research*, 9(1), 64–70. doi:10.1891/1933-3196.9.1.64
521. Nadler, W. (1996). EMDR: Rapid treatment of panic disorder. *International Journal of Psychiatry*, 2, 1–8. Retrieved November 8, 2008, from <http://www.priory.com/emdr.htm>

522. Najavits, L. (2002). *Seeking safety: A treatment manual for PTSD and substance abuse*. New York, NY: Guilford Press.
523. Najavits, L. M. (2015). The problem of dropout from “gold standard” PTSD therapies. *F1000prime Reports*, 7, 43. doi:10.12703/P7-43
524. Najavits, L. M., & Hien, D. (2013). Helping vulnerable populations: A comprehensive review of the treatment outcome literature on substance use disorder and PTSD. *Journal of Clinical Psychology*, 69(5), 433–479. doi:10.1002/jclp.21980
525. Najavits, L. M., Gallop, R. J., & Weiss, R. D. (2006). Seeking safety therapy for adolescent girls with PTSD and substance use disorder: A randomized controlled trial. *Journal of Behavioral Health Services & Research*, 33(4), 453–463.
526. Najavits, L. M., Schmitz, M., Gotthardt, S., & Weiss, R. D. (2005). Seeking safety plus exposure therapy: An outcome study on dual diagnosis men. *Journal of Psychoactive Drugs*, 37(4), 425–435.
527. Najavits, L. M., Weiss, R. D., Shaw, S. R., & Muenz, L. R. (1998). “Seeking safety”: Outcome of a new cognitive-behavioral psychotherapy for women with posttraumatic stress disorder and substance dependence. *Journal of Traumatic Stress*, 11(3), 437–456.
528. Nardo, D., Hogberg, G., Looi, J. C., Larsson, S., Hallstrom, T., & Pagani, M. (2009). Gray matter density in limbic and paralimbic cortices is associated with trauma load and EMDR outcome in PTSD patients. *Journal of Psychiatric Research*, 44(7), 477–485. doi:10.1016/j.jpsychires.2009.10.014
529. Nathanson, D. L. (1992). *Shame and pride: Affect sex and the birth of the self*. New York, NY: W.W. Norton.
530. Nathanson, D. L. (1998, July). *Locating EMDR: Affect, scene and script*. Paper presented at the EMDR International Association Conference, Baltimore, MD. National Board for Certified Counselors (NBCC). (2012). Code of ethics. Retrieved August 15, 2015, from <http://www.nbcc.org/Assets/Ethics/NBCCCodeofEthics.pdf>
531. National Institute for Clinical Excellence. (2005). *Posttraumatic stress disorder: The management of PTSD in adults and children in primary and secondary care*. London, UK: National Institute for Clinical Excellence.
532. National Institute of Mental Health. (2008). *The numbers count: Mental disorders in America*. Retrieved June 14, 2008, from National Institute of Mental Health website <http://www.nimh.nih.gov/health/publications/the-numbers-count-mental-disorders-in-america.shtml>

533. National Registry of Evidence-based Programs and Practice. (2010). *Eye movement desensitization and reprocessing*. Retrieved February 18, 2015, from <http://nrepp.samhsa.gov/ViewIntervention.aspx?id=199>.
534. Nazari, H., Momeni, N., Jariani, M., & Tarrahi, M. J. (2011). Comparison of eye movement desensitization and reprocessing with citalopram in treatment of obsessive-compulsive disorder. *International Journal of Psychiatry in Clinical Practice*, 15(4), 270–274. doi:10.3109/13651501.2011.590210
535. Nemiah, J. C. (1984). The psychodynamic view of anxiety. In R. O. Pasnace (Ed.), *Diagnosis and treatment of anxiety disorders* (pp. 117–137). Washington, DC: American Psychiatric Press.
536. Newman, M. G., Erickson, T., Przeworski, A., & Dzus, E. (2003). Self-help and minimal-contact therapies for anxiety disorders: Is human contact necessary for therapeutic efficacy? *Journal of Clinical Psychology*, 59(3), 251–274.
537. NICE. (2011). *Generalised anxiety disorder and panic disorder (with or without agoraphobia) in adults: Management in primary, secondary and community care*. NICE Clinical Guideline 113. Retrieved from at www.nice.org.uk/CG113 [NICE guideline].
538. Nickerson, M. I., & Goldstein, J. S. (2015). *The wounds within: A veteran a PTSD therapist, and a nation unprepared*. New York, NY: Skyhorse Publishing.
539. Nicosia, G. (1994, March). *A mechanism for dissociation suggested by the quantitative analysis of electroencephalography*. Paper presented at the International EMDR Annual Conference, Sunnyvale, CA.
540. Nicosia, G. (1995). Eye movement desensitization and reprocessing is not hypnosis. *Dissociation*, 9(1), 69.
541. Nieuwenhuis, S., Elzinga, B. M., Ras, P. H., Berends, F., Duijs, P., Samara, Z., & Slagter, H. A. (2013). Bilateral saccadic eye movements and tactile stimulation, but not auditory stimulation, enhance memory retrieval. *Brain and Cognition*, 81(1), 52–56. doi:10.1016/j.bandc.2012.10.003
542. Nijdam, M. J., Gersons, B. P., Reitsma, J. B., de Jongh, A., & Olf, M. (2012). Brief eclectic psychotherapy v. Eye movement desensitisation and reprocessing therapy for post-traumatic stress disorder: Randomised controlled trial. *The British Journal of Psychiatry: The Journal of Mental Science*, 200(3), 224–231. doi:10.1192/bjp.bp.111.099234

543. Nijenhuis, E. R., Spinhoven, P., Van Dyck, R., Van Der Hart, O., & Vanderlinden, J. (1996). The development and psychometric characteristics of the somatoform dissociation questionnaire (SDQ-20). *The Journal of Nervous and Mental Disease*, 184(11), 688–694.
544. Nijenhuis, E. R., Spinhoven, P., van Dyck, R., van der Hart, O., & Vanderlinden, J. (1997). The development of the somatoform dissociation questionnaire (SDQ-5) as a screening instrument for dissociative disorders. *Acta Psychiatrica Scandinavia*, 96(5), 311–318.
545. Novo, P., Landin-Romero, R., Radua, J., Vicens, V., Fernandez, I., Garcia, F., ... Amann, B. L. (2014). Eye movement desensitization and reprocessing therapy in subsyndromal bipolar patients with a history of traumatic events: A randomized, controlled pilot-study. *Psychiatry Research*, 219(1), 122–128. doi:10.1016/j.psychres.2014.05.012
546. Ochs, L. (2007). The low energy neurofeedback system (LENS): Theory, background and introduction. *Journal of Neurotherapy*, 10(2–3), 5–37.
547. Ogden, P., & Minton, K. (2000). Sensorimotor psychotherapy: One method for processing traumatic memory. *Traumatology*, VI(3). Retrieved October 24, 2008, from <http://www.fsu.edu/~trauma/v6i3/v6i3a3.html>
548. Oh, D.-H., & Choi, J. (2004). Changes in the regional cerebral perfusion after eye movement desensitization and reprocessing: A SPECT study of two cases. *Korean Journal of Biological Psychiatry*, 11(2), 173–180.
549. Oh, D., & Kim, D. (2014). Eye movement desensitization and reprocessing for posttraumatic stress disorder in bipolar disorder. *Psychiatry Investigation*, 11(3), 340–341. doi:10.4306/pi.2014.11.3.340
550. Ohtani, T., Matsuo, K., Kasai, K., Kato, T., & Kato, N. (2009). Hemodynamic responses of eye movement desensitization and reprocessing in posttraumatic stress disorder. *Neuroscience Research*, 65(4), 375–383. doi:10.1016/j.neures.2009.08.014
551. Oliver, N. S., & Page, A. C. (2008). Effects of internal and external distraction and focus during exposure to blood-injury-injection stimuli. *Journal of Anxiety Disorders*, 22(2), 283–291.
552. Oquendo, M. A., Currier, D., & Mann, J. J. (2006). Prospective studies of suicidal behavior in major depressive and bipolar disorders: What is the evidence for predictive risk factors? *Acta Psychiatrica Scandinavia*, 114(3), 151–158.
553. Oquendo, M. A., Galfalvy, H., Russo, S., Ellis, S. P., Grunebaum, M. F., Burke, A., & Mann, J. J. (2004). Prospective study of clinical predictors of

- suicidal acts after a major depressive episode in patients with major depressive disorder or bipolar disorder. *American Journal of Psychiatry*, 161(8), 1433–1441.
554. Oras, R., Ezpeleta, S. C., & Ahmad, A. (2004). Treatment of traumatized refugee children with eye movement desensitization and reprocessing in a psychodynamic context. *Nordic Journal of Psychiatry*, 58(3), 199–203.
555. Ortigo, K. M., Westen, D., Defife, J. A., & Bradley, B. (2013). Attachment, social cognition, and posttraumatic stress symptoms in a traumatized, urban population: Evidence for the mediating role of object relations. *Journal of Traumatic Stress*, 26(3), 361–368. doi:10.1002/jts.21815
556. Osuch, E. A., Benson, B., Geraci, M., Podell, D., Herscovitch, P., McCann, U. D., & Post, R. M. (2001). Regional cerebral blood flow correlated with flashback intensity in patients with posttraumatic stress disorder. *Biological Psychiatry*, 50(4), 246–253.
557. Ost, L. G., & Sterner, U. (1987). Applied tension: A specific behavioural method for treatment of blood phobia. *Behaviour Research and Therapy*, 25, 25–30.
558. Ost, L. G., Thulin, U., & Ramnero, J. (2004). Cognitive behaviour therapy vs. exposure in vivo in the treatment of panic disorder with agoraphobia. *Behaviour Research and Therapy*, 42, 1105–1127.
559. Pagani, M., Hogberg, G., Salmaso, D., Nardo, D., Sundin, O., Jonsson, C., ... Hallstrom, T. (2007). Effects of EMDR psychotherapy on 99mTc-HMPAO distribution in occupation-related post-traumatic stress disorder. *Nuclear Medicine Communications*, 28(10), 757–765.
560. Pagani, M., Di Lorenzo, G., Monaco, L., Niolu, C., Siracusano, A., Verardo, A. R., ... Ammaniti, M. (2011). Pretreatment, intratreatment, and post-treatment EEG imaging of EMDR: Methodology and preliminary results from a single case. *Journal of EMDR Practice and Research*, 5(2), 42–56. doi:10.1891/1933-3196.5.2.42
561. Pagani, M., Di Lorenzo, G., Verardo, A. R., Nicolais, G., Lauretti, G., Russo, R., ... Fernandez, I. (2012a). Pre-intra-and post-treatment EEG imaging of EMDR -neurobiological bases of treatment efficacy. *European Psychiatry*, 27(Suppl. 1), 1. doi:10.1016/S0924-9338(12)75329-4
562. Pagani, M., Di Lorenzo, G., Verardo, A. R., Nicolais, G., Monaco, L., Lauretti, G., ... Siracusano, A. (2012b). Neurobiological correlates of EMDR monitoring — an EEG study. *PLoS ONE*, 7(9), e45753. doi:10.1371/journal.pone.0045753

563. Pagani, M., Hogberg, G., Fernandez, I., & Siracusano, A. (2013). Correlates of EMDR therapy in functional and structural neuroimaging: A critical summary of recent findings. *Journal of EMDR Practice and Research*, 7(1), 29–38. doi:10.1891/1933-3196.7.1.29
564. Panksepp, J. (1998). *Affective neuroscience: The foundations of human and animal emotions*. New York, NY: Oxford University Press.
565. Panksepp, J., & Biven, L. (2012). *The archaeology of mind: Neural origins of human emotion*. New York, NY: W.W. Norton.
566. Parker, G. (1981). Reported parental characteristic of agoraphobics and social phobics. *British Journal of Psychiatry*, 135, 555–560.
567. Parker, A., Parkin, A., & Dagnall, N. (2013). Effects of saccadic bilateral eye movements on episodic and semantic autobiographical memory fluency. *Frontiers in Human Neuroscience*, 7(630). doi:10.3389/fnhum.2013.00630
568. Parrish, I. S. (1999). *Military veterans PTSD reference manual*. Bryn Mawr, PA: Infinity Publishing.
569. Paulsen, S. (1995). Eye movement desensitization and reprocessing: Its cautious use in the dissociative disorders. *Dissociation*, 8(1), 32–44.
570. Pavlov, I. P. (1927). *Conditioned reflexes: An investigation of the physiological activity of the cerebral cortex*. New York, NY: Dover Publications, Ind.
571. Pearce, S. S. (1996). *Flash of insight: Metaphor and narrative in therapy*. Boston, MA: Allyn and Bacon.
572. Perkins, B. R., & Rouanzoin, C. C. (2002). A critical evaluation of current views regarding eye movement desensitization and reprocessing (EMDR): Clarifying points of confusion. *Journal of Clinical Psychology*, 58(1), 77–97.
573. Pearlman, L. A., & Courtois, C. A. (2005). Clinical applications of the attachment framework: Relational treatment of complex trauma. *Journal of Traumatic Stress*, 18(5), 449–459. doi:10.1002/jts.20052
574. Pelcovitz, D., van der Kolk, B. A., Roth, S., Mandel, F., Kaplan, S., & Resick, P. (1997). Development of a Criteria Set and a Structured Interview for Disorders of Extreme Stress (SIDES). *Journal of Traumatic Stress*, 10, 3–16.
575. Penfold, K., & Page, A. C. (1999). The effect of distraction on within-session anxiety reduction during brief in vivo exposure for mild blood-injection fears. *Behavior Therapy*, 33, 607–621.
576. Perez-Dandieu, B., & Tapia, G. (2014). Treating trauma in addiction with EMDR: A pilot study. *Journal of Psychoactive Drugs*, 46(4), 303–309. doi:10.1080/02791072.2014.921744

577. Perkonigg, A., Pfister, H., Stein, M. B., Hofler, M., Lieb, R., Maercker, A., & Wittchen, H. U. (2005). Longitudinal course of posttraumatic stress disorder and posttraumatic stress disorder symptoms in a community sample of adolescents and young adults. *The American Journal of Psychiatry*, 162(7), 1320–1327. doi:10.1176/appi.ajp.162.7.1320
578. Philibert, R. A., Crowe, R., Ryu, G. Y., Yoon, J. G., Secrest, D., Sandhu, H., & Madan, A. (2007). Transcriptional profiling of lymphoblast lines from subjects with panic disorder. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics*, 144B(5), 674–682.
579. Piquero, A. R., Brame, R., Fagan, J., & Moffitt, T. E. (2006). Assessing the offending activity of criminal domestic violence suspects: Offense specialization, escalation, and de-escalation evidence from the Spouse Assault Replication Program. *Public Health Report*, 121(4), 409–418.
580. Pitman, R., Altman, B., Greenwald, E., Longre, R. E., Macklin, M. L., Poire, R. E., & Steketee, G. S. (1991). Psychiatric complications during flooding therapy for posttraumatic stress disorder. *Journal of Clinical Psychiatry*, 52, 17–20.
581. Pope, K. S., & Brown, L. S. (1996). *Recovered memories of abuse: Assessment, therapy, forensics (1st ed.)*. Washington, DC: American Psychological Association.
582. Pope, K., & Vasquez, M. J. T. (2010). *Informed consent and informed refusal. In Ethics in psychotherapy and counseling: A practical guide, fourth edition* (pp. 171–188). Hoboken, NJ: John Wiley & Sons.
583. Popky, A. J. (2005). DeTUR, an urge reduction protocol for addictions and dysfunctional behaviors. In R. Shapiro (Ed.), *EMDR solutions: Pathways to healing* (pp. 167–188). New York, NY: W.W. Norton.
584. Porges S. W. (2011). *The polyvagal theory: Neurophysiological foundations of emotions, attachment, communication, and self-regulation*. New York, NY: W.W. Norton.
585. Power, K., McGoldrick, T., & Brown, K. (2002). A controlled comparison of EMDR versus Exposure plus cognitive restructuring versus wait list in the treatment of post traumatic stress disorder. *Clinical Psychology and Psychotherapy*, 9, 299–318.
586. Propper, R. E., & Christman, S. D. (2008). Interhemispheric interaction and saccadic horizontal eye movement simplifications for episodic memory, EMDR, and PTSD. *Journal of EMDR Practice and Research*, 2(4), 269–281. doi:10.1891/1933-3196.2.4.269

587. Propper, R. E., Pierce, J., Geisler, M. W., Christman, S. D., & Bellorado, N. (2007). Effect of bilateral eye movements on frontal interhemispheric gamma EEG coherence: Implications for EMDR therapy. *Journal of Nervous and Mental Disease*, 195(9), 785–788.
588. Purves, D., Augustine, G. J., Fitzpatrick, D., et al. (2001). *Neuroscience. 2nd edition. Types of eye movements and their functions*. Sunderland, MA: Sinauer Associates. Retrieved March 20, 2015, from <http://www.ncbi.nlm.nih.gov/books/NBK10991>
589. Putnam, F. (1989). Pierre Janet and modern views of dissociation. *Journal of Traumatic Stress*, 2(4), 413–429.
590. Putnam, F. W., Zahn, T. P., & Post, R. M. (1990). Differential autonomic nervous system activity in multiple personality disorder. *Psychiatric Research*, 31(3), 251–260.
591. Raboni, M. R., Tufik, S., & Suchecki, D. (2006). Treatment of PTSD by eye movement desensitization reprocessing (EMDR) improves sleep quality, quality of life, and perception of stress. *Annals of the New York Academy of Sciences*, 1071, 508–513.
592. Rachman, S. (1980). Emotional processing. *Behaviour Research and Therapy*, 14, 125–132.
593. Raffone, A., Manna, A., Perrucci, G. M., Ferretti, A., Del Gratta, C., Belardinelli, M. O., & Luca Romani, G. (2007). Neural correlates of mindfulness and concentration in buddhist monks: A fMRI study. *IEEE Xplore*, 242–244. doi:10.1109/NFSI-ICFBI.2007.4387740
594. Rasolkhani-Kalhorn, T., & Harper, M. L. (2006). EMDR and low frequency stimulation of the brain. *Traumatology*, 12(1), 9. doi:10.1177/153476560601200102
595. Rauch, S. A. M., Eftekhari, A., & Ruzek, J. I. (2012). Review of exposure therapy: A gold standard for PTSD treatment. *Journal of Rehabilitation Research and Development*, 49(5), 679–688. doi:10.1682/JRRD.2011.08.0152
596. Rauch, S. L., van der Kolk, B. A., Fisler, R. E., Alpert, N. M., Orr, S. P., Savage, C. R., ... Pitman, R. K. (1996). A Symptom provocation study of posttraumatic stress disorder using positron emission tomography and script-driven imagery. *Archives of General Psychiatry*, 53(5), 380–387.
597. Reiser, M. F. (1990). *Memory in mind and brain: What dream imagery reveals*. New York, NY: Basic Books.

598. Resick, P. A., & Schnicke, M. K. (1993). *Cognitive processing therapy for rape victims: A treatment manual*. Newbury Park, CA: Sage.
599. Riberto, S., Fernandez, I., Furlani, F., & Vigorelli, M. (2010). L'alleanza terapeutica nel trattamento cognitivocostruttivista e nell' eye movement desensitization and reprocessing (EMDR). [Therapeutic alliance in cognitive-constructivist treatment and in eye movement desensitization and reprocessing (EMDR).] *Psicoterapia Cognitiva E Comportamentale*, 16(1), 85–101.
600. Ricci, R. J., & Clayton, C. A. (2008). Trauma resolution treatment as an adjunct to standard treatment for child molesters: A qualitative study. *Journal of EMDR Practice and Research*, 2(1), 41–50.
601. Ricci, R. J., Clayton, C. A., & Shapiro, F. (2006). Some effects of EMDR on previously abused child molesters: Theoretical reviews and preliminary findings. *The Journal of Forensic Psychiatry & Psychology*, 17(4), 538–562.
602. Richardson, P., Williams, S. R., Hepenstall, S., Gregory, L., McKie, S., & Corrigan, F. (2009). A single-case fmri study EMDR treatment of a patient with posttraumatic stress disorder. *Journal of EMDR Practice and Research*, 3(1), 10–23. doi:10.1891/1933-3196.3.1.10
603. Rodenburg, R., Benjamin, A., de Roos, C., Meijer, A. M., & Stams, G. J. (2009). Efficacy of EMDR in children: A meta-analysis. *Clinical Psychology Review*, 29(7), 599–606. doi:10.1016/j.cpr.2009.06.008
604. Rogers, S., & Lanius, U. F. (November, 2001). *Phobia, PTSD, endogenous opioids and EMDR treatment response*. Paper presented at the Annual Meeting of the Association for the Advancement of Behavior Therapy, Philadelphia, PA. Rogers, S., & Silver, S. M. (2002). Is EMDR an exposure therapy? A review of trauma protocols. *Journal of Clinical Psychology*, 58(1), 43–59.
605. Rosas Uribe, M. E., Lopez Ramirez, E. O., & Jarero Mena, I. (2010). Effect of the EMDR psychotherapeutic approach on emotional cognitive processing in patients with depression. *The Spanish Journal of Psychology*, 13(1), 396–405.
606. Ross, C. A. (2015). When to suspect and how to diagnose dissociative identity disorder. *Journal of EMDR Practice and Research*, 9(2), 114–120. doi:10.1891/1933-3196.9.2.114
607. Ross, C. A., & Joshi, S. (1992). Schneiderian symptoms and childhood trauma in the general population. *Comprehensive Psychiatry*, 33(4), 269–273.
608. Rossi, E. L. (1980a). *The collected papers of Milton H. Erickson on hypnosis: Vol. 1. The nature of hypnosis and suggestion*. New York, NY: Halsted Press.

609. Rossi, E. L. (1980b). *The collected papers of Milton H. Erickson on hypnosis, Volume II — Hypnotic alteration of sensory, perceptual and psychophysiological processes*. New York, NY: Halsted Press.
610. Rossi, E. L. (1999, June). Does EMDR facilitate new growth in the brain? Immediate-early genes in optimizing human potentials. Paper presented at the *EMDR International Association Conference*, Las Vegas, NV.
611. Rossi, E. L. (2000). In search of a deep psychobiology of hypnosis: Visionary hypotheses for a new millennium. *American Journal of Clinical Hypnosis*, 42(3–4), 178–207.
612. Rossman, M. L. (2000). *Guided imagery for self-healing: An essential resource for anyone seeking wellness* (2nd ed.). Novato, CA: New World Library.
613. Roth, S., & Friedman, M. (1997). *Childhood trauma remembered: A report on the current scientific knowledge base and its applications*. Retrieved October 27, 2007, from <http://istss.org/publications/ChildhoodTraumaRemembered.pdf>
614. Rothbaum, B. O., Astin, M. C., & Marsteller, F. (2005). Prolonged exposure versus eye movement desensitization and reprocessing (EMDR) for PTSD rape victims. *Journal of Traumatic Stress*, 18(6), 607–616.
615. Rothbaum, B. O., Foa, E. B., & Hembree, E. A. (2007). *Reclaiming your life from a traumatic experience: Workbook*. Oxford, UK; New York, NY: Oxford University Press.
616. Rudd, M. D., Berman, A. L., Joiner, T. E., Jr., Nock, M. K., Silverman, M. M., Mandrusiak, M., ... Witte, T. (2006). Warning signs for suicide: Theory, research, and clinical applications. *Suicide & Life Threatening Behavior*, 36(3), 255–262.
617. Runtz, M., Godbout, N., Eadie, E., & Briere, J. (2008, August). *Validation of the revised Trauma Symptom Inventory (TSI-2)*. Paper presented at the Annual Meeting of the American Psychological Association, Boston, MA.
618. Russell, M. C. (1992). *Towards a neuropsychological approach to PTSD: An integrative conceptualization of etiology and mechanisms of therapeutic change*. Unpublished doctoral dissertation, Pacific Graduate School of Psychology, Palo Alto, CA.
619. Russell, M. C. (2006). Treating combat-related stress disorders: A multiple case study utilizing eye movement desensitization and reprocessing (EMDR) with battlefield casualties from the Iraqi War. *Military Psychology*, 18(1), 1–18.

620. Russell, M. C. (2008a). *Meeting military mental health needs in the 21st century and beyond: A critical analysis of the effects of dualism, disparity and scientific bias*. Paper presented at the EMDRIA Conference, Phoenix, AZ.
621. Russell, M. C. (2008b). Treating traumatic amputation-related phantom limb pain: A case study utilizing eye movement desensitization and reprocessing (EMDR) within the armed services. *Clinical Case Studies*, 7(1), 136–153.
622. Russell, M. C. (2008c). Scientific resistance to research, training and utilization of eye movement desensitization and reprocessing (EMDR) therapy in treating post-war disorders. *Social Science & Medicine*, 67(11), 1737–1746.
623. Sack, M., Lempa, W., & Lamprecht, F. (2001). [Study quality and effect-sizes — a metaanalysis of EMDR-treatment for posttraumatic stress disorder.][Article in German] *Psychotherapy, Psychosomatic Medicine & Psychology*, 51(9–10), 350–355.
624. Sack, M., Hofmann, A., Wizelman, L., & Lempa, W. (2008). Psychophysiological changes during EMDR and treatment outcome. *Journal of EMDR Practice and Research*, 2(4), 239–246. doi:10.1891/1933-3196.2.4.239
625. Sack, M., Lempa, W., Steinmetz, A., Lamprecht, F., & Hofmann, A. (2008). Alterations in autonomic tone during trauma exposure using eye movement desensitization and reprocessing (EMDR)-results of a preliminary investigation. *Journal of Anxiety Disorders*, 22(7), 1264–1271. doi:10.1016/j.janxdis.2008.01.007
626. Salter, A. C. (1995). *Transforming trauma: A guide to understanding and treating adult survivors of child sexual abuse*. Thousand Oaks, CA: Sage.
627. Salter, A. C. (2003). *Predators: Pedophiles, rapists, and other sex offenders: Who they are, how they operate, and how we can protect ourselves and our children*. New York, NY: Basic Books.
628. Sanders, S. (1991). *Clinical self-hypnosis: The power of words and images*. New York, NY: Guilford.
629. Sandstrom, M., Wiberg, B., Wikman, M., Willman, A. K., & Hogberg, U. (2008). A pilot study of eye movement desensitisation and reprocessing treatment (EMDR) for post-traumatic stress after childbirth. *Midwifery*, 24(1), 62–73.
630. Santos, R. V., Tufik, S., & De Mello, M. T. (2007). Exercise, sleep and cytokines: Is there a relation? *Sleep Medicine Reviews*, 11(3), 231–239.

631. Sartory, G., Rachman, S., & Grey, S. J. (1982). Return of fear: The role of rehearsal. *Behavior Research and Therapy*, 20(2), 123–133.
632. Schacter, D. L. (1987). Implicit memory: History and current status. *Journal of Experimental Psychology*, 13(3), 501–518.
633. Schmidt, N. B., Woolaway-Bickel, K., Trakowski, J., Santiago, H., Storey, J., Koselka, M., & Cook, J. (2000). Dismantling cognitive-behavioral treatment for panic disorder: Questioning the utility of breathing retraining. *Journal of Consulting and Clinical Psychology*, 68(3), 417–424.
634. Schneck, C. D. (2006). Treatment of rapid-cycling bipolar disorder. *Journal of Clinical Psychiatry*, 67(Suppl. 11) 22–27.
635. Schneider, G., Nabavi, D., & Heuft, G. (2005). Eye movement desensitization and reprocessing in the treatment of posttraumatic stress disorder in a patient with comorbid epilepsy. *Epilepsy & Behavior*, 7(4), 715–718.
636. Schneider, J., Hofmann, A., Rost, C., & Shapiro, F. (2008). EMDR in the treatment of chronic phantom limb pain. *Pain Medicine*, 9(1), 76–82.
637. Schore, A. N. (1994). *Affect regulation and the origin of the self: The neurobiology of emotional development*. Hillsdale, NJ: Lawrence Erlbaum Associates.
638. Schore, A. N. (1996). The experience-dependent maturation of a regulatory system in the orbital prefrontal cortex and the origin of developmental psychopathology. *Development and Psychopathology*, 8, 59–87.
639. Schore, A. N. (1997). Early organization of the nonlinear right brain and the development of a predisposition to psychiatric disorders. *Development and Psychopathology*, 9, 595–631.
640. Schore, A. N. (2000). Attachment and the regulation of the right brain. *Attachment & Human Development*, 2, 23–47.
641. Schore, A. N. (2001a). Effects of a secure attachment relationship on right brain development, affect regulation, and infant mental health. *Infant Mental Health Journal*, 22(1), 7–66.
642. Schore, A. N. (2001b). The effects of early relational trauma on right brain development, affect regulation, and infant mental health. *Infant Mental Health Journal*, 22(1), 201–269.
643. Schore, A. N. (2003a). *Affect dysregulation & disorders of the self* (1st ed.). New York, NY: W.W. Norton.
644. Schore, A. N. (2003b). *Affect regulation & the repair of the self* (1st ed.). New York, NY: W.W. Norton.

645. Schottenbauer, M. A., Glass, C. R., Arnkoff, D. B., Tendick, V., & Gray, S. H. (2008). Nonresponse and dropout rates in outcome studies on PTSD: Review and methodological considerations. *Psychiatry*, *71*(2), 134–168.
646. Schubert, S., & Lee, C. W. (2009). Adult PTSD and its treatment with EMDR: A review of controversies, evidence, and theoretical knowledge. *Journal of EMDR Practice and Research*, *3*(3), 117–132. doi:10.1891/1933-3196.3.3.117
647. Schubert, S. J., Lee, C. W., & Drummond, P. D. (2011). The efficacy and psychophysiological correlates of dual-attention tasks in eye movement desensitization and reprocessing (EMDR). *Journal of Anxiety Disorders*, *25*(1), 1–11. doi:10.1016/j.janxdis.2010.06.024
648. Schultz, J. H., & Luthe, W. (1959). *Autogenic training; a psychophysiological approach in psychotherapy*. New York, NY: Grune & Stratton.
649. Schurmans, K. (2007). EMDR treatment of choking phobia. *Journal of EMDR Practice and Research*, *1*(2), 118–121.
650. Schuster, C., Hilfiker, R., Amft, O., Scheidhauer, A., Andrews, B., Butler, J., ... Ettl, T. (2011). Best practice for motor imagery: A systematic literature review on motor imagery training elements in five different disciplines. *BMC Medicine*, *9*, 75. doi:10.1186/1741-7015-9-75
651. Scurfield, R. M. (1985). Post-traumatic stress assessment and treatment: Overview and formulations. In C. R. Figley (Ed.), *Trauma and its wake* (Vol. 1, pp. 219–256). New York, NY: Brunner/Mazel.
652. Segal, Z. V., Williams, J. M. G., & Teasdale, J. D. (2002). *Mindfulness-based cognitive therapy for depression*. New York, NY: Guilford Press.
653. Seligman, M. E. (1995). The effectiveness of psychotherapy. The Consumer Reports study. *American Psychologist*, *50*(12), 965–974.
654. Servan-Schreiber, D. (2000). POINT: Eye movement desensitization and reprocessing: Is psychiatry missing the point? *Psychiatric Times*, *17*(7), 36–40.
655. Servan-Schreiber, D. (2004). *The instinct to heal: Curing stress, anxiety, and depression without drugs and without talk therapy*. Emmaus, Pa.: Rodale; Distributed to the book trade by St. Martin's Press.
656. Servan-Schreiber, D., Schooler, J., Dew, M. A., Carter, C., & Bartone, P. (2006). Eye movement desensitization and reprocessing for posttraumatic stress disorder: A pilot blinded, randomized study of stimulation type. *Psychotherapy and Psychosomatics*, *75*(5), 290–297.
657. Shalev, A. Y. (1996). Stress versus traumatic stress: From acute homeostatic reaction to chronic psychopathology. In B. A. van der Kolk & A. C. McFar-

- lane & L. Weisaeth (Eds.), *Traumatic Stress: The effects of overwhelming experience on mind, body, and society*. New York, NY: The Guilford Press.
658. Shapiro, E., & Laub, B. (2015). Early EMDR intervention following a community critical incident: A randomized clinical trial. *Journal of EMDR Practice and Research*, 9(1), 17–27. doi:10.1891/1933-3196.9.1.17
659. Shapiro, F. (1989a). Efficacy of the eye movement desensitization procedure in the treatment of traumatic memories. *Journal of Traumatic Stress Studies*, 2, 199–223.
660. Shapiro, F. (1989b). Eye movement desensitization: A new treatment for post-traumatic stress disorder. *Journal of Behavior Therapy and Experimental Psychiatry*, 20, 211–217.
661. Shapiro, F. (1991a). Eye movement desensitization and reprocessing procedure: From EMD to EMD/R—a new treatment model for anxiety and related traumata. *The Behavior Therapist*, 14, 133–135.
662. Shapiro, F. (1991b). Eye movement desensitization and reprocessing: A cautionary note. *The Behavior Therapist*, 14, 188.
663. Shapiro, F. (1995). *Eye movement desensitization and reprocessing, basic principles, protocols and procedures*. New York, NY: The Guilford Press.
664. Shapiro, F. (1996). Errors of context and review of eye movement desensitization and reprocessing research. *Journal of Behavior Therapy & Experimental Psychiatry*, 27(3), 313–317.
665. Shapiro, F. (1998). Eye movement desensitization and reprocessing (EMDR): Historical context, recent research, and future directions. In S. Knapp, T. L. Jackson, & L. Vandecreek (Eds.), *Innovations in clinical practice: A source book* (Vol. 16, pp. 143–161). Sarasota, FL: Professional Resource Press.
666. Shapiro, F. (1999). Eye movement desensitization and reprocessing (EMDR) and the anxiety disorders: Clinical and research implications of an integrated psychotherapy treatment. *Journal of Anxiety Disorders*, 13(1–2), 35–67.
667. Shapiro, F. (2001). *Eye movement desensitization and reprocessing, basic principles, protocols and procedures* (2nd ed.). New York, NY: The Guilford Press.
668. Shapiro, F. (2002a). EMDR 12 years after its introduction: Past and future research. *Journal of Clinical Psychology*, 58(1), 1–22.
669. Shapiro, F. (Ed.). (2002b). *EMDR and the paradigm prism*. Washington DC: American Psychological Association Press.

670. Shapiro, F. (2004). *Adaptive information processing: EMDR clinical application and case conceptualization*. Paper presented at the EMDRIA Conference 2004, Montreal, Quebec.
671. Shapiro, F. (Ed.). (2008). *EMDR Institute basic training course, weekend 1* (January 2008 ed.). Watsonville, CA: EMDR Institute.
672. Shapiro, F. (2009). On science, orthodoxy, EMDR, and the AIP, H. Lipke, invited response. *Journal of EMDR Practice and Research*, 3(2), 110–111. doi:10.1891/1933-3196.3.2.109
673. Shapiro, F. (2012). *Getting past your past: Take control of your life with self-help techniques from EMDR therapy*. Emmaus, PA.: Rodale Books.
674. Shapiro, F., & Forrest, M. S. (1997). *EMDR: The breakthrough therapy for overcoming anxiety, stress and trauma*. New York, NY: Basic Books.
675. Shapiro, F., Kaslow, F. W., & Maxfield, L. (2007). *Handbook of EMDR and family therapy processes*. Hoboken, NJ: John Wiley & Sons Inc.
676. Shaver, P. R., & Fraley, R. C. (n.d.). *Self-Report measures of adult attachment*. Retrieved June 13, 2015, from <http://internal.psychology.illinois.edu/~rcfraley/measures/measures.html>
677. Shear, M., Cooper, A., Klerman, G., Busch, M., & Shapiro, T. (1993). A psychodynamic model of panic disorder. *The American Journal of Psychiatry*, 150(6), 859–866.
678. Shearin, E. N., & Linehan, M. M. (1994). Dialectical behavioral therapy for borderline personality disorder: Theoretical and empirical foundations. *Acta Psychiatrica Scandinavica*, 89(Suppl. 379), 61–68.
679. Shedler, J., Mayman, M., & Manis, M. (1993). The illusion of mental health. *American Psychologist*, 48(11), 1117–1131.
680. Siegel, D. J. (2012). *The developing mind: How relationships and the brain interact to shape who we are* (2nd ed.). New York, NY: Guilford Press.
681. Sifneos, P. E. (1975). Problems of psychotherapy of patients with alexithymic characteristics and physical disease. *Psychotherapy and Psychosomatics*, 26(2), 65–70.
682. Sifneos, P. E. (1988). Alexithymia and its relationship to hemispheric specialization, affect, and creativity. *Psychiatric Clinics of North America*, 11(3), 287–292.
683. Silver, S. M., & Rogers, S. (2002). *Light in the heart of darkness: EMDR and the treatment of war and terrorism survivors* (1st ed.). New York, NY: W.W. Norton.

684. Sine, L. F., & Vogelmann-Sine, S. (2004). *EMDR questionnaires facilitating EMDR treatment*. New Hope, PA: EMDRHAP.
685. Slade, A. (1999). Attachment theory and research: Implication for the theory and practice of individual psychotherapy with adults. In J. Cassidy & P. R. Shaver (Eds.), *Handbook of attachment: Theory, research, and clinical applications* (pp. 575–594). New York, NY: Guilford Press.
686. Samara, Z., Elzinga, B. M., Slagter, H. A., & Nieuwenhuis, S. (2011). Do horizontal saccadic eye movements increase interhemispheric coherence? Investigation of a hypothesized neural mechanism underlying EMDR. *Frontiers in Psychiatry / Frontiers Research Foundation*, 2, 4. doi:10.3389/fpsy.2011.00004
687. Smeets, M. A., Dijks, M. W., Pervan, I., Engelhard, I. M., & van den Hout, M. A. (2012). Time-course of eye movement-related decrease in vividness and emotionality of unpleasant autobiographical memories. *Memory*, 20(4), 346–357. doi:10.1080/09658211.2012.665462
688. Smoller, J. W., Pollack, M. H., Wassertheil-Smoller, S., Jackson, R. D., Oberman, A., Wong, N. D., & Sheps, D. (2007). Panic attacks and risk of incident cardiovascular events among postmenopausal women in the Women's Health Initiative Observational Study. *Archives of General Psychiatry*, 64(10), 1153–1160.
689. Sokolov, E. N. (1990). The orienting response, and future directions of its development. *Pavlovian Journal of Biological Sciences*, 25(3), 142–150.
690. Solomon, J., & George, C. (Eds.). (1999a). *Attachment disorganization*. New York, NY: Guilford Press.
691. Solomon, J., & George, C. (1999b). The measurement of attachment security. In J. Cassidy & P. R. Shaver (Eds.), *Handbook of attachment: Theory, research and clinical applications* (pp. 287–316). New York, NY: Guilford.
692. Solomon, S. D., Gerrity, E. T., & Muff, A. M. (1992). Efficacy of treatments for posttraumatic stress disorder: An empirical review. *Journal of the American Medical Association*, 268(5), 633–638.
693. Sondergaard, H. P., & Elofsson, U. (2008). Psychophysiological studies of EMDR. *Journal of EMDR Practice and Research*, 2(4), 282–288. doi:10.1891/1933-3196.2.4.282
694. Song, L., & Wang, Z.-Y. (2007). Sertraline treatment of depression combined EMDR research: A control study of sertraline combined with the EMDR in the treatment of depression. *Journal of Clinical Psychosomatic Disease*, 13(4), 307–308.

695. Spector, J., & Kremer, S. (2009). Can I use EMDR with clients who report suicidal ideation? *Journal of EMDR Practice and Research*, 3(2), 107–108.
696. Spector, J., & Read, J. (1999). The current status of eye movement desensitization and reprocessing (EMDR). *Clinical Psychology and Psychotherapy*, 6, 165–174.
697. Spinhoven, P., Giesen-Bloo, J., van Dyck, R., Kooiman, K., & Arntz, A. (2007). The therapeutic alliance in schema-focused therapy and transference-focused psychotherapy for borderline personality disorder. *Journal of Consulting and Clinical Psychology*, 75(1), 104–115.
698. Sprang, G. (2001). The use of eye movement desensitization and reprocessing (EMDR) in the treatment of traumatic stress and complicated mourning: Psychological and behavioral outcomes. *Research on Social Work Practice*, 11(3), 300–320.
699. Sroufe, L. A., & Waters, E. (1977). Heart rate as a convergent measure in clinical and developmental research. *Merrill-Palmer Quarterly*, 23(1), 3–27.
700. Stampfl, T. G., & Levis, D. J. (1967). Essentials of implosive therapy: A learning-theory-based psychodynamic behavioral therapy. *Journal of Abnormal Psychology*, 72(6), 496–503.
701. Stramrood, C. A., van der Velde, J., Doornbos, B., Marieke Paarlberg, K., Weijmar Schultz, W. C., & van Pampus, M. G. (2012). The patient observer: Eye-Movement desensitization and reprocessing for the treatment of post-traumatic stress following childbirth. *Birth (Berkeley, California)*, 39(1), 70–76. doi:10.1111/j.1523-536X.2011.00517.x
702. Standards and Training Committee, EMDR International Association. (2001). *Consultation packet* (pp. 10). Austin, TX: Author.
703. Stapleton, J. A., Taylor, S., & Asmundson, G. J. (2006). Effects of three PTSD treatments on anger and guilt: Exposure therapy, eye movement desensitization and reprocessing, and relaxation training. *Journal of Traumatic Stress*, 19(1), 19–28.
704. Stein, H., Jacobs, N. J., Ferguson, K. S., Allen, J. G., & Fonagy, P. (1998). What do adult attachment scales measure? *Bulletin of the Menninger Clinic*, 62(1 [Winter 1998]), 33–82.
705. Steinberg, M. (1994). *Structured clinical interview for DSM-IV dissociative disorders-revised (SCID-D-R)*. Washington, DC: American Psychiatric Press.
706. Steinberg, M. (2000). Advances in the clinical assessment of dissociation: The SCID-D-R. *Bulletin of the Menninger Clinic*, 64(2), 146–163.

707. Stickgold, R. (2002). EMDR: A putative neurobiological mechanism of action. *Journal of Clinical Psychology*, 58(1), 61–75.
708. Stickgold, R. (2008). Sleep-dependent memory processing and EMDR action. *Journal of EMDR Practice and Research*, 2(4), 289–299.
709. Stinson, F. S., Dawson, D. A., Patricia Chou, S., Smith, S., Goldstein, R. B., June Ruan, W., & Grant B. F. (2007). The epidemiology of DSM–IV specific phobia in the USA: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Psychological Medicine*, 37(7), 1047–1059.
710. Stowasser, J. (2007). EMDR and family therapy in the treatment of domestic violence. In F. Shapiro, F. W. Kaslow, & L. Maxfield (Eds.), *Handbook of EMDR and family therapy processes* (pp. 243–264). Hoboken, NJ: Wiley.
711. Sturpe, D. A., & Weissman, A. M. (2002). Clinical inquiries. What are effective treatments for panic disorder? *The Journal of Family Practice*, 51(9), 743.
712. Summers, R. F., & Barber, J. P. (2003). Therapeutic alliance as a measurable psychotherapy skill. *Academic Psychiatry*, 27(3), 160–165.
713. Taboada, C., Agustin, G., Cabaleiro, P., Varela, I., Cortes, C., Ayuso, C., ... Lopez, A. (2014). *Bilateral stimulation and resource installation (RDI)*. Poster presented at EMDR Europe Conference, Edinburgh, Scotland.
714. Tanner, B. A. (2011). Validity of global physical and emotional SUDS. *Applied Psychophysiology and Biofeedback*, 37(1), 31–34. doi:10.1007/s10484-011-9174-x
715. Taylor, G. J., Ryan, D., & Bagby, R. M. (1985). Toward the development of a new self-report alexithymia scale. *Psychotherapy Psychosomatic*, 44(4), 191–199.
716. Teasdale, J. D. (1999). Emotional processing, three modes of mind and the prevention of relapse in depression. *Behaviour Research and Therapy*, 37(Suppl. 1), S53–S77.
717. Teasdale, J. K., & Barnard, P. J. (1993). *Affect, cognition and change: Remodeling depressive thought*. Hillsdale, NJ: Lawrence Erlbaum Associates.
718. Teicher, M. H. (2000). Wounds that time won't heal: The neurobiology of child abuse. *Cerebrum*, 2(4), 50–67.
719. Teicher, M. H. (2002). Scars that won't heal: The neurobiology of child abuse. *Scientific American*, 286(3), 68–75.
720. Teicher, M. H., Glod, C. A., Surrey, J., & Swett, C., Jr. (1993). Early childhood abuse and limbic system ratings in adult psychiatric outpatients. *Journal of Neuropsychiatry and Clinical Neurosciences*, 5(3), 301–306.

721. Teicher, M. H., Ito, Y., Glod, C. A., Andersen, S. L., Dumont, N., & Ackerman, E. (1997). Preliminary evidence for abnormal cortical development in physically and sexually abused children using EEG coherence and MRI. In R. Yehuda & A. C. McFarlane (Eds.), *Psychobiology of posttraumatic stress disorder* (Vol. 821, pp. 161–175). New York, NY: The New York Academy of Sciences.
722. Telch, M. J., Lucas, J. A., Schmidt, N. B., Hanna, H. H., LaNae Jaimez, T., & Lucas, R. A. (1993). Group cognitivebehavioral treatment of panic disorder. *Behaviour Research and Therapy*, 31(3), 279–287.
723. Ten Broeke, E., & De Jongh, A. (1993). Eye movement desensitization and reprocessing (EMDR): Praktische toepassing en theoretische overwegingen [Eye movement desensitization and reprocessing (EMDR): Practical applications and theoretical considerations]. *Gedragstherapie*, 26, 233–254.
724. Thomas, J. T. (2007). Informed consent through contracting for supervision: Minimizing risks, enhancing benefits. *Professional Psychology: Research and Practice*, 38, 221–231.
725. Tinker, R. H., & Wilson, S. A. (2005). The phantom limb pain protocol. In R. Shapiro (Ed.), *EMDR solutions: Pathways to healing* (pp. 147–159). New York, NY: W.W. Norton.
726. Todder, D., & Kaplan, Z. (2007). Rapid eye movements for acute stress disorder using video conference communication. *Telemedicine Journal and e-Health*, 13(4), 461–463.
727. Tomkins, S. S. (1962a). *Affect imagery consciousness. The positive affects* (Vol. 1). New York, NY: Springer.
728. Tomkins, S. S. (1962b). *Affect imagery consciousness. The negative affects* (Vol. 2). New York, NY: Springer.
729. Tomkins, S. S. (1991). *Affect imagery consciousness. The negative affects: Anger and fear* (Vol. 3). New York, NY: Springer.
730. Torgersen, S. (1983). Genetic factors in anxiety disorders. *Archives of General Psychiatry*, 40(10), 1085–1089.
731. Triscari, M. T., Faraci, P., D'Angelo, V., Urso, V., & Catalisano, D. (2011). Two treatments for fear of flying compared: Cognitive behavioral therapy combined with systematic desensitization or eye movement desensitization and reprocessing (EMDR). *Aviation Psychology and Applied Human Factors*, 1(1), 9. doi:10.1027/2192-0923/a00003
732. Trull, T. J. (2001). Relationships of borderline features to parental mental illness, childhood abuse, Axis I disorder, and current functioning. *Journal of Personality Disorders*, 15(1), 19–32.

733. Tufnell, G. (2005). Eye movement desensitization and reprocessing in the treatment of pre-adolescent children with post-traumatic symptoms. *Clinical Child Psychology and Psychiatry*, 10(4), 587.
734. Tully, E. C., Iacono, W. G., & McGue, M. (2008). An adoption study of parental depression as an environmental liability for adolescent depression and childhood disruptive disorders. *American Journal of Psychiatry*, 165(9), 1148–1154.
735. Tully, P. J., Wittert, G. A., Turnbull, D. A., Beltrame, J. F., Horowitz, J. D., Cosh, S., & Baumeister, H. (2015). Panic disorder and incident coronary heart disease: A systematic review and meta-analysis protocol. *Systematic Reviews*, 4, 33. doi:10.1186/s13643-015-0026-2
736. Tsoutsas, A., Fotopoulos, D., Zakyntinos, S., & Katsaounou, P. (2014). Treatment of tobacco addiction using the feeling-state addiction protocol (FSAP) of the eye movement desensitization and reprocessing (EMDR) treatment. In *Tobacco induced diseases*, 12(Supplement 1), A25. BioMed Central Ltd. doi:10.1186/1617-9625-12-S1-A25
737. Tzan-Fu, S., Ching-Kuan, W., & Nien-Mu, C. (2004). Mindfulness meditation training combined with eye movement desensitization and reprocessing in psychotherapy of an elderly patient. *Chang Gung Medical Journal*, 27(6), 464–469.
738. Utzon-Frank, N., Breinegaard, N., Bertelsen, M., Borritz, M., Eller, N. H., Nordentoft, M., ... Bonde, J. P. (2014). Occurrence of delayed-onset post-traumatic stress disorder: A systematic review and meta-analysis of prospective studies. *Scandinavian Journal of Work, Environment & Health*, 40(3), 215–229. doi:10.5271/sjweh.3420
739. van den Berg, D. P., & van der Gaag, M. (2012). Treating trauma in psychosis with EMDR: A pilot study. *Journal of Behavior Therapy and Experimental Psychiatry*, 43(1), 664–671. doi:10.1016/j.jbtep.2011.09.011
740. van den Berg, D. P. G., Van der Vleugel, B. M., Staring, A. B. P., De Bont, P. A. J., & De Jongh, A. (2013). EMDR in psychosis: Guidelines for conceptualization and treatment. *Journal of EMDR Practice and Research*, 7(4), 208–224. doi:10.1891/1933-3196.7.4.208
741. van den Hout, M. A., Engelhard, I. M., Rijkeboer, M. M., Koekebakker, J., Hornsveld, H., Leer, A., ... Akse, N. (2010a). EMDR: Eye movements superior to beeps in taxing working memory and reducing vividness of recollections. *Behaviour Research and Therapy*, 49(2), 92–98. doi:10.1016/j.brat.2010.11.003

742. van den Hout, M. A., Engelhard, I. M., Smeets, M. A. M., Hornsveld, H., Hoogeveen, E., de Heer, E., ... Rijkeboer, M. (2010b). Counting during recall: Taxing of working memory and reduced vividness and emotionality of negative memories. *Applied Cognitive Psychology*, 24(3), 303–311. doi:10.1002/acp.1677
743. van den Hout, M., & Engelhard, I. (2012). How does EMDR work? *Journal of Experimental Psychopathology*, 3(5), 724–738. doi:10.5127/jep.028212
744. van den Hout, M., Muris, P., Salemink, E., & Kindt, M. (2001). Autobiographical memories become less vivid and emotional after eye movements. *British Journal of Clinical Psychology*, 40(Pt. 2), 121–130.
745. van den Hout, M. A., Rijkeboer, M. M., Engelhard, I. M., Klugkist, I., Hornsveld, H., Toffolo, M. J., & Cath, D. C. (2012). Tones inferior to eye movements in the EMDR treatment of PTSD. *Behaviour Research and Therapy*, 50(5), 275–279. doi:10.1016/j.brat.2012.02.001
746. van der Hart, O., & Friedman, B. (1989). A reader's guide to Pierre Janet on dissociation: A neglected intellectual heritage. *Dissociation*, 2(1), 3–15.
747. van der Hart, O., Groenendijk, M., Gonzalez, A., Mosquera, D., & Solomon, R. (2013). Dissociation of the personality and EMDR therapy in complex trauma-related disorders: Applications in the stabilization phase. *Journal of EMDR Practice and Research*, 7(2), 81–94. doi:10.1891/1933-3196.7.2.81
748. van der Hart, O., Groenendijk, M., Gonzalez, A., Mosquera, D., & Solomon, R. (2014). Dissociation of the personality and EMDR therapy in complex trauma-related disorders: Applications in phases 2 and 3 treatment. *Journal of EMDR Practice and Research*, 8(1), 33–48. doi:10.1891/1933-3196.8.1.33
749. van der Hart, O., & Horst, R. (1989). The dissociation theory of Pierre Janet. *Journal of Traumatic Stress*, 2(4), 397–411.
750. van der Hart, O., Nijenhuis, E. R., & Steele, K. (2005). Dissociation: An insufficiently recognized major feature of complex posttraumatic stress disorder. *Journal of Traumatic Stress*, 18(5), 413–423. doi:10.1002/jts.20049
751. van der Hart, O., Nijenhuis, E. R. S., & Steele, K. (2006). *The haunted self: Structural dissociation and the treatment of chronic traumatization*. New York, NY: Norton.

752. van der Kolk, B. A. (1996). The body keeps the score: Approaches to the psychobiology of posttraumatic stress disorder. In B. A. van der Kolk, A. C. McFarlane, & L. Weisaeth (Eds.), *Traumatic stress: The effects of overwhelming experience on mind, body, and society* (pp. 214–241). New York, NY: The Guilford Press.
753. van der Kolk, B. A., Burbridge, J. A., & Suzuki, J. (1997). The psychobiology of traumatic memory: Clinical implications of neuroimaging studies. In R. Yehuda & A. C. McFarlane (Eds.), *Annals of the New York academy of sciences: Psychobiology of posttraumatic stress disorder* (Vol. 821, pp. 99–113). New York, NY: New York Academy of Sciences.
754. van der Kolk, B., & Fisler, R. (1995). Dissociation and the fragmentary nature of traumatic memories: Overview and exploratory study. *Journal of Traumatic Stress*, 8(4), 505–525.
755. van der Kolk, B. A., McFarlane, A. C., & Weisaeth, L. (Eds.). (1996). *Traumatic stress: The effects of overwhelming experience on mind, body, and society*. New York, NY: The Guilford Press.
756. van der Kolk, B. A., & Pelcoitz, D. (1999). Clinical applications of the structured interview for disorders of extreme stress (SIDES). *National Center for PTSD Clinical Quarterly*, 8(2), 21–26.
757. van der Kolk, B. A., Pelcovitz, D., Roth, S., Mandel, F. S., McFarlane, A., & Herman, J. L. (1996). Dissociation, somatization, and affect dysregulation: The complexity of adaptation of trauma. *American Journal of Psychiatry*, 153(7 Suppl.), 83–93.
758. van der Kolk, B. A., Roth, S., Pelcovitz, D., & Mandel, F.; Complex PTSD. (1993). *Results of the PTSD field trial for DSM-IV*. Washington, DC: American Psychiatric Association.
759. van der Kolk, B. A., Spinazzola, J., Blaustein, M. E., Hopper, J. W., Hopper, E. K., Korn, D. L., & Simpson, W. B. (2007). A randomized clinical trial of eye movement desensitization and reprocessing (EMDR), fluoxetine, and pill placebo in the treatment of posttraumatic stress disorder: Treatment effects and long-term maintenance. *Journal of Clinical Psychiatry*, 68(1), 37–46.
760. van der Kolk, B. A., & van der Hart, O. (1989). Pierre Janet and the breakdown of adaptation in psychological trauma. *American Journal of Psychiatry*, 146(12), 1530–1540.
761. Van der Zijpp, A. T., Ter Horst, G., De Jongh, A., & Makkes, P. C. (1996). Angst voor de tandheelkundige behandeling. Evaluatie van behandeling

- van patienten met angst [Treatment of dentally anxious patients evaluated]. *Nederlands Tijdschrift voor Tandheelkunde*, 103, 213–215.
762. van Etten, M. L., & Taylor, S. (1998). Comparative efficacy of treatments for post-traumatic stress disorder: A meta-analysis. *Clinical Psychology and Psychotherapy*, 5, 126–144.
763. van Veen, S. C., van Schie, K., Wijngaards-de Meij, L. D., Littel, M., Engelhard, I. M., & van den Hout, M. A. (2015). Speed matters: Relationship between speed of eye movements and modification of aversive autobiographical memories. *Frontiers in Psychiatry/Frontiers Research Foundation*, 6, 45. doi:10.3389/fpsy.2015.00045
764. Vogelmann-Sine, S., Sine, L., Smyth, N. J., & Popky, A. J. (1998). *EMDR chemical dependency treatment manual*. New Hope, PA: EMDR-HAP.
765. Vu, N., Baroffio, A., Huber, P., Layat, C., Gerbase, M., & Nendaz, M. (2006). Assessing clinical competence: A pilot project to evaluate the feasibility of a standardized patient-based practical examination as a component of the Swiss certification process. *Swiss Medical Weekly*, 136(25–26), 392–399.
766. Walker, E. A., Newman, E., Dobie, D. J., Ciechanowski, P., & Katon, W. J. (2002). Validation of the PTSD Checklist in an HMO sample of women. *General Hospital Psychiatry*, 24(6), 375–380.
767. Waller, N. G., & Ross, C. A. (1997). The prevalence and biometric structure of pathological dissociation in the general population: Taxometric and behavior genetic findings. *Journal of Abnormal Psychology*, 106(4), 499–510.
768. Walsh, B. W. (2006). *Treating self-injury: A practical guide*. New York, NY, NY: Guilford Press.
769. Wanders, F., Serra, M., & de Jongh, A. (2008). EMDR versus CBT for children with self-esteem and behavioral problems: A randomized controlled trial. *Journal of EMDR Practice and Research*, 2(3), 180–189. doi:10.1891/1933-3196.2.3.180
770. Watanabe, N., Churchill, R., & Furukawa, T. A. (2007). Combination of psychotherapy and benzodiazepines versus either therapy alone for panic disorder: A systematic review. *Biomedcentral Psychiatry*, 7, 18.
771. Watanabe, N., Hunot, V., Omori, I. M., Churchill, R., & Furukawa, T. A. (2007). Psychotherapy for depression among children and adolescents: A systematic review. *Acta Psychiatrica Scandinavia*, 116(2), 84–95.
772. Watkins, C. E. (1997). Defining psychological supervision and understanding supervisor functioning. In C. E. Watkins (Ed.), *Handbook of psychotherapy supervision* (pp. 3–10). New York, NY: Wiley.

773. Watkins, J. G. (1971). The affect bridge: A hypnoanalytic technique. *Journal of Clinical and Experimental Hypnosis*, 19(1), 21–27.
774. Watkins, J. G. (1990). Watkins' affect or somatic bridge. In D. C. Hammond (Ed.), *Handbook of hypnotic suggestions and metaphor* (pp. 523–524). New York, NY: Norton.
775. Watkins, J. G. (1992). *Hypnoanalytic techniques: The practice of clinical hypnosis* (Vol. 2). New York, NY: Irvington.
776. Watts, B. V., Shiner, B., Zubkoff, L., Carpenter-Song, E., Ronconi, J. M., & Coldwell, C. M. (2014). Implementation of evidence-based psychotherapies for posttraumatic stress disorder in VA specialty clinics. *Psychiatric Services* (Washington, D.C.), 65(5), 648–653. doi:10.1176/appi.ps.201300176
777. Weathers, F. W., Blake, D. D., Schnurr, P. P., Kaloupek, D. G., Marx, B. P., & Keane, T. M. (2013). *The clinician-administered PTSD scale for DSM-5 (CAPS-5)*. Interview available from the National Center for PTSD at www.ptsd.va.gov.
778. Webert, D. R. (2003). Are the courts in a trance? Approaches to the admissibility of hypnotically enhanced witness testimony in light of empirical evidence. *American Criminal Law Review*, 40(3), 1301–1327.
779. Wegner, D. (1994). Ironic processes of mental control. *Psychological Review*, 101, 34–52.
780. Weiss, D., & Marmar, C. (1997). The Impact of event scale — Revised. In J. Wilson & T. Keane (Eds.), *Assessing psychological trauma and PTSD*. New York, NY: Guilford.
781. Wells, A. (2009). *Metacognitive therapy for anxiety and depression*. New York, NY: Guilford Press.
782. Wesselmann, D., & Potter, A. E. (2009). Change in adult attachment status following treatment with EMDR: Three case studies. *Journal of EMDR Practice and Research*, 3(3), 178–191. doi:10.1891/1933-3196.3.3.178
783. Wesselmann, D., Schweitzer, C., & Armstrong, S. (2014). *Integrative team treatment for attachment trauma in children: Family therapy and EMDR*. New York, NY: W.W. Norton.
784. Wesson, M., & Gould, M. (2009). Intervening early with EMDR on military operations: A case study. *Journal of EMDR Practice and Research*, 3(2), 91–97. doi:10.1891/1933-3196.3.2.91

785. Westra, H. A., Stewart, S. H., & Conrad, B. E. (2002). Naturalistic manner of benzodiazepine use and cognitive behavioral therapy outcome in panic disorder with agoraphobia. *Journal Anxiety Disorders*, 16, 233–246.
786. Whalen, J. E., & Nash, M. R. (1996). Hypnosis and dissociation: Theoretical, empirical and clinical perspectives. In L. K. Michelson & W. J. Ray (Eds.), *Handbook of dissociation: Theoretical empirical and clinical perspectives*. New York, NY: Plenum Press.
787. Wildwind, L. (1994, March 4). *Chronic depression*. Paper presented at the EMDR Conference “Research and Clinical Applications,” Sunnyvale, CA.
788. Wilson, S. A., Tinker, R., Becker, L. A., Hofmann, A., & Cole, J. W. (2000, September). *EMDR treatment of phantom limb pain with brain imaging (MEG)*. Paper presented at the Annual Meeting of the EMDR International Association, Toronto, Canada.
789. Wilson, D., Silver, S. M., Covi, W., & Foster, S. (1996). Eye movement desensitization and reprocessing: Effectiveness and autonomic correlates. *Journal of Behavior Therapy and Experimental Psychiatry*, 27, 219–229.
790. Wilson, S., Becker, L. A., & Tinker, R. H. (1995). Eye movement desensitization and reprocessing (EMDR) treatment for psychologically traumatized individuals. *Journal of Consulting and Clinical Psychology*, 63(6), 928–937.
791. Wilson, S. A., Becker, L. A., & Tinker, R. H. (1997). Fifteen-month follow-up of eye movement desensitization and reprocessing (EMDR) treatment for posttraumatic stress disorder and psychological trauma. *Journal of Consulting and Clinical Psychology*, 65(6), 1047–1056.
792. Wilson, S., Tinker, R., Becker, L., & Logan, C. (2001). Stress management with law enforcement personnel: A controlled outcome study of EMDR versus a traditional stress management program. *International Journal of Stress Management*, 8(3), 179–200.
793. Winson, J. (1990). The meaning of dreams. *Scientific American*, 263(5), 86–88, 90–82, 94–86.
794. Winson, J. (1993). The biology and function of rapid eye movement sleep. *Current Opinion in Neurobiology*, 3(2), 243–248.
795. Wittmann, L., Schredl, M., & Kramer, M. (2007). Dreaming in posttraumatic stress disorder: A critical review of phenomenology, psychophysiology and treatment. *Psychotherapy and Psychosomatics*, 76(1), 25–39.
796. Wolpe, J. (1954). Reciprocal inhibition as the main basis of psychotherapeutic effects. *American Medical Association Archives of Neurology and Psychiatry*, 72, 205–226.

797. Wolpe, J. (1958). *Psychotherapy by reciprocal inhibition*. Stanford, CA: Stanford University Press.
798. Wolpe, J., & Lang, P. J. (1964). Fear survey schedule for use in behavior therapy. *Behaviour Research and Therapy*, 2, 27–30.
799. Wolpe, J., & Lang, P. J. (1969). *The fear survey schedule*. San Diego, CA: Educational and Industrial Testing Service.
800. Woo, M. (2014). Eye movement desensitization and reprocessing treatment of nightmares: A case report. *Journal of EMDR Practice and Research*, 8(3), 129–134. doi:10.1891/1933-3196.8.3.129
801. Woodman, C. L., Noyes Jr., R., Black, D. W., Schlosser, S., & Yagla, S. J. (1999). A 5-year follow-up study of generalized anxiety disorder and panic disorder. *Journal of Nervous and Mental Disease*, 187(1), 3.
802. World Health Organization. (2004). *The ICD-10 classification of mental and behavioural disorders: Clinical descriptions and diagnostic guidelines* (2nd ed.). Geneva, Switzerland: World Health Organization, 2004.
803. World Health Organization. (2013). *Guidelines for the management of conditions specifically related to stress*. Geneva, Switzerland: World Health Organization, 2013.
804. Wright, S. A., & Russell, M. C. (2012). Treating violent impulses: A case study utilizing eye movement desensitization and reprocessing with a military client. *Clinical Case Studies*, 12(2), 128–144. doi:10.1177/1534650112469461
805. Yaggie, M., Stevens, L., Miller, S., Abbott, A., Woodruff, C., Getchis, M., ... Daiss, S. (2015). Electroencephalography coherence, memory vividness, and emotional valence effects of bilateral eye movements during unpleasant memory recall and subsequent free association: Implications for eye movement desensitization and reprocessing. *Journal of EMDR Practice and Research*, 9(2), 78–97. doi:10.1891/1933-3196.9.2.78
806. Yerkes, R. M., & Dodson, J. D. (1908). The relation of strength of stimulus to rapidity of habit-formation. *Journal of Comparative Neurology and Psychology*, 18, 459–482.
807. Yoo, S. S., Hu, P. T., Gujar, N., Jolesz, F. A., & Walker, M. P. (2007). A deficit in the ability to form new human memories without sleep. *Nature Neuroscience*, 10(3), 385–392.
808. Young, J. E. (1999). *Cognitive therapy for personality disorders: A schema-focused approach* (3rd ed.). Sarasota, FL: Professional Resource Press.

809. Young, J. E., Zangwill, W. M., & Behary, W. E. (2002). Combining EMDR and schema-focused therapy: The whole may be greater than the sum of the parts. In F. Shapiro (Ed.), *EMDR and the paradigm prism* (pp. 181–208). Washington DC: American Psychological Association Press.
810. Young, W. (1994). EMDR treatment of phobic symptoms in multiple personality. *Dissociation*, 7, 129–133.
811. Zaghrou-Hodali, M., Alissa, F., & Dodgson, P. W. (2008). Building resilience and dismantling fear: EMDR group protocol with children in an area of ongoing trauma. *Journal of EMDR Practice and Research*, 2(2), 106–113.
812. Zlotnick, C., Najavits, L. M., Rohsenow, D. J., & Johnson, D. M. (2003). A cognitive-behavioral treatment for incarcerated women with substance abuse disorder and posttraumatic stress disorder: Findings from a pilot study. *Journal of Substance Abuse Treatment*, 25(2), 99–105.