

Список литературы

Глава 1

1. Bernard, C. (1865). *An introduction to the study of experimental medicine*. Dover Publications. (Published 1957).
2. Cannon, W.B. (1932). *The wisdom of the body* (p. 1932). Norton.
3. Cannon, W.B. (1935). Stresses and strains of homeostasis. *The American Journal of the Medical Sciences*, 189(1), 13-14.
4. McEwen, B.S. (1998). Stress, adaptation, and disease. Allostasis and allostatic load. *Annals of the New York Academy of Sciences*, 840, 33–44.
5. McEwen, B. S., & Seeman, T. (1999). Protective and damaging effects of mediators of stress. Elaborating and testing the concepts of allostasis and allostatic load. *Annals of the New York Academy of Sciences*, 896, 30–47.
6. Seligman, M.E.P., & Maier, S. F. (1967). Failure to escape traumatic shock. *Journal of Experimental Psychology*, 74, 1–9.
7. Selye, H. (1936). A syndrome produced by diverse nocuous agents. *Nature*, 138, 32.
8. Selye, H. (1946). The general adaptation syndrome and diseases of adaptation. *The Journal of Clinical Endocrinology*, 6, 117–230.
9. Selye, H. (1976). *Stress in health and disease*. Butterworths.
10. Selye, H. (1978). *The stress of life*. McGraw-Hill.
11. Sterling, P., & Eyer, J. (1988). Allostasis: A new paradigm to explain arousal pathology. In S. Fisher & J. Reason (Eds.), *Handbook of life stress, cognition and health* (pp. 629–649). John Wiley & Sons.
12. Tafet, G.E., & Bernardini, R. (2003). Psychoneuroendocrinological links between chronic stress and depression. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 27(6), 893–903.
13. Tafet, G.E., & Nemeroff, C.B. (2016). The links between stress and depression: Psychoneuroendocrinological, genetic, and environmental interactions. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 28(2), 77–88.

Глава 2

1. Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., & Walter, P. (2002). *Molecular biology of the cell* (4th ed.). Garland Science. The Structure and Function of DNA.

2. Alenina, N., & Klempin, F. (2015). The role of serotonin in adult hippocampal neurogenesis. *Behavioural Brain Research*, 277, 49–57.
3. Alheid, G.F., & Heimer, L. (1988). New perspectives in basal forebrain organization of special relevance for neuropsychiatric disorders: The striatopallidal, amygdaloid, and corticopetal components of substantia innominata. *Neuroscience*, 27, 1–39.
4. Amaral, D. G., & Price, J. L. (1984). Amygdalo-cortical projections in the monkey (*Macaca fascicularis*). *The Journal of Comparative Neurology*, 230, 465–496.
5. Arborelius, L., Owens, M.J., Plotsky, P.M., et al. (1999). The role of corticotropin-releasing factor in depression and anxiety disorders. *The Journal of Endocrinology*, 160, 1–12.
6. Baddeley, A. (1998). Recent developments in working memory. *Current Opinion in Neurobiology*, 8(2), 234–238.
7. Baddeley, A., & Petrides, M. (1996). Specialized systems for the processing of mnemonic information within the primate frontal cortex — Discussion. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences*, 351(1346), 1461–1462.
8. Bale, T.L., & Vale, W.W. (2004). CRF and CRF receptors: Role in stress responsivity and other behaviors. *Annual Review of Pharmacology and Toxicology*, 44, 525–557.
9. Barbas, H. (2000). Connections underlying the synthesis of cognition, memory, and emotion in primate prefrontal cortices. *Brain Research Bulletin*, 52, 319–330.
10. Barbas, H. (2007). Specialized elements of orbitofrontal cortex in primates. *Annals of the New York Academy of Sciences*, 1121, 10–32.
11. Barbey, A. K., Koenigs, M., & Grafman, J. (2013). Dorsolateral prefrontal contributions to human working memory. *Cortex*, 49(5), 1195–1205.
12. Baumeister, D., Lightman, S. L., & Pariante, C. M. (2014). The interface of stress and the HPA axis in behavioural phenotypes of mental illness. *Current Topics in Behavioral Neurosciences*, 18, 13–24.
13. Beato, M. (1989). Gene regulation by steroid hormones. *Cell*, 56, 335–344.
14. Binder, E. B. (2009). The role of FKBP5, a co-chaperone of the glucocorticoid receptor in the pathogenesis and therapy of affective and anxiety disorders. *Psychoneuroendocrinology*, 34(Suppl 1), S186–S195.
15. Bogdan, R., Nikolova, Y.S., & Pizzagalli, D.A. (2013). Neurogenetics of depression: A focus on reward processing and stress sensitivity. *Neurobiology of Disease*, 52, 12–23.
16. Boutillier, A. L., Gaiddon, C., Lorang, D., Roberts, J.L., & Loeffler, J. P. (1998). Transcriptional activation of the proopiomelanocortin gene by cyclic AMP-responsive element binding protein. *Pituitary*, 1(1), 33–43.

17. Bush, G., Luu, P., & Posner, M.I. (2000). Cognitive and emotional influences in anterior cingulate cortex. *Trends in Cognitive Sciences*, 4, 215–222.
18. Cabib, S., & Puglisi-Allegra, S. (2012). The mesoaccumbens dopamine in coping with stress. *Neuroscience and Biobehavioral Reviews*, 36, 79–89.
19. Carlsted-Duke, J., Strömstedt, P. E., Wrangé, Ö., Bergman, T., Gustafsson, J.A., & Jörnvall, H. (1987). Domain structure of the glucocorticoid receptor protein. *Proceedings of the National Academy of Sciences of the United States of America*, 84, 4437–4440.
20. Carmichael, S.T., & Price, J.L. (1995). Limbic connections of the orbital and medial prefrontal cortex in macaque monkeys. *The Journal of Comparative Neurology*, 363, 615–641.
21. Carmichael, S.T., & Price, J.L. (1996). Connectional networks within the orbital and medial prefrontal cortex of macaque monkeys. *The Journal of Comparative Neurology*, 371, 179–207.
22. Cenquizca, L.A., & Swanson, L.W. (2007). Spatial organization of direct hippocampal field CA1 axonal projections to the rest of the cerebral cortex. *Brain Research Reviews*, 56(1), 1–26.
23. Choi, D.C., Furay, A.R., Evanson, N.K., Ostrander, M.M., Ulrich-Lai, Y.M., & Herman, J.P. (2007). Bed nucleus of the stria terminalis subregions differentially regulate hypothalamic pituitary-adrenal axis activity: Implications for the integration of limbic inputs. *The Journal of Neuroscience*, 27(8), 2025–2034.
24. Chrousos, G.P., & Gold, P.W. (1992). The concepts of stress and stress system disorders. Overview of physical and behavioral homeostasis. *Journal of the American Medical Association*, 267(9), 1244–1252.
25. Chrousos, G.P., & Gold, P.W. (1998). A healthy body in a healthy mind- and vice versa — The damaging power of uncontrollable stress. *Journal of Clinical Endocrinology and Metabolism*, 83, 1842–1845.
26. Cullinan, W.E., Herman, J.P., & Watson, S.J. (1993). Ventral subicular interaction with the hypothalamic paraventricular nucleus: Evidence for a relay in the bed nucleus of the stria terminalis. *The Journal of Comparative Neurology*, 332, 1–20.
27. Cunningham, E.T., Jr., & Sawchenko, P.E. (1988). Anatomical specificity of noradrenergic inputs to the paraventricular and supraoptic nuclei of the rat hypothalamus. *The Journal of Comparative Neurology*, 274, 60–76.
28. Dallman, M.F., Makara, G.B., Roberts, J.L., Levin, N., & Blum, M. (1985). Corticotropin response to removal of releasing factors and corticosteroids in vivo. *Endocrinology*, 117, 2190–2197.
29. Davis, M. (1992). The role of the amygdala in fear and anxiety. *Annual Review of Neuroscience*, 15, 353–375.
30. Deakin, J.F.W., & Graeff, F.G. (1991). 5 HT and mechanisms of defense. *Journal of Psychopharmacology*, 5, 305–315.

31. Der-Avakian, A., & Markou, A. (2012). The neurobiology of anhedonia and other reward-related deficits. *Trends in Neurosciences*, 35, 68–77.
32. Dixon, M.L., Thiruchselvam, R., Todd, R., & Christoff, K. (2017). Emotion and the prefrontal cortex: An integrative review. *Psychological Bulletin*, 143(10), 1033–1081.
33. Dong, H.W., & Swanson, L.W. (2006). Projections from bed nuclei of the stria terminalis, anteromedial area: Cerebral hemisphere integration of neuroendocrine, autonomic, and behavioral aspects of energy balance. *The Journal of Comparative Neurology*, 494, 142–178.
34. Drevets, W.C., Savitz, J., & Trimble, M. (2008). The subgenual anterior cingulate cortex in mood disorders. *CNS Spectrums*, 13, 663–681.
35. Drouin, J., Sun, Y., Chamberland, M., Gauthier, Y., De Lean, A., Nemer, M., & Schmidt, T. (1993). Novel glucocorticoid receptor complex with DNA element of the hormone-repressed POMC gene. *EMBO Journal*, 12(1), 145–156.
36. Duman, R.S. (2004). Role of neurotrophic factors in the etiology and treatment of mood disorders. *Neuromolecular Medicine*, 5, 11–25.
37. Duman, R.S., & Monteggia, L.M. (2006). A neurotrophic model for stress-related mood disorders. *Biological Psychiatry*, 59(12), 1116–1127.
38. Dunlop, B.W., & Nemeroff, C.B. (2007). The role of dopamine in the pathophysiology of depression. *Archives of General Psychiatry*, 64, 327–337.
39. Eichenbaum, H., & Lipton, P.A. (2008). Towards a functional organization of the medial temporal lobe memory system: Role of the parahippocampal and medial entorhinal cortical areas. *Hippocampus*, 18(12), 1314–1324.
40. Etkin, A., Egner, T., & Kalisch, R. (2011). Emotional processing in anterior cingulate and medial prefrontal cortex. *Trends in Cognitive Sciences*, 15, 85–93.
41. Evans, R.M. (1988). The steroid and thyroid hormone receptor superfamily. *Science*, 240(4854), 889–895.
42. Fanselow, M.S., & Dong, H.W. (2010). Are the dorsal and ventral hippocampus functionally distinct structures? *Neuron*, 65(1), 7–19.
43. Ferguson, A.V., Latchford, K.J., & Samson, W.K. (2008). The paraventricular nucleus of the hypothalamus — a potential target for integrative treatment of autonomic dysfunction. *Expert Opinion on Therapeutic Targets*, 12(6), 717–727.
44. Ferry, B., & McGaugh, J.L. (2000). Role of amygdala norepinephrine in mediating stress hormone regulation of memory storage. *Acta Pharmacologica Sinica*, 21(6), 481–493.
45. Franklin, T.B., Saab, B.J., & Mansuy, I.M. (2012). Neural mechanisms of stress resilience and vulnerability. *Neuron*, 75(5), 747–761.
46. Garcia-Garcia, A.L., Newman-Tancredi, A., & Leonardo, E.D. (2014). 5-HT(1A) receptors in mood and anxiety: Recent insights into autoreceptor versus heteroreceptor function. *Psychopharmacology*, 231(4), 623–636.

47. Ghashghaei, H.T., Hilgetag, C.C., & Barbas, H. (2007). Sequence of information processing for emotions based on the anatomic dialogue between prefrontal cortex and amygdala. *NeuroImage*, 34(3), 905–923.
48. Goel, V., & Dolan, R.J. (2001). The functional anatomy of humor: Segregating cognitive and affective components. *Nature Neuroscience*, 4(3), 237–238.
49. Goldman-Rakic, P.S. (1995). Cellular basis of working memory. *Neuron*, 14(3), 477–485.
50. Grabenhorst, F., & Rolls, E.T. (2011). Value, pleasure and choice in the ventral prefrontal cortex. *Trends in Cognitive Sciences*, 15(2), 56–67.
51. Gray, T.S., Carney, M.E., & Magnuson, D.J. (1989). Direct projections from the central amygdaloid nucleus to the hypothalamic paraventricular nucleus: Possible role in stress-induced adrenocorticotropin release. *Neuroendocrinology*, 50, 433–446.
52. Gray, N.A., Milak, M.S., DeLorenzo, C., et al. (2013). Antidepressant treatment reduces serotonin-1A autoreceptor binding in major depressive disorder. *Biological Psychiatry*, 74, 26–31.
53. Hamon, M., & Blier, P. (2013). Monoamine neurocircuitry in depression and strategies for new treatments. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 45, 54–63.
54. Heim, C., & Nemeroff, C.B. (2001). The role of childhood trauma in the neurobiology of mood and anxiety disorders: Preclinical and clinical studies. *Biological Psychiatry*, 49, 1023–1039.
55. Hensler, J.G. (2006). Serotonergic modulation of the limbic system. *Neuroscience and Biobehavioral Reviews*, 30, 203–214.
56. Herman, J.P., Figueiredo, H., Mueller, N.K., Ulrich-Lai, Y., Ostrander, M.M., Choi, D.C., & Cullinan, W.E. (2003). Central mechanisms of stress integration: Hierarchical circuitry controlling hypothalamo-pituitary-adrenocortical responsiveness. *Frontiers in Neuroendocrinology*, 24, 151–180.
57. Herman, J.P., McKlveen, J.M., Ghosal, S., Kopp, B., Wulsin, A., Makinson, R., Scheimann, J., & Myers, B. (2016). Regulation of the hypothalamic-pituitary-adrenocortical stress response. *Comprehensive Physiology*, 6(2), 603–621.
58. Herman, J.P., Schaffer, M.K.-H., Young, E.A., Thompson, R., Douglass, J., Akil, H., & Watson, S.J. (1989). Evidence of hippocampal regulation of neuroendocrine neurons of the hypothalamo-pituitary-adrenocortical axis. *The Journal of Neuroscience*, 9, 3072–3082.
59. Hiser, J., & Koenigs, M. (2018). The multifaceted role of the ventromedial prefrontal cortex in emotion, decision making, social cognition, and psychopathology. *Biological Psychiatry*, 83(8), 638–647.
60. Holsboer, F. (2000). The corticosteroid receptor hypothesis of depression. *Neuropsychopharmacology*, 23, 477–501.

61. Hoover, W.B., & Vertes, R.P. (2007). Anatomical analysis of afferent projections to the medial prefrontal cortex in the rat. *Brain Structure and Function*, 212(2), 149–179.
62. Jacobs, B.L., van Praag, H., & Gage, F.H. (2000). Adult brain neurogenesis and psychiatry: A novel theory of depression. *Molecular Psychiatry*, 5, 262–269.
63. Keller-Wood, M.E., & Dallman, M.F. (1984). Corticosteroid inhibition of ACTH secretion. *Endocrine Reviews*, 5, 1–24.
64. Kirby, L.G., Rice, K.C., & Valentino, R.J. (2000). Effects of corticotropin-releasing factor on neuronal activity in the serotonergic dorsal raphe nucleus. *Neuropsychopharmacology*, 22, 148–162.
65. Knierim, J.J. (2015). The hippocampus. *Current Biology*, 25(23), R1116–R1121.
66. Koenigs, M., & Grafman, J. (2009). The functional neuroanatomy of depression: Distinct roles for ventromedial and dorsolateral prefrontal cortex. *Behavioural Brain Research*, 201(2), 239–243.
67. Kranz, G.S., Kasper, S., & Lanzenberger, R. (2010). Reward and the serotonergic system. *Neuroscience*, 166, 1023–1035.
68. Krishnan, V., & Nestler, E.J. (2010). Linking molecules to mood: New insight into the biology of depression. *The American Journal of Psychiatry*, 167, 1305–1320.
69. Krugers, H.J., Lucassen, P.J., Karst, H., & Joëls, M. (2010). Chronic stress effects on hippocampal structure and synaptic function: Relevance for depression and normalization by antigluocorticoid treatment. *Frontiers in Synaptic Neuroscience*, 2, 24.
70. LeDoux, J.E., Iwata, J., Cicchetti, P., & Reis, D.J. (1988). Different projections of the central amygdaloid nucleus mediate autonomic and behavioral correlates of conditioned fear. *The Journal of Neuroscience*, 8(7), 2517–2529.
71. LeDoux, J.E. (1992). Brain mechanisms of emotion and emotional learning. *Current Opinion in Neurobiology*, 2, 191–197.
72. LeDoux, J. (1998). *The emotional brain: The mysterious underpinnings of emotional life*. Simon & Schuster.
73. LeDoux, J. (2007). The amygdala. *Current Biology*, 17(20), R868–R874.
74. Lesch, K.P., & Gutknecht, L. (2004). Focus on the 5-HT1A receptor: Emerging role of a gene regulatory variant in psychopathology and pharmacogenetics. *The International Journal of Neuropsychopharmacology*, 7, 381–385.
75. Lesch, K.P., Bengel, D., Heils, A., et al. (1996). Association of anxiety-related traits with a polymorphism in the serotonin transporter gene regulatory region. *Science*, 274, 1527–1531.
76. López, J.F., Chalmers, D.T., Little, K.Y., et al. (1998). Regulation of serotonin_{1A}, glucocorticoid, and mineralocorticoid receptor in rat and human hippocampus: Implications for the neurobiology of depression. *Biological Psychiatry*, 43, 547–573.
77. López, J.F., Akil, H., & Watson, S.J. (1999). Neural circuits mediating stress. *Biological Psychiatry*, 46, 1461–1471.

78. Mackey, S., & Petrides, M. (2010). Quantitative demonstration of comparable architectonic areas within the ventromedial and lateral orbital frontal cortex in the human and the macaque monkey brains. *European Journal of Neuroscience*, 32, 1940–1950.
79. Mahar, I., Bambico, F.R., Mechawar, N., et al. (2014). Stress, serotonin, and hippocampal neurogenesis in relation to depression and antidepressant effects. *Neuroscience and Biobehavioral Reviews*, 38, 173–192.
80. Malberg, J.E., Eisch, A.J., Nestler, E.J., & Duman, R.S. (2000). Chronic antidepressant treatment increases neurogenesis in adult rat hippocampus. *Journal of Neuroscience*, 20, 9104–9110.
81. Malkoski, S., & Dorin, R. (1999). Composite glucocorticoid regulation at a functionally defined negative glucocorticoid response element of the human corticotropin-releasing hormone gene. *Molecular Endocrinology*, 19, 1629–1644.
82. Maren, S., & Fanselow, M.S. (1995). Synaptic plasticity in the basolateral amygdala induced by hippocampal formation stimulation in vivo. *The Journal of Neuroscience*, 15, 7548–7564.
83. Marin, P., Bécamel, C., Chaumont-Dubel, S., Vandermoere, F., Bockaert, J., & Claeysen, S. (2020). Classification and signaling characteristics of 5-HT receptors: Toward the concept of 5-HT receptosomes. In C.P. Müller & K.A. Cunningham (Eds.), *Handbook of behavioral neuroscience* (Vol. 31, pp. 91–120). Elsevier.
84. Mayberg, H.S., Liotti, M., Brannan, S.K., McGinnis, S., Mahurin, R.K., Jerabek, P.A., Silva, J.A., Tekell, J.L., Martin, C.C., Lancaster, J.L., & Fox, P.T. (1999). Reciprocal limbic cortical function and negative mood: Converging PET findings in depression and normal sadness. *The American Journal of Psychiatry*, 156(5), 675–682.
85. McCall, J.G., Al-Hasani, R., Siuda, E.R., Hong, D.Y., Norris, A.J., Ford, C.P., & Bruchas, M.R. (2015). CRH engagement of the locus Coeruleus noradrenergic system mediates stress-induced anxiety. *Neuron*, 87(3), 605–620.
86. McEwen, B.S., & Brinton, R.E. (1987). Neuroendocrine aspects of adaptation. *Progress in Brain Research*, 72, 11–26.
87. Mitchelmore, C., & Gede, L. (2014). Brain derived neurotrophic factor: Epigenetic regulation in psychiatric disorders. *Brain Research*, 1586, 162–172.
88. Mongeau, R., Blier, P., & de Montigny, C. (1997). The serotonergic and noradrenergic systems of the hippocampus: Their interactions and the effects of antidepressant treatments. *Brain Research Reviews*, 23, 145–195.
89. Motzkin, J.C., Philippi, C.L., Wolf, R.C., et al. (2015). Ventromedial prefrontal cortex is critical for the regulation of amygdala activity in humans. *Biological Psychiatry*, 77, 276–284.
90. Myers-Schulz, B., & Koenigs, M. (2012). Functional anatomy of ventromedial prefrontal cortex: Implications for mood and anxiety disorders. *Molecular Psychiatry*, 17(2), 132–141.

91. Namboodiri, V.M.K., Otis, J. M., van Heeswijk, K., Voets, E.S., Alghorazi, R.A., Rodriguez Romaguera, J., et al. (2019). Single-cell activity tracking reveals that orbitofrontal neurons acquire and maintain a long-term memory to guide behavioral adaptation. *Nature Neuroscience*, 22, 1110–1121.
92. Nemeroff, C.B. (1998). Psychopharmacology of affective disorders in the 21st century. *Biological Psychiatry*, 44, 517–525.
93. Nemeroff, C.B. (2004). Neurobiological consequences of childhood trauma. *The Journal of Clinical Psychiatry*, 65, 18–28.
94. Nestler, E.J., & Carlezon, W.A., Jr. (2006). The mesolimbic dopamine reward circuit in depression. *Biological Psychiatry*, 59, 1151–1159.
95. Ochsner, K.N., et al. (2002). Rethinking feelings: An FMRI study of the cognitive regulation of emotion. *Journal of Cognitive Neuroscience*, 14(8), 1215–1229.
96. Ochsner, K.N., et al. (2004). For better or for worse: Neural systems supporting the cognitive down- and upregulation of negative emotion. *NeuroImage*, 23(2), 483–499.
97. Ongür, D., Ferry, A.T., & Price, J.L. (2003). Architectonic subdivision of the human orbital and medial prefrontal cortex. *The Journal of Comparative Neurology*, 460, 425–449.
98. Ota, K.T., & Duman, R.S. (2013). Environmental and pharmacological modulations of cellular plasticity: Role in the pathophysiology and treatment of depression. *Neurobiology of Disease*, 57, 28–37.
99. Paré, D., Quirk, G.J., & Ledoux, J.E. (2004). New vistas on amygdala networks in conditioned fear. *Journal of Neurophysiology*, 92(1), 1–9.
100. Pare, D., & Duvarci, S. (2012). Amygdala microcircuits mediating fear expression and extinction. *Current Opinion in Neurobiology*, 22(4), 717–723.
101. Paul, E.D., & Chen, A. (2017). Neural circuitry of stress, fear, and anxiety: Focus on extended amygdala Corticotropin-releasing factor systems. In G. Fink (Ed.), *Stress: Neuroendocrinology and neurobiology* (Vol. 2, pp. 84–96, Ch 8). Academic Press
102. Pfahl, M. (1993). Nuclear receptor/AP-1 interaction. *Endocrine Reviews*, 14, 651–658.
103. Phillips, M.L., Ladouceur, C.D., & Drevets, W.C. (2008). A neural model of voluntary and automatic emotion regulation: Implications for understanding the pathophysiology and neurodevelopment of bipolar disorder. *Molecular Psychiatry*, 13(9), 829–857.
104. Pitkänen, A., Pikkarainen, M., Nurminen, N., & Ylinen, A. (2000). Reciprocal connections between the amygdala and the hippocampal formation, perirhinal cortex, and postrhinal cortex in rat. A review. *Annals of the New York Academy of Sciences*, 911, 369–391.

105. Price, J.L. (2006). Connections of orbital cortex. In D.H. Zald & S.L. Rauch (Eds.), *The orbitofrontal cortex* (pp. 39–55). Oxford University Press.
106. Price, J.L. (2007). Definition of the orbital cortex in relation to specific connections with limbic and visceral structures and other cortical regions. *Annals of the New York Academy of Sciences*, 1121, 54–71.
107. Price, J.L., & Drevets, W.C. (2010). Neurocircuitry of mood disorders. *Neuropsychopharmacology*, 35, 192–216.
108. Price, J.L., & Drevets, W.C. (2012). Neural circuits underlying the pathophysiology of mood disorders. *Trends in Cognitive Sciences*, 16, 61–71.
109. Pruessner, J.C., Champagne, F., Meaney, M.J., & Dagher, A. (2004). Dopamine release in response to a psychological stress in humans and its relationship to early life maternal care: A positron emission tomography study using [¹¹C] raclopride. *The Journal of Neuroscience*, 24(11), 2825–2831.
110. Ray, R.D., & Zald, D.H. (2012). Anatomical insights into the interaction of emotion and cognition in the prefrontal cortex. *Neuroscience and Biobehavioral Reviews*, 36, 479–501.
111. Regev, L., & Baram, T.Z. (2014). Corticotropin releasing factor in neuroplasticity. *Frontiers in Neuroendocrinology*, 35, 171–179.
112. Ressler, K.J., & Nemeroff, C.B. (1999). Role of norepinephrine in the pathophysiology and treatment of mood disorders. *Biological Psychiatry*, 46, 1219–1233.
113. Ressler, K.J., & Nemeroff, C.B. (2000). Role of serotonergic and noradrenergic systems in the pathophysiology of depression and anxiety disorders. *Depression and Anxiety*, 12(Suppl 1), 2–19.
114. Richter-Levin, G., & Akirav, I. (2000). Amygdala-hippocampus dynamic interaction in relation to memory. *Molecular Neurobiology*, 22(1–3), 11–20.
115. Robbins, T.W., & Everitt, B.J. (1995). Arousal systems and attention. In M.S. Gazzaniga (Ed.), *The cognitive neurosciences* (pp. 703–720). The MIT Press.
116. Rolls, E.T. (2004). The functions of the orbitofrontal cortex. *Brain and Cognition*, 55(1), 11–29.
117. Rolls, E.T. (2017). The roles of the orbitofrontal cortex via the habenula in non-reward and depression, and in the responses of serotonin and dopamine neurons. *Neuroscience and Biobehavioral Reviews*, 75, 331–334.
118. Rolls, E.T. (2019). The cingulate cortex and limbic systems for emotion, action, and memory. *Brain Structure & Function*, 224(9), 3001–3018.
119. Rolls, E.T. (2019a). The cingulate cortex and limbic systems for action, emotion, and memory. In B.A. Vogt (Ed.), *Handbook of clinical neurology: Cingulate cortex* (pp. 23–37). Elsevier.
120. Rolls, E.T. (2019b). *The orbitofrontal cortex*. Oxford University Press.

121. Rolls, E.T., & Grabenhorst, F. (2008). The orbitofrontal cortex and beyond: From affect to decision-making. *Progress in Neurobiology*, 86, 216–244.
122. Rolls, E.T., & Xiang, J.Z. (2005). Reward-spatial view representations and learning in the primate hippocampus. *The Journal of Neuroscience*, 25(26), 6167–6174.
123. Rolls, E.T., Cheng, W., & Feng, J. (2020). The orbitofrontal cortex: Reward, emotion and depression. *Brain Communications*, 2(2), fcaa196.
124. Roy, M., Shohamy, D., & Wager, T.D. (2012). Ventromedial prefrontal-subcortical systems and the generation of affective meaning. *Trends in Cognitive Sciences*, 16(3), 147–156.
125. Rudebeck, P.H., Saunders, R.C., Prescott, A.T., Chau, L.S., & Murray, E.A. (2013). Prefrontal mechanisms of behavioral flexibility, emotion regulation and value updating. *Nature Neuroscience*, 16, 1140–1145.
126. Rudnick, G., & Clark, J. (1993). From synapse to vesicle: The reuptake and storage of biogenic amine neurotransmitters. *Biochimica et Biophysica Acta*, 1144(3), 249–263.
127. Rushworth, M.F., Kolling, N., Sallet, J., & Mars, R. B. (2012). Valuation and decision making in frontal cortex: One or many serial or parallel systems? *Current Opinion in Neurobiology*, 22, 946–955.
128. Sah, P., Faber, E.S., Lopez De Armentia, M., & Power, J. (2003). The amygdaloid complex: Anatomy and physiology. *Physiological Reviews*, 83(3), 803–834.
129. Saper, C.B., & Lowell, B.B. (2014). The hypothalamus. *Current Biology*, 24(23), R1111–R1116.
130. Scheidereit, C., Krauter, P., von der Ahe, D., Janich, S., Rabenau, O., Cato, A.C., Suske, G., Westphal, H.M., & Beato, M. (1986). Mechanism of gene regulation by steroid hormones. *Journal of Steroid Biochemistry*, 24(1), 19–24.
131. Schloss, P., & Williams, D.C. (1998). The serotonin transporter: A primary target for antidepressant drugs. *Journal of Psychopharmacology*, 12(2), 115–121.
132. Schoenbaum, G., Roesch, M.R., Stalnaker, T.A., & Takahashi, Y.K. (2009). A new perspective on the role of the orbitofrontal cortex in adaptive behaviour. *Nature Reviews. Neuroscience*, 10(12), 885–892.
133. Šimić, G., Tkalčić, M., Vukić, V., Mulc, D., Španić, E., Šagud, M., Olucha-Bordonau, F.E., Vukšić, M., Hof, R., & P. (2021). Understanding emotions: Origins and roles of the Amygdala. *Biomolecules*, 11(6), 823.
134. Stevens, F.L., Hurley, R.A., & Taber, K.H. (2011). Anterior cingulate cortex: Unique role in cognition and emotion. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 23(2), 121–125.
135. Suri, D., & Vaidya, V.A. (2013). Glucocorticoid regulation of brain-derived neurotrophic factor: Relevance to hippocampal structural and functional plasticity. *Neuroscience*, 239, 196–213.

136. Suridjan, I., Boileau, I., Bagby, M., et al. (2012). Dopamine response to psychosocial stress in humans and its relationship to individual differences in personality traits. *Journal of Psychiatric Research*, 46, 890–897.
137. Suzuki, W.A., & Eichenbaum, H. (2000). The neurophysiology of memory. *Annals of the New York Academy of Sciences*, 911, 175–191.
138. Tafet, G.E., & Bernardini, R. (2003). Psychoneuroendocrinological links between chronic stress and depression. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 27, 893–903.
139. Tafet, G.E., & Nemeroff, C.B. (2016). The links between stress and depression: Psychoneuroendocrinological, genetic, and environmental interactions. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 28(2), 77–88.
140. Tafet, G.E., Toister-Achituv, M., & Shinitzky, M. (2001). Enhancement of serotonin uptake by cortisol: A possible link between stress and depression. *Cognitive, Affective, and Behavioral Neuroscience*, 1, 96–104.
141. Taliaz, D., Loya, A., Gersner, R., Haramati, S., Chen, A., & Zangen, A. (2011). Resilience to chronic stress is mediated by hippocampal brain-derived neurotrophic factor. *The Journal of Neuroscience*, 31(12), 4475–4483.
142. Timmermans, W., Xiong, H., Hoogenraad, C.C., et al. (2013). Stress and excitatory synapses: From health to disease. *Neuroscience*, 248, 626–636.
143. Truss, M., & Beato, M. (1993). Steroid hormone receptors: Interaction with deoxyribonucleic acid and transcription factors. *Endocrine Reviews*, 14(4), 459–479.
144. Ulrich-Lai, Y.M., & Herman, J.P. (2009). Neural regulation of endocrine and autonomic stress responses. *Nature Reviews. Neuroscience*, 10, 397–409.
145. Valentino, R.J., Foote, S.L., & Page, M.E. (1993). The locus coeruleus as a site for integrating corticotropin-releasing factor and noradrenergic mediation of stress response. *Annals of the New York Academy of Sciences*, 697, 171–187.
146. Van Riel, E., van Gemert, N.G., Meijer, O.C., et al. (2004). Effect of early life stress on serotonin responses in the hippocampus of young adult rats. *Synapse*, 53, 11–19.
147. Vogt, B.A. (2009). *Cingulate neurobiology and disease*. Oxford University Press.
148. Walker, D.L., Miles, L.A., & Davis, M. (2009). Selective participation of the bed nucleus of the stria terminalis and CRF in sustained anxiety-like versus phasic fear-like responses. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 33(8), 1291–1308.
149. Waterhouse, E.G., & Xu, B. (2009). New insights into the role of brain-derived neurotrophic factor in synaptic plasticity. *Molecular and Cellular Neurosciences*, 42(2), 81–89.
150. Winecoff, A., Labar, K.S., Madden, D.J., Cabeza, R., & Huettel, S.A. (2011). Cognitive and neural contributors to emotion regulation in aging. *Social Cognitive and Affective Neuroscience*, 6(2), 165–176.

151. Wochnik, G.M., Rüegg, J., Abel, G.A., Schmidt, U., Holsboer, F., & Rein, T. (2005). FK506-binding proteins 51 and 52 differentially regulate dynein interaction and nuclear translocation of the glucocorticoid receptor in mammalian cells. *The Journal of Biological Chemistry*, 280(6), 4609–4616.
152. Wu, G., Feder, A., Cohen, H., Kim, J.J., Calderon, S., Charney, D.S., & Mathé, A.A. (2013). Understanding resilience. *Frontiers in Behavioral Neuroscience*, 7, 10.
153. Yang, Y., & Wang, J.Z. (2017). From structure to behavior in basolateral amygdala-hippocampus circuits. *Frontiers in Neural Circuits*, 11, 86.
154. Ziegler, D.R., Edwards, M.R., Ulrich-Lai, Y.M., Herman, J.P., & Cullinan, W.E. (2012). Brainstem origins of glutamatergic innervation of the rat hypothalamic paraventricular nucleus. *The Journal of Comparative Neurology*, 520, 2369–2394.

Глава 3

1. Abrahamson, L.Y., Seligman, M.E.P., & Teasdale, J.D. (1978). Learned helplessness in humans: Critique and reformulation. *Journal of Abnormal Psychology*, 87, 49–74.
2. Alim, T.N., Feder, A., Graves, R.E., Wang, Y., Weaver, J., Westphal, M., Alonso, A., Aigbogun, N.U., Smith, B.W., Doucette, J.T., Mellman, T.A., Lawson, W.B., & Charney, D.S. (2008). Trauma, resilience, and recovery in a high-risk African-American population. *The American Journal of Psychiatry*, 165(12), 1566–1575.
3. Baddeley, A., & Hitch, G. (1974). Working memory. *Psychology of Learning and Motivation*, 8, 47–89.
4. Baddeley, A.D. (1986). *Working memory*. Clarendon Press.
5. Bandura, A. (1982). Self-efficacy mechanism in human agency. *American Psychologist*, 37, 122–147.
6. Beck, A.T. (1967). *Depression: Clinical, experimental, and theoretical aspects*. Harper & Row.
7. Beck, A.T. (1976). *Cognitive therapy and the emotional disorders*. International Universities Press.
8. Beck, A.T. (2008). The evolution of the cognitive model of depression and its neurobiological correlates. *The American Journal of Psychiatry*, 165, 969–977.
9. Bonanno, G.A. (2004). Loss, trauma, and human resilience: Have we underestimated the human capacity to thrive after extremely aversive events? *The American Psychologist*, 59, 20e28.
10. Burger, J.M. (1986). Desire for control and the illusion of control: The effects of familiarity and sequence of outcomes. *Journal of Research in Personality*, 20, 66–76.
11. Burger, J.M., & Cooper, H.M. (1979). The desirability of control. *Motivation and Emotion*, 3, 381–393.

12. Chorpita, B.F., & Barlow, D. H. (1998). The development of anxiety: The role of control in the early environment. *Psychological Bulletin*, 124, 3–21.
13. Feder, A., Nestler, E.J., & Charney, D.S. (2009). Psychobiology and molecular genetics of resilience. *Nat. Reviews in the Neurosciences*, 10(6), 446–457.
14. Folkman, S., & Lazarus, R.S. (1988). The relationship between coping and emotion: Implications for theory and research. *Social Science & Medicine*, 26, 309–317.
15. Garmezy, N. (1991). Resilience in children's adaptation to negative life events and stressed environments. *Pediatric Annals*, 20(459–460), 463–466.
16. Gunnar, M.R., Frenn, K., Wewerka, S.S., & Van Ryzin, M.J. (2009). Moderate versus severe early life stress: Associations with stress reactivity and regulation in 10–12-year-old children. *Psychoneuroendocrinology*, 34(1), 62–75.
17. Heim, C., & Binder, E.B. (2012). Current research trends in early life stress and depression: Review of human studies on sensitive periods, gene–environment interactions, and epigenetics. *Experimental Neurology*, 233, 102–111.
18. Heim, C., & Nemeroff, C.B. (2001). The role of childhood trauma in the neurobiology of mood and anxiety disorders: Preclinical and clinical studies. *Biological Psychiatry*, 49(12), 1023–1039.
19. Heim, C., Newport, D.J., Mletzko, T., Miller, A.H., & Nemeroff, C.B. (2008). The link between childhood trauma and depression: Insights from HPA axis studies in humans. *Psychoneuroendocrinology*, 33(6), 693–710.
20. Henderson, R.K., Snyder, H.R., Gupta, T., & Banich, M.T. (2012). When does stress help or harm? The effects of stress controllability and subjective stress response on stroop performance. *Frontiers in Psychology*, 3, 179.
21. Lazarus, R.S., & Folkman, S. (1984). *Stress, appraisal and coping*. Springer Publishing Company.
22. Lazarus, R.S., & Folkman, S. (1984). *Stress, appraisal and coping*. Springer.
23. Lyons, D.M., Parker, K.J., Katz, M., & Schatzberg, A.F. (2009). Developmental cascades linking stress inoculation, arousal regulation, and resilience. *Frontiers in Behavioral Neuroscience*, 3, 32.
24. Ly, V., Wang, K.S., Bhanji, J., & Delgado, M.R. (2019). A reward-based framework of perceived control. *Frontiers in Neuroscience*, 13, 65.
25. Maier, S.F., & Seligman, M.E.P. (1976). Learned helplessness: Theory and evidence. *Journal of Experimental Psychology. General*, 105, 3–46.
26. Maier, S.F., & Watkins, L.R. (2005). Stressor controllability and learned helplessness: The roles of the dorsal raphe nucleus, serotonin, and corticotropin-releasing factor. *Neuroscience and Biobehavioral Reviews*, 29(4–5), 829–841.
27. Maier, S.F., & Watkins, L.R. (2010). Role of the medial prefrontal cortex in coping and resilience. *Brain Research*, 1355, 52–60.

28. Mandler, G., & Watson, D.L. (1966). Anxiety and the interruption of behavior. In C. Spielberger (Ed.), *Anxiety and behavior* (pp. 263–288). Academic Press.
29. Miller, G.A., Galanter, E., & Pribram, K.H. (1960). *Plans and the structure of behavior*. Henry Holt and Company.
30. Nemeroff, C.B., & Binder, E. (2014). The preeminent role of childhood abuse and neglect in vulnerability to major psychiatric disorders: Toward elucidating the underlying neurobiological mechanisms. *Journal of the American Academy of Child and Adolescent Psychiatry*, 53(4), 395–397.
31. Overmier, J.B., & Seligman, M.E. (1967). Effects of inescapable shock upon subsequent escape and avoidance responding. *Journal of Comparative and Physiological Psychology*, 63, 28–33.
32. Parsons, S., Krujit, A.W., & Fox, E. (2016). A cognitive model of psychological resilience. *Journal of Experimental Psychopathology*, 7(3), 296–310.
33. Persuh, M., LaRock, E., & Berger, J. (2018). Working memory and consciousness: The current state of play. *Frontiers in Human Neuroscience*, 12, 78.
34. Pfau, M.L., & Russo, S.J. (2015). Peripheral and central mechanisms of stress resilience. *Neurobiology of Stress*, 1, 66–79.
35. Rotter, J.B. (1966). Generalized expectancies for internal versus external control of reinforcement. *Psychological Monographs: General and Applied*, 80(1), 1–28.
36. Rutter, M. (1993). Resilience: Some conceptual considerations. *Journal of Adolescent Health*, 14(626–631), 690–696.
37. Rutter, M. (2006). Implications of resilience concepts for scientific understanding. *Annals of the New York Academy of Sciences*, 1094, 1e12.
38. Seligman, M.E.P., & Maier, S. F. (1967). Failure to escape traumatic shock. *Journal of Experimental Psychology*, 74, 1–9.
39. Seligman, M.E.P. (1974). Depression and learned helplessness. In R.J. Friedman & M.M. Katz (Eds.), *The psychology of depression: Contemporary theory and research* (pp. 83–113). Winston-Wiley.
40. Southwick, S.M., Vythilingam, M., & Charney, D.S. (2005). The psychobiology of depression and resilience to stress: Implications for prevention and treatment. *Annual Review of Clinical Psychology*, 1, 255–291.
41. Weems, C.F., & Silverman, W.K. (2006). An integrative model of control: Implications for understanding emotion regulation and dysregulation in childhood anxiety. *Journal of Affective Disorders*, 91(2-3), 113–124.

Глава 4

1. Alenina, N., & Klempin, F. (2015). The role of serotonin in adult hippocampal neurogenesis. *Behavioural Brain Research*, 277, 49–57.

2. Arborelius, L., Owens, M.J., Plotsky, P.M., et al. (1999). The role of corticotropin-releasing factor in depression and anxiety disorders. *The Journal of Endocrinology*, 160, 1–12.
3. Arnsten, A.F. (2009). Stress signalling pathways that impair prefrontal cortex structure and function. *Nature Reviews Neuroscience*, 10(6), 410–42.
4. Baik, J.H. (2020). Stress and the dopaminergic reward system. *Experimental & Molecular Medicine*, 52(12), 1879–1890.
5. Bailey, T.W., & Dimicco, J.A. (2001). Chemical stimulation of the dorsomedial hypothalamus elevates plasma ACTH in conscious rats. *American Journal of Physiology. Regulatory, Integrative and Comparative Physiology*, 280, R8–R15.
6. Baratta, M.V., Zarza, C.M., Gomez, D.M., Campeau, S., Watkins, L.R., & Maier, S.F. (2009). Selective activation of dorsal raphe nucleus-projecting neurons in the ventral medial prefrontal cortex by controllable stress. *The European Journal of Neuroscience*, 30(6), 1111–1116.
7. Baumeister, D., Lightman, S. L., & Pariante, C. M. (2014). The interface of stress and the HPA axis in behavioural phenotypes of mental illness. *Current Topics in Behavioral Neurosciences*, 18, 13–24.
8. Beck, A.T. (2008). The evolution of the cognitive model of depression and its neurobiological correlates. *The American Journal of Psychiatry*, 165, 969–977.
9. Binder, E.B., Salyakina, D., Lichtner, P., et al. (2004). Polymorphisms in FKBP5 are associated with increased recurrence of depressive episodes and rapid response to antidepressant treatment. *Nature Genetics*, 36, 1319–1325.
10. Bouret, S., Duvel, A., Onat, S., & Sara, S.J. (2003). Phasic activation of locus coeruleus neurons by the central nucleus of the amygdala. *Journal of Neuroscience*, 23(8), 3491–3497.
11. Bradley, R.G., Binder, E.B., Epstein, M.P., et al. (2008). Influence of child abuse on adult depression: Moderation by the corticotropin-releasing hormone receptor gene. *Archives of General Psychiatry*, 65, 190–200.
12. Buijs, R.M., & Van Eden, C.G. (2000). The integration of stress by the hypothalamus, amygdala and prefrontal cortex: Balance between the autonomic nervous system and the neuroendocrine system. *Progress in Brain Research*, 126, 117–132.
13. Cabib, S., & Puglisi-Allegra, S. (2012). The mesoaccumbens dopamine in coping with stress. *Neuroscience and Biobehavioral Reviews*, 36(1), 79–89.
14. Canteras, N.S. (2002). The medial hypothalamic defensive system: Hodological organization and functional implications. *Pharmacology, Biochemistry, and Behavior*, 71, 481–491.
15. Capuron, L., & Miller, A.H. (2011). Immune system to brain signaling: Neuropsychopharmacological implications. *Pharmacology & Therapeutics*, 130, 226–238.

16. Cardinal, R.N., Parkinson, J.A., Hall, J., & Everitt, B.J. (2002). Emotion and motivation: The role of the amygdala, ventral striatum, and prefrontal cortex. *Neuroscience and Biobehavioral Reviews*, 26(3), 321–352.
17. Caspi, A., Sugden, K., Moffitt, T.E., et al. (2003). Influence of life stress on depression: Moderation by a polymorphism in the 5-HTT gene. *Science*, 301, 386–389.
18. Cattaneo, A., Macchi, F., Plazzotta, G., et al. (2015). Inflammation and neuronal plasticity: A link between childhood trauma and depression pathogenesis. *Frontiers in Cellular Neuroscience*, 40, 1–12.
19. Chrousos, G.P. (2009). Stress and disorders of the stress system. *Nature Reviews. Endocrinology*, 5(7), 374–381.
20. Choi, D. C., Furay, A.R., Evanson, N.K., Ostrander, M.M., Ulrich-Lai, Y.M., & Herman, J.P. (2007). Bed nucleus of the stria terminalis subregions differentially regulate hypothalamic-pituitary-adrenal axis activity: Implications for the integration of limbic inputs. *The Journal of Neuroscience*, 27(8), 2025–2034.
21. Ciochi, S., Herry, C., Grenier, F., Wolff, S.B., Letzkus, J.J., Vlachos, I., Ehrlich, I., Sprengel, R., Deisseroth, K., Stadler, M. B., Müller, C., & Lüthi, A. (2010). Encoding of conditioned fear in central amygdala inhibitory circuits. *Nature*, 468(7321), 277–282.
22. Commons, K.G., Connolley, R.K., & Valentino, R.J.A. (2003). Neurochemically distinct dorsal raphe-limbic circuit with a potential role in affective disorders. *Neuropsychopharmacology*, 28, 206–215.
23. Cooper, J.C., & Knutson, B. (2008). Valence and salience contribute to nucleus accumbens activation. *NeuroImage*, 39(1), 538–547.
24. Craig, K.J., Brown, K.J., & Baum, A. (1995). Environmental factors in the etiology of anxiety. In F.E. Bloom & D.J. Kupfer (Eds.), *Psychopharmacology: The fourth generation of progress* (pp. 1325–1339). Raven Press.
25. Cullinan, W.E., Herman, J.P., & Watson, S.J. (1993). Ventral subicular interaction with the hypothalamic paraventricular nucleus: Evidence for a relay in the bed nucleus of the stria terminalis. *Journal of Comparative Neurology*, 332(1), 1–20.
26. Davis, M., Walker, D., Miles, L., & Grillon, C. (2010). Phasic vs sustained fear in rats and humans: Role of the extended amygdala in fear vs anxiety. *Neuropsychopharmacology*, 35, 105–135.
27. Daviu, N., Bruchas, M.R., Moghaddam, B., Sandi, C., & Beyeler, A. (2019). Neurobiological links between stress and anxiety. *Neurobiology of Stress*, 11, 100191.
28. De Lima, M.A.X., Baldo, M.V.C., & Canteras, N.S. (2019). Revealing a cortical circuit responsive to predatory threats and mediating contextual fear memory. *Cerebral Cortex*, 29, 3074–3090.
29. De Rijk, R.H., Schaaf, M., & de Kloet, E.R. (2012). Glucocorticoid receptor variants: Clinical implications. *The Journal of Steroid Biochemistry and Molecular Biology*, 81, 103–122.

30. Deakin, J.F., & Graeff, F.G. (1991). 5-HT and mechanisms of defence. *Journal of Psychopharmacology*, 5(4), 305–315.
31. Delgado, M.R., Nearing, K.I., Ledoux, J.E., & Phelps, E.A. (2008). Neural circuitry underlying the regulation of conditioned fear and its relation to extinction. *Neuron*, 59(5), 829–838.
32. Der-Avakian, A., & Markou, A. (2012). The neurobiology of anhedonia and other reward-related deficits. *Trends in Neurosciences*, 35(1), 68–77.
33. DiMicco, J.A., Samuels, B.C., Zaretskaia, M.V., & Zaretsky, D.V. (2002). The dorso-medial hypothalamus and the response to stress: Part renaissance, part revolution. *Pharmacology, Biochemistry, and Behavior*, 71(3), 469–480.
34. Diorio, D., Viau, V., & Meaney, M.J. (1993). The role of the medial prefrontal cortex (cingulate gyrus) in the regulation of hypothalamo-pituitary-adrenal responses to stress. *The Journal of Neuroscience*, 13, 3839–3847.
35. Dong, H.W., & Swanson, L.W. (2004). Projections from bed nuclei of the stria terminalis, posterior division: Implications for cerebral hemisphere regulation of defensive and reproductive behaviors. *The Journal of Comparative Neurology*, 471(4), 396–433.
36. Dong, H.W., Petrovich, G.D., & Swanson, L.W. (2001). Topography of projections from amygdala to bed nuclei of the stria terminalis. *Brain Research Reviews*, 38(1-2), 192–246.
37. Drevets, W.C., Gautier, C., Price, J.C., Kupfer, D.J., Kinahan, P.E., Grace, A.A., Price, J.L., & Mathis, C.A. (2001). Amphetamine-induced dopamine release in human ventral striatum correlates with euphoria. *Biological Psychiatry*, 49, 81–96.
38. Duman, R.S. (2004). Role of neurotrophic factors in the etiology and treatment of mood disorders. *Neuromolecular Medicine*, 5, 11–25.
39. Duman, R.S., & Charney, D.S. (1999). Cell atrophy and loss in major depression. *Biological Psychiatry*, 45(9), 1083–1084.
40. Duman, R.S., & Monteggia, L.M. (2006). A neurotrophic model for stress-related mood disorders. *Biological Psychiatry*, 59, 1116–1127.
41. Dunlop, B.W., & Nemeroff, C.B. (2007). The role of dopamine in the pathophysiology of depression. *Archives of General Psychiatry*, 64(3), 327–337.
42. Evans, G.W., Swain, J.E., King, A.P., Wang, X., Javanbakht, A., Ho, S.S., Angstadt, M., Phan, K.L., Xie, H., & Liberzon, I. (2016). Childhood cumulative risk exposure and adult amygdala volume and function. *Journal of Neuroscience Research*, 94(6), 535–543.
43. Feldman, S., Newman, M.E., & Weidenfeld, J. (2000). Effects of adrenergic and serotonergic agonists in the amygdala on the hypothalamo-pituitary-adrenocortical axis. *Brain Research Bulletin*, 52, 531–536.
44. Ferguson, A.V., Latchford, K.J., & Samson, W.K. (2008). The paraventricular nucleus of the hypothalamus — A potential target for integrative treatment of autonomic dysfunction. *Expert Opinion on Therapeutic Targets*, 12(6), 717–727.

45. Fiddick, L. (2011). There is more than the amygdala: Potential threat assessment in the cingulate cortex. *Neuroscience and Biobehavioral Reviews*, 35(4), 1007–1018.
46. Figueiredo, H.F., Bruestle, A., Bodie, B., Dolgas, C.M., & Herman, J.P. (2003). The medial prefrontal cortex differentially regulates stress-induced c-fos expression in the forebrain depending on type of stressor. *The European Journal of Neuroscience*, 18, 2357–2364.
47. Fitzgerald, D.A., Angstadt, M., Jelsone, L.M., et al. (2006). Beyond threat: Amygdala reactivity across multiple expressions of facial affect. *NeuroImage*, 30(4), 1441–1448.
48. Folkman, S., & Lazarus, R.S. (1988). The relationship between coping and emotion: Implications for theory and research. *Social Science & Medicine*, 26, 309–317.
49. Forster, G.L., Feng, N., Watt, M.J., Korzan, W.J., Mouw, N.J., Summers, C.H., & Renner, K.J. (2006). Corticotropin-releasing factor in the dorsal raphe elicits temporally distinct serotonergic responses in the limbic system in relation to fear behavior. *Neuroscience*, 141(2), 1047–1055.
50. Gatt, J.M., Nemeroff, C.B., Dobson-Stone, C., et al. (2009). Interactions between BDNF Val66Met polymorphism and early life stress predict brain and arousal pathways to syndromal depression and anxiety. *Molecular Psychiatry*, 14, 681–695.
51. Geuze, E., Van Wingen, G.A., Van Zuiden, M., Rademaker, A.R., Vermetten, E., Kavalaars, A., Fernandez, G., & Heijnen, C.J. (2012). Glucocorticoid receptor number predicts increase in amygdala activity after severe stress. *Psychoneuroendocrinology*, 37, 1837–1844.
52. Glatz, K., Mössner, R., Heils, A., & Lesch, K.P. (2003). Glucocorticoid-regulated human serotonin transporter (5-HTT) expression is modulated by the 5-HTT gene-promotor-linked polymorphic region. *Journal of Neurochemistry*, 86(5), 1072–1078.
53. Gotlib, I.H., Joormann, J., Minor, K., et al. (2008). HPA axis reactivity: A mechanism underlying the associations among 5-HTTLPR, stress, and depression. *Biological Psychiatry*, 63, 847–851.
54. Graeff, F.G., Guimarães, F.S., De Andrade, T.G., & Deakin, J. F. (1996). Role of 5-HT in stress, anxiety, and depression. *Pharmacology, Biochemistry, and Behavior*, 54(1), 129–141.
55. Gray, T.S., Carney, M.E., & Magnuson, D.J. (1989). Direct projections from the central amygdaloid nucleus to the hypothalamic paraventricular nucleus: Possible role in stress-induced adrenocorticotropin release. *Neuroendocrinology*, 50(4), 433–446.
56. Guadagno, A., Belliveau, C., Mechawar, N., & Walker, C.D. (2021). Effects of early life stress on the developing basolateral amygdala-prefrontal cortex circuit: The emerging role of local inhibition and perineuronal nets. *Frontiers in Human Neuroscience*, 15, 669120.

57. Haber, S.N., & Knutson, B. (2010). The reward circuit: Linking primate anatomy and human imaging. *Neuropsychopharmacology*, 35(1), 4–26.
58. Hammack, S.E., Guo, J.D., Hazra, R., Dabrowska, J., Myers, K.M., & Rainnie, D.G. (2009). The response of neurons in the bed nucleus of the stria terminalis to serotonin: Implications for anxiety. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 33(8), 1309–1320.
59. Hamon, M., & Blier, P. (2013). Monoamine neurocircuitry in depression and strategies for new treatments. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 45, 54–63.
60. Hariri, A.R., Mattay, V.S., Tessitore, A., et al. (2002). Serotonin transporter genetic variation and the response of the human amygdala. *Science*, 297, 400–403.
61. Hariri, A.R., Drabant, E.M., Munoz, K.E., et al. (2005). A susceptibility gene for affective disorders and the response of the human amygdala. *Archives of General Psychiatry*, 62, 146–152.
62. Haroon, E., Raison, C.L., & Miller, A.H. (2012). Psychoneuroimmunology meets neuropsychopharmacology: Translational implications of the impact of inflammation on behavior. *Neuropsychopharmacology*, 37, 137–162.
63. Heim, C., & Binder, E.B. (2012). Current research trends in early life stress and depression: Review of human studies on sensitive periods, gene-environment interactions, and epigenetics. *Experimental Neurology*, 233, 102–111.
64. Heim, C., & Nemeroff, C.B. (2001). The role of childhood trauma in the neurobiology of mood and anxiety disorders: Preclinical and clinical studies. *Biological Psychiatry*, 49, 1023–1039.
65. Heim, C., Newport, D.J., Mletzko, T., et al. (2008). The link between childhood trauma and depression: Insights from HPA axis studies in humans. *Psychoneuroendocrinology*, 33, 693–710.
66. Herman, J.P., Cullinan, W.E., Ziegler, D.R., & Tasker, J.G. (2002). Role of the paraventricular nucleus microenvironment in stress integration. *The European Journal of Neuroscience*, 16, 381–385.
67. Holsboer, F. (2000). The corticosteroid receptor hypothesis of depression. *Neuropsychopharmacology*, 23, 477–501.
68. Horstmann, S., Lucae, S., Menke, A., et al. (2010). Polymorphisms in GRIK4, HTR2A, and FKBP5 show interactive effects in predicting remission to antidepressant treatment. *Neuropsychopharmacology*, 35, 727–740.
69. Ikemoto, S., & Panksepp, J. (1999). The role of nucleus accumbens dopamine in motivated behavior: A unifying interpretation with special reference to reward-seeking. *Brain Research. Brain Research Reviews*, 31(1), 6–41.
70. Janak, P.H., & Tye, K.M. (2015). From circuits to behaviour in the amygdala. *Nature*, 517(7534), 284–292.

71. Kalin, N.H. (2020). Novel insights into pathological anxiety and anxiety-related disorders. *The American Journal of Psychiatry*, 177(3), 187–189.
72. Karg, K., Burmeister, M., Shedden, K., & Sen, S. (2011). The serotonin transporter promoter variant (5-HTTLPR), stress, and depression meta-analysis revisited: Evidence of genetic moderation. *Archives of General Psychiatry*, 68, 444–454.
73. Kassel, O., & Herrlich, P. (2007). Crosstalk between the glucocorticoid receptor and other transcription factors: Molecular aspects. *Molecular and Cellular Endocrinology*, 275, 13–29.
74. Kaufman, J., Plotsky, P.M., Nemeroff, C.B., et al. (2000). Effects of early adverse experiences on brain structure and function: Clinical implications. *Biological Psychiatry*, 48, 778–790.
75. Kaufman, J., Yang, B.Z., Douglas-Palumberi, H., et al. (2006). Brain-derived neurotrophic factor-5-HTTLPR gene interactions and environmental modifiers of depression in children. *Biological Psychiatry*, 59, 673–680.
76. Kendler, K.S., Kuhn, J.W., & Prescott, C.A. (2004). Childhood sexual abuse, stressful life events and risk for major depression in women. *Psychological Medicine*, 34, 1475–1482.
77. Kessler, R.C. (1997). The effects of stressful life events on depression. *Annual Review of Psychology*, 48, 191–214.
78. Korosi, A., Naninck, E.F., Oomen, C.A., et al. (2012). Early-life stress mediated modulation of adult neurogenesis and behavior. *Behavioural Brain Research*, 227, 400–409.
79. Kreier, F., Kap, Y.S., Mettenleiter, T.C., van Heijningen, C., van der Vliet, J., Kalsbeek, A., Sauerwein, H.P., Fliers, E., Romijn, J.A., & Buijs, R.M. (2006). Tracing from fat tissue, liver, and pancreas: A neuroanatomical framework for the role of the brain in type 2 diabetes. *Endocrinology*, 147(3), 1140–1147.
80. Krishnan, V., & Nestler, E.J. (2010). Linking molecules to mood: New insight into the biology of depression. *The American Journal of Psychiatry*, 167(11), 1305–1320.
81. Krugers, H.J., Lucassen, P.J., Karst, H., & Joëls, M. (2010). Chronic stress effects on hippocampal structure and synaptic function: Relevance for depression and normalization by antiglucocorticoid treatment. *Frontiers in Synaptic Neuroscience*, 2, 24.
82. LaBar, K.S., Gatenby, J.C., Gore, J.C., LeDoux, J.E., & Phelps, E.A. (1998). Human amygdala activation during conditioned fear acquisition and extinction: A mixed-trial fMRI study. *Neuron*, 20(5), 937–945.
83. Lebow, M., & Chen, A. (2016). Overshadowed by the amygdala: The bed nucleus of the stria terminalis emerges as key to psychiatric disorders. *Molecular Psychiatry*, 21, 450–463.
84. LeDoux, J.E. (1992). Brain mechanisms of emotion and emotional learning. *Current Opinion in Neurobiology*, 2, 191–197.

85. LeDoux, J. (2000). Emotion circuits in the brain. *Annual Review of Neuroscience*, 23, 155–184.
86. LeDoux, J. (2003). The emotional brain, fear, and the amygdala. *Cellular and Molecular Neurobiology*, 23(4–5), 727–738.
87. LeDoux, J. (2007). The amygdala. *Current Biology*, 17(20), R868–R874.
88. LeDoux, J. (2012). Rethinking the emotional brain. *Neuron*, 73(4), 653–676.
89. LeDoux, J.E. (2014). Coming to terms with fear. *Proceedings of the National Academy of Sciences of the United States of America*, 111(8), 2871–2878.
90. LeDoux, J.E., Iwata, J., Cicchetti, P., & Reis, D.J. (1988). Different projections of the central amygdaloid nucleus mediate autonomic and behavioral correlates of conditioned fear. *The Journal of Neuroscience*, 8(7), 2517–2529.
91. LeDoux, J.E., & Pine, D.S. (2016). Using neuroscience to help understand fear and anxiety: A two-system framework. *The American Journal of Psychiatry*, 173(11), 1083–1093.
92. Lee, K.H., Tran, A., Turan, Z., & Meister, M. (2020). The sifting of visual information in the superior colliculus. *eLife*, 9, e50678.
93. Leonard, B.E. (2010). The concept of depression as a dysfunction of the immune system. *Current Immunology Reviews*, 6, 205–212.
94. Lesch, K.P., & Gutknecht, L. (2004). Focus on the 5-HT_{1A} receptor: Emerging role of a gene regulatory variant in psychopathology and pharmacogenetics. *The International Journal of Neuropsychopharmacology*, 7, 381–385.
95. Lesch, K.P., Bengel, D., Heils, A., et al. (1996). Association of anxiety-related traits with a polymorphism in the serotonin transporter gene regulatory region. *Science*, 274, 1527–1531.
96. Liberzon, I., Phan, K.L., Decker, L.R., & Taylor, S.F. (2003). Extended amygdala and emotional salience: A PET activation study of positive and negative affect. *Neuropsychopharmacology*, 28(4), 726–733.
97. Loftis, J.M., Huckans, M., & Morasco, B.J. (2010). Neuroimmune mechanisms of cytokine-induced depression: Current theories and novel treatment strategies. *Neurobiology of Disease*, 37, 519–533.
98. López, J.F., Chalmers, D.T., Little, K.Y., & Watson, S.J. (1998). Regulation of serotonin_{1A}, glucocorticoid, and mineralocorticoid receptor in rat and human hippocampus: Implications for the neurobiology of depression. *Biological Psychiatry*, 43(8), 547–573.
99. López, J.F., Akil, H., & Watson, S.J. (1999). Neural circuits mediating stress. *Biological Psychiatry*, 46, 1461–1471.
100. Lowry, C.A., Johnson, P.L., Hay-Schmidt, A., Mikkelsen, J., & Shekhar, A. (2005). Modulation of anxiety circuits by serotonergic systems. *Stress*, 8(4), 233–246.

101. Lupien, S.J., & McEwen, B.S. (1997). The acute effects of corticosteroids on cognition: Integration of animal and human model studies. *Brain Research Reviews*, 24, 1–27.
102. Lupien, S.J., McEwen, B.S., Gunnar, M.R., & Heim, C. (2009). Effects of stress throughout the lifespan on the brain, behaviour and cognition. *Nature Reviews Neuroscience*, 10, 434–445.
103. Mahar, I., Bambico, F.R., Mechawar, N., et al. (2014). Stress, serotonin, and hippocampal neurogenesis in relation to depression and antidepressant effects. *Neuroscience and Biobehavioral Reviews*, 38, 173–192.
104. Maier, S.F., & Seligman, M.E. (2016). Learned helplessness at fifty: Insights from neuroscience. *Psychological Review*, 123(4), 349–367.
105. Maier, S.F., & Watkins, L.R. (2005). Stressor controllability and learned helplessness: The roles of the dorsal raphe nucleus, serotonin, and corticotropin-releasing factor. *Neuroscience and Biobehavioral Reviews*, 29(4–5), 829–841.
106. Maier, S.F., Grahn, R.E., Kalman, B.A., Sutton, L.C., Wiertelak, E.P., & Watkins, L.R. (1993). The role of the amygdala and dorsal raphe nucleus in mediating the behavioral consequences of inescapable shock. *Behavioral Neuroscience*, 107, 377–389.
107. Malberg, J.E., Eisch, A.J., Nestler, E.J., & Duman, R.S. (2000). Chronic antidepressant treatment increases neurogenesis in adult rat hippocampus. *Journal of Neuroscience*, 20, 9104–9110.
108. Marcilhac, A., & Siaud, P. (1997). Identification of projections from the central nucleus of the amygdala to the paraventricular nucleus of the hypothalamus which are immunoreactive for corticotrophin-releasing hormone in the rat. *Experimental Physiology*, 82(2), 273–281.
109. Marek, R., Strobel, C., Bredy, T.W., & Sah, P. (2013). The amygdala and medial prefrontal cortex: Partners in the fear circuit. *The Journal of Physiology*, 591(10), 2381–2391.
110. McCall, J.G., Al-Hasani, R., Siuda, E.R., Hong, D.Y., Norris, A.J., Ford, C.P., & Bruchas, M.R. (2015). CRH engagement of the locus coeruleus noradrenergic system mediates stress-induced anxiety. *Neuron*, 87(3), 605–620.
111. McCall, J.G., Siuda, E.R., Bhatti, D.L., et al. (2017). Locus coeruleus to basolateral amygdala noradrenergic projections promote anxiety-like behavior. *eLife*, 6, e18247.
112. McEwen, B.S. (1987). Glucocorticoid-biogenic amine interactions in relation to mood and behavior. *Biochemical Pharmacology*, 36, 1755–1763.
113. McEwen, B.S. (1999). Stress and hippocampal plasticity. *Annual Review of Neuroscience*, 22, 105–122.
114. McEwen, B.S., Weiss, J., & Schwartz, L. (1968). Selective retention of corticosterone by limbic structures in rat brain. *Nature*, 220, 911–912.

115. McEwen, B.S., Eiland, L., Hunter, R.G., & Miller, M.M. (2012). Stress and anxiety: Structural plasticity and epigenetic regulation as a consequence of stress. *Neuropharmacology*, 62(1), 3–12.
116. McNaughton, N., & Corr, P.J. (2018). Survival circuits and risk assessment. *Current Opinion in Behavioral Sciences*, 24, 14–20.
117. Melzter, H. (1989). Serotonergic dysfunction in depression. *The British Journal of Psychiatry*, 155, 25–31.
118. Milad, M.R., & Quirk, G.J. (2012). Fear extinction as a model for translational neuroscience: Ten years of progress. *Annual Review of Psychology*, 63, 129–151.
119. Moga, M.M., Saper, C.B., & Gray, T.S. (1989). Bed nucleus of the stria terminalis: Cytoarchitecture, immunohistochemistry, and projection to the parabrachial nucleus in the rat. *The Journal of Comparative Neurology*, 283(3), 315–332.
120. Morris, L.S., McCall, J.G., Charney, D.S., & Murrough, J.W. (2020). The role of the locus coeruleus in the generation of pathological anxiety. *Brain and Neuroscience Advances*, 4, 1–18.
121. Motta, S.C., Goto, M., Gouveia, F.V., Baldo, M.V.C., Canteras, N.S., & Swanson, L.W. (2009). Dissecting the brain's fear system reveals the hypothalamus is critical for responding in subordinate conspecific intruders. *Proceedings of the National Academy of Sciences*, 106, 4870–4875.
122. Nemeroff, C.B. (1999). The preeminent role of early untoward experience on vulnerability to major psychiatric disorders: The nature-nurture controversy revisited and soon to be resolved. *Molecular Psychiatry*, 4, 106–108.
123. Nemeroff, C.B. (2004). Neurobiological consequences of childhood trauma. *The Journal of Clinical Psychiatry*, 65, 18–28.
124. Nemeroff, C.B. (2020). The state of our understanding of the pathophysiology and optimal treatment of depression: Glass half full or half empty? *American Journal of Psychiatry*, 177(8), 671–685.
125. Nemeroff, C.B., & Binder, E. (2014). The preeminent role of childhood abuse and neglect in vulnerability to major psychiatric disorders: Toward elucidating the underlying neurobiological mechanisms. *Journal of the American Academy of Child and Adolescent Psychiatry*, 53, 395–397.
126. Nemeroff, C.B., & Seligman, F. (2013). The pervasive and persistent neurobiological and clinical aftermath of child abuse and neglect. *The Journal of Clinical Psychiatry*, 74, 999–1001.
127. Nemeroff, C.B., Widerlov, E., Bisette, G., et al. (1984). Elevated concentrations of CSF corticotropin-releasing-factor-like immunoreactivity in depressed patients. *Science*, 226, 1342–1344.
128. Nestler, E.J., & Carlezon, W.A., Jr. (2006). The mesolimbic dopamine reward circuit in depression. *Biological Psychiatry*, 59(12), 1151–1159.

129. Ochsner, K.N., Ray, R.D., Cooper, J.C., Robertson, E.R., Chopra, S., Gabrieli, J.D., & Gross, J.J. (2004). For better or for worse: Neural systems supporting the cognitive down- and up-regulation of negative emotion. *NeuroImage*, 23(2), 483–499.
130. Ota, K.T., & Duman, R.S. (2013). Environmental and pharmacological modulations of cellular plasticity: Role in the pathophysiology and treatment of depression. *Neurobiology of Disease*, 57, 28–37.
131. Owens, M.J., & Nemeroff, C.B. (1994). The role of serotonin in the pathophysiology of depression: Focus on the serotonin transporter. *Clinical Chemistry*, 40, 288–295.
132. Pape, H.C., & Pare, D. (2010). Plastic synaptic networks of the amygdala for the acquisition, expression, and extinction of conditioned fear. *Physiological Reviews*, 90(2), 419–463.
133. Pare, D., Quirk, G.J., & Ledoux, J.E. (2004). New vistas on amygdala networks in conditioned fear. *Journal of Neurophysiology*, 92(1), 1–9.
134. Paton, J.J., Belova, M.A., Morrison, S.E., & Salzman, C.D. (2006). The primate amygdala represents the positive and negative value of visual stimuli during learning. *Nature*, 439(7078), 865–870.
135. Paul, E.D., & Chen, A. (2017). Neural circuitry of stress, fear, and anxiety: Focus on extended amygdala corticotropin releasing factor systems. In G. Fink (Ed.), *Stress: Neuroendocrinology and neurobiology* (pp. 83–96). Academic Press.
136. Pavlov, I.P. (1927). *Conditioned reflexes: An investigation of the physiological activity of the cerebral cortex*. Oxford University Press.
137. Peng, H., Long, Y., Li, J., et al. (2014). Hypothalamic-pituitary-adrenal axis functioning and dysfunctional attitude in depressed patients with and without childhood neglect. *BMC Psychiatry*, 14, 45.
138. Peyron, C., Petit, J.M., Rampon, C., Jouviet, M., & Luppi, P.H. (1997). Forebrain afferents to the rat dorsal raphe nucleus demonstrated by retrograde and anterograde tracing methods. *Neuroscience*, 82(2), 443–468.
139. Phelps, E.A., & LeDoux, J.E. (2005). Contributions of the amygdala to emotion processing: From animal models to human behavior. *Neuron*, 48(2), 175–187.
140. Radley, J.J., & Sawchenko, P.E. (2011). A common substrate for prefrontal and hippocampal inhibition of the neuroendocrine stress response. *Journal of Neuroscience*, 31, 9683–9695.
141. Ramirez, F., Moscarello, J.M., LeDoux, J.E., & Sears, R. M. (2015). Active avoidance requires a serial basal amygdala to nucleus accumbens shell circuit. *The Journal of Neuroscience*, 35(8), 3470–3477.
142. Ressler, K.J. (2010). Amygdala activity, fear, and anxiety: Modulation by stress. *Biological Psychiatry*, 67(12), 1117–1119.
143. Ressler, K.J., & Nemeroff, C.B. (1999). Role of norepinephrine in the pathophysiology and treatment of mood disorders. *Biological Psychiatry*, 46(9), 1219–1233.

144. Roland, B.L., & Sawchenko, P.E. (1993). Local origins of some GABAergic projections to the paraventricular and supraoptic nuclei of the hypothalamus of the rat. *The Journal of Comparative Neurology*, 332, 123–143.
145. Sabatinelli, D., Bradley, M.M., Lang, P.J., Costa, V.D., & Versace, F. (2007). Pleasure rather than salience activates human nucleus accumbens and medial prefrontal cortex. *Journal of Neurophysiology*, 98, 1374–1379.
146. Saper, C.B., & Lowell, B.B. (2014). The hypothalamus. *Current Biology*, 24(23), R1111–R1116.
147. Sapolsky, R.M. (1996). Why stress is bad for your brain. *Science*, 273, 749–750.
148. Sapolsky, R.M., Krey, L.C., & McEwen, B.S. (1984). Stress down-regulates corticosterone receptors in a site-specific manner in the brain. *Endocrinology*, 114, 287–292.
149. Sara, S.J., & Bouret, S. (2012). Orienting and reorienting: The locus coeruleus mediates cognition through arousal. *Neuron*, 76(1), 130–141.
150. Schaaf, M.J.M., de Jong, J., de Kloet, E.R., & Vreugdenhil, E. (1998). Downregulation of BDNF mRNA and protein in the rat hippocampus by corticosterone. *Brain Research*, 813, 112–120.
151. Seligman, M.E.P. (1974). Depression and learned helplessness. In R.J. Friedman & M.M. Katz (Eds.), *The psychology of depression: Contemporary theory and research* (pp. 83–113). Winston.
152. Shabel, S.J., & Janak, P.H. (2009). Substantial similarity in amygdala neuronal activity during conditioned appetitive and aversive emotional arousal. *Proceedings of the National Academy of Sciences of the United States of America*, 106(35), 15031–15036.
153. Shi, L., Sun, J., Wei, D., & Qiu, J. (2019). Recover from the adversity: Functional connectivity basis of psychological resilience. *Neuropsychologia*, 122, 20–27.
154. Silva, B.A., Gross, C.T., & Gräff, J. (2016). The neural circuits of innate fear: Detection, integration, action, and memorization. *Learning & Memory*, 23(10), 544–555.
155. Šimić, G., Tkalčić, M., Vukić, V., Mulc, D., Španić, E., Šagud, M., Olucha-Bordonau, F.E., Vukšić, M., & Hof, P.R. (2021). Understanding emotions: Origins and roles of the amygdala. *Biomolecules*, 11, 823.
156. Sokolowski, K., & Corbin, J.G. (2012). Wired for behaviors: From development to function of innate limbic system circuitry. *Frontiers in Molecular Neuroscience*, 5, 55.
157. Sotres-Bayon, F., Bush, D.E., & LeDoux, J.E. (2004). Emotional perseveration: An update on prefrontal-amygdala interactions in fear extinction. *Learning & Memory*, 11(5), 525–535.
158. Stankiewicz, A.M., Swiergiel, A.H., & Lisowski, P. (2013). Epigenetics of stress adaptations in the brain. *Brain Research Bulletin*, 98, 76–92.

159. Steimer, T. (2002). The biology of fear- and anxiety-related behaviors. *Dialogues in Clinical Neuroscience*, 4(3), 231–249.
160. Suri, D., & Vaidya, V.A. (2013). Glucocorticoid regulation of brain-derived neurotrophic factor: Relevance to hippocampal structural and functional plasticity. *Neuroscience*, 239, 196–213.
161. Suridjan, I., Boileau, I., Bagby, M., Rusjan, P.M., Wilson, A.A., Houle, S., & Mizrahi, R. (2012). Dopamine response to psychosocial stress in humans and its relationship to individual differences in personality traits. *Journal of Psychiatric Research*, 46(7), 890–897.
162. Swanson, L.W., & Kuypers, H.G. (1980). The paraventricular nucleus of the hypothalamus: Cytoarchitectonic subdivisions and organization of projections to the pituitary, dorsal vagal complex, and spinal cord as demonstrated by retrograde fluorescence double labeling methods. *The Journal of Comparative Neurology*, 194, 555–570.
163. Swanson, L.W., & Petrovich, G.D. (1998). What is the amygdala? *Trends in Neurosciences*, 21(8), 323–331.
164. Tafet, G.E., & Bernardini, R. (2003). Psychoneuroendocrinological links between chronic stress and depression. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 27, 893–903.
165. Tafet, G.E., & Nemeroff, C.B. (2016). The links between stress and depression: Psychoneuroendocrinological, genetic, and environmental interactions. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 28(2), 77–88.
166. Tafet, G.E., Toister-Achituv, M., & Shinitzky, M. (2001). Enhancement of serotonin uptake by cortisol: A possible link between stress and depression. *Cognitive, Affective, & Behavioral Neuroscience*, 1, 96–104.
167. Ulrich-Lai, Y.M., & Herman, J.P. (2009). Neural regulation of endocrine and autonomic stress responses. *Nature Reviews Neuroscience*, 10(6), 397–409.
168. Valentino, R.J., Page, M.E., Van Bockstaele, E., & Aston-Jones, G. (1992). Corticotropin-releasing factor innervation of the locus coeruleus region: Distribution of fibers and sources of input. *Neuroscience*, 48, 689–705.
169. Valentino, R.J., Lucki, I., & Van Bockstaele, E. (2010). Corticotropin-releasing factor in the dorsal raphe nucleus: Linking stress coping and addiction. *Brain Research*, 1314, 29–37.
170. Van Marle, H.J., Hermans, E.J., Qin, S., & Fernández, G. (2010). Enhanced resting-state connectivity of amygdala in the immediate aftermath of acute psychological stress. *Neuroimage*, 53(1), 348–354.
171. Van Riel, E., van Gemert, N.G., Meijer, O.C., et al. (2004). Effect of early life stress on serotonin responses in the hippocampus of young adult rats. *Synapse*, 53, 11–19.
172. Vermeer, H., Hendriks-Stegeman, B.I., van der Burg, B., et al. (2003). Glucocorticoid-induced increase in lymphocytic FKBP51 messenger ribonucleic acid expression:

- A potential marker for glucocorticoid sensitivity, potency, and bioavailability. *The Journal of Clinical Endocrinology and Metabolism*, 88, 277–284.
173. Vogt, B.A. (2018). Anxiety and fear from the perspective of cingulate cortex. *Journal of Depression and Anxiety Forecast*, 1, 1–7.
174. Vogt, B., Rosene, D., & Pandya, D. (1979). Thalamic and cortical afferents differentiate anterior from posterior cingulate cortex in the monkey. *Science*, 204, 205–207.
175. Vogt, B.A., Finch, D.M., & Olson, C.R. (1992). Functional heterogeneity in cingulate cortex: The anterior executive and posterior evaluative regions. *Cerebral Cortex*, 2, 435–443.
176. Vogt, B., Nimchinsky, E., Vogt, L., & Hof, P. (1995). Human cingulate cortex: Surface features, fat maps, and cytoarchitecture. *Journal of Comparative Neurology*, 359, 490–506.
177. Vyas, A., Mitra, R., Shankaranarayana Rao, B.S., & Chattarji, S. (2002). Chronic stress induces contrasting patterns of dendritic remodeling in hippocampal and amygdaloid neurons. *The Journal of Neuroscience*, 22(15), 6810–6818.
178. Wei, P., Liu, N., Zhang, Z., Liu, X., Tang, Y., He, X., Wu, B., Zhou, Z., Liu, Y., Li, J., Zhang, Y., Zhou, X., Xu, L., Chen, L., Bi, G., Hu, X., Xu, F., & Wang, L. (2015). Processing of visually evoked innate fear by a non-canonical thalamic pathway. *Nature Communications*, 6, 6756.
179. Young, E.A., Haskett, R.F., Murphy-Weinberg, V., Watson, S.J., & Akil, H. (1991). Loss of glucocorticoid fast feedback in depression. *Archives of General Psychiatry*, 48, 693–699.
180. Zald, D.H. (2003). The human amygdala and the emotional evaluation of sensory stimuli. *Brain Research Reviews*, 41(1), 88–123.
181. Zhang, J., Fan, Y., Li, Y., Zhu, H., Wang, L., & Zhu, M. Y. (2012). Chronic social defeat up-regulates expression of the serotonin transporter in rat dorsal raphe nucleus and projection regions in a glucocorticoid-dependent manner. *Journal of Neurochemistry*, 123(6), 1054–1068.

Глава 5

1. Ackerknecht, E.H. (1982). The history of psychosomatic medicine. *Psychological Medicine*, 12(1), 17–24.
2. Ader, R. (Ed.). (1981). *Psychoneuroimmunology*. Academic Press.
3. Ader, R. (2001). Psychoneuroimmunology. *Current Directions in Psychological Science*, 10(3), 94–98.
4. Alexander, F. (1950). *Psychosomatic medicine*. Norton.

5. Baratta, M.V., Lucero, T.R., Amat, J., Watkins, L.R., & Maier, S.F. (2008). Role of the ventral medial prefrontal cortex in mediating behavioral control-induced reduction of later conditioned fear. *Learning & Memory*, 15(2), 84–87.
6. Basowitz, H., Chevalier, J.A., Grinker, R.R., Hamburg, D.A., Korchin, S.J., Persky, H., & Sabshin, M.A. (1956). Adrenal cortical function in anxious human subjects; plasma level and urinary excretion of hydrocortisone. *A.M.A. Archives of Neurology and Psychiatry*, 76(5), 549–558.
7. Berretta, S., Pantazopoulos, H., Caldera, M., Pantazopoulos, P., & Pare, D. (2005). Infralimbic cortex activation increases c-Fos expression in intercalated neurons of the amygdala. *Neuroscience*, 132(4), 943–953.
8. Berridge, K.C., & Robinson, T.E. (1998). What is the role of dopamine in reward: Hedonic impact, reward learning, or incentive salience? *Brain Research. Brain Research Reviews*, 28(3), 309–369.
9. Berridge, K.C., & Robinson, T.E. (2003). Parsing reward. *Trends in Neurosciences*, 26(9), 507–513.
10. Bliss, L., Migeon, C.J., Branch, C.H., & Samuels, L.T. (1956). Reaction of the adrenal cortex to emotional stress. *Psychosomatic Medicine*, 18, 56.
11. Bridges, P.K., & Jones, M.T. (1966). The diurnal rhythm of plasma cortisol concentration in depression. *The British Journal of Psychiatry*, 112(493), 1257–1261.
12. Cabib, S., & Puglisi-Allegra, S. (2012). The mesoaccumbens dopamine in coping with stress. *Neuroscience and Biobehavioral Reviews*, 36(1), 79–89.
13. Campeau, S., Day, H.E., Helmreich, D.L., Kollack-Walker, S., & Watson, S.J. (1998). Principles of psychoneuroendocrinology. *The Psychiatric Clinics of North America*, 21(2), 259–276.
14. Cannon, W.B. (1915). *Bodily changes in pain, hunger, fear, and rage*. Appleton.
15. Der-Avakian, A., & Markou, A. (2012). The neurobiology of anhedonia and other reward-related deficits. *Trends in Neurosciences*, 35(1), 68–77.
16. Dutcher, J.M., & Creswell, J.D. (2018). The role of brain reward pathways in stress resilience and health. *Neuroscience and Biobehavioral Reviews*, 95, 559–567.
17. Fava, G.A., & Sonino, N. (2010). Psychosomatic medicine. *International Journal of Clinical Practice*, 64(8), 1155–1161.
18. Feder, A., Nestler, E.J., & Charney, D.S. (2009). Psychobiology and molecular genetics of resilience. *Nature Reviews. Neuroscience*, 10(6), 446–457.
19. Feder, A., Charney, D.S., & Collins, K. (2011). Neurobiology of resilience. In S.M. Southwick, B.T. Litz, D.S. Charney, & M.J. Friedman (Eds.), *Resilience and mental health*. Cambridge University Press.
20. Franklin, T.B., Saab, B.J., & Mansuy, I.M. (2012). Neural mechanisms of stress resilience and vulnerability. *Neuron*, 75(5), 747–761.

21. Freud, S. (1926). *Inhibitions, symptoms, and anxiety* (Vol. 20, pp. 87–156). Standard Edition.
22. Ganong, W.F. (1963). The central nervous system and the synthesis and release of adrenocorticotrophic hormone. In A.V. Nalbandov (Ed.), *Advances in neuroendocrinology* (Vol. 111, p. 92). Univ. Illinois Press.
23. Gerlach, J., & McEwen, B.S. (1972). Rat brain binds adrenal steroid hormone: Radioautography of hippocampus with corticosterone. *Science*, 175, 1133–1136.
24. Gerlach, J., McEwen, B.S., Pfaff, D.W., Moskovitz, S., Ferin, M., et al. (1976). Cells in regions of rhesus monkey brain and pituitary retain radioactive estradiol, corticosterone and cortisol differently. *Brain Research*, 103, 603–612.
25. Gibbons, J.L., & McHugh, P.R. (1962). Plasma cortisol in depressive illness. *Journal of Psychiatric Research*, 1, 162–171.
26. Graeff, F.G., Guimarães, F.S., De Andrade, T.G., & Deakin, J.F. (1996). Role of 5-HT in stress, anxiety, and depression. *Pharmacology, Biochemistry, and Behavior*, 54(1), 129–141.
27. Greenwood, B.N., Foley, T.E., Day, H.E., Campisi, J., Hammack, S.H., Campeau, S., Maier, S.F., & Fleshner, M. (2003). Freewheel running prevents learned helplessness/behavioral depression: Role of dorsal raphe serotonergic neurons. *Journal of Neuroscience*, 23(7), 2889–2898.
28. Guillemin, R. (1978). Peptides in the brain: The new endocrinology of the neuron. *Science*, 202, 390–402.
29. Harris, G.W. (1955). *Neural control of the pituitary gland*. Arnold.
30. Harris, G.W. (1956). Hypothalamic control of the anterior lobe of the hypophysis. In W.S. Fields, R. Guillemin, & C.A. Carton (Eds.), *Hypothalamic-hypophysial interrelationships* (p. 31). Thomas.
31. Harris, G.W. (1970). Effects of the nervous system on the pituitary-adrenal activity. *Progress in Brain Research*, 32, 86–88.
32. Heim, C., Newport, D.J., Mletzko, T., Miller, A.H., & Nemeroff, C.B. (2008). The link between childhood trauma and depression: Insights from HPA axis studies in humans. *Psychoneuroendocrinology*, 33, 693–710.
33. Ho, Y.C., & Wang, S. (2010). Adult neurogenesis is reduced in the dorsal hippocampus of rats displaying learned helplessness behavior. *Neuroscience*, 171, 153–161.
34. Ikemoto, S., & Panksepp, J. (1999). The role of nucleus accumbens dopamine in motivated behavior: A unifying interpretation with special reference to reward-seeking. *Brain Research. Brain Research Reviews*, 31(1), 6–41.
35. Krishnan, V., & Nestler, E.J. (2010). Linking molecules to mood: New insight into the biology of depression. *The American Journal of Psychiatry*, 167(11), 1305–1320.
36. LeDoux, J., & Daw, N.D. (2018). Surviving threats: Neural circuit and computational implications of a new taxonomy of defensive behaviour. *Nature Reviews. Neuroscience*, 19(5), 269–282.

37. Lindley, S.E., & Schatzberg, A.F. (2003). Historical roots of psychoneuroendocrinology. In O.M. Wolkowitz & A.J. Rothschild (Eds.), *Psychoneuroendocrinology: The scientific basis of clinical practice* (pp. 9–25). American Psychiatric Publishing.
38. Lipowski, Z.J. (1986). Psychosomatic medicine: Past and present. Part I. Historical background. *Canadian Journal of Psychiatry*, 31(1), 2–7.
39. Lyons, D.M., Parker, K.J., Katz, M., & Schatzberg, A.F. (2009). Developmental cascades linking stress inoculation, arousal regulation, and resilience. *Frontiers in Behavioral Neuroscience*, 3, 32.
40. Maier, S.F., Grahn, R.E., Kalman, B.A., Sutton, L.C., Wiertelak, E.P., & Watkins, L.R. (1993). The role of the amygdala and dorsal raphe nucleus in mediating the behavioral consequences of inescapable shock. *Behavioral Neurosciences*, 107, 377–389.
41. Maier, S.F., & Seligman, M.E. (2016). Learned helplessness at fifty: Insights from neuroscience. *Psychological Review*, 123(4), 349–367.
42. Maier, S.F., & Watkins, L.R. (2005). Stressor controllability and learned helplessness: The roles of the dorsal raphe nucleus, serotonin, and corticotropin-releasing factor. *Neuroscience and Biobehavioral Reviews*, 29, 829–841.
43. Margetts, E.L. (1950). The early history of the word psychosomatic. *Canadian Medical Association Journal*, 63, 403.
44. Mason, J.W. (1968). A review of psychoendocrine research on the pituitary-adrenal cortical system. *Psychosomatic Medicine*, 30(5): Suppl, 576–607.
45. McEwen, B.S., Weiss, J., & Schwartz, L. (1968). Selective retention of corticosterone by limbic structures in rat brain. *Nature*, 220, 911–912.
46. McEwen, B.S. (1976). Steroid hormone receptors in developing and mature brain tissue. In S. Snyder & B.S. McEwen (Eds.), *Neurotransmitters, hormones and receptors: Novel approaches* (pp. 50–66). Society of Neuroscience.
47. Nemeroff, C.B., & Prange, A.J., Jr. (1978). Peptides and psychoneuroendocrinology. A perspective. *Archives of General Psychiatry*, 35(8), 999–1010.
48. Nemeroff, C.B. (2013). Psychoneuroimmunoendocrinology: The biological basis of mind-body physiology and pathophysiology. *Depression and Anxiety*, 30(4), 285–287.
49. Overmier, J.B., & Seligman, M.E. (1967). Effects of inescapable shock upon subsequent escape and avoidance responding. *Journal of Comparative and Physiological Psychology*, 63, 28–33.
50. Parker, K.J., Buckmaster, C.L., Justus, K.R., Schatzberg, A.F., & Lyons, D. M. (2005). Mild early life stress enhances prefrontal-dependent response inhibition in monkeys. *Biological Psychiatry*, 57, 848–855.
51. Pavlov, J.P. (1902). *The work of the digestive glands*. Translated by W H Thompson. Lippincott.

52. Persky, H., Korchin, S.J., Basowitz, H., Board, F.A., Sabshin, M., Hamburg, D.A., & Grinker, R.R. (1959). Effect of two psychological stresses on adrenocortical function; studies on anxious and normal subjects. *A.M.A. Archives of Neurology and Psychiatry*, 81(2), 219–226.
53. Peyron, C., Petit, J.M., Rampon, C., Jouvett, M., & Luppi, P.H. (1997). Forebrain afferents to the rat dorsal raphe nucleus demonstrated by retrograde and anterograde tracing methods. *Neuroscience*, 82(2), 443–468.
54. Prange, A.J., Jr., Lipton, M.A., Nemeroff, C.B., & Wilson, I.C. (1977). The role of hormones in depression. *Life Sciences*, 20(8), 1305–1318.
55. Redgrave, P., Prescott, T., & Gurney, K.N. (1999). The basal ganglia: A vertebrate solution to the selection problem? *Neuroscience*, 89, 1009–1023.
56. Rozeske, R.R., Evans, A.K., Frank, M.G., Watkins, L.R., Lowry, C.A., & Maier, S.F. (2011). Uncontrollable, but not controllable, stress desensitizes 5-HT_{1A} receptors in the dorsal raphe nucleus. *The Journal of Neuroscience*, 31(40), 14107–14115.
57. Russo, S.J., Murrough, J.W., Han, M.H., Charney, D.S., & Nestler, E.J. (2012). Neurobiology of resilience. *Nature Neuroscience*, 15(11), 1475–1484.
58. Rutter, M. (1993). Resilience: some conceptual considerations. *The Journal of Adolescent Health*, 14, 626–631, 690–626–631, 696.
59. Sapolsky, R.M. (2004). *Why Zebras don't get ulcers*. Holt Paperbacks.
60. Schally, A.V., Arimura, A., & Kastin, A.J. (1973). Hypothalamic regulatory hormones. *Science*, 179, 341–350.
61. Schultz, W. (2015). Neuronal reward and decision signals: From theories to data. *Physiological Reviews*, 95(3), 853–951.
62. Seligman, M.E.P. (1974). Depression and learned helplessness. In R.J. Friedman & M.M. Katz (Eds.), *The psychology of depression: Contemporary theory and research* (pp. 83–113). Winston.
63. Sescousse, G., Caldú, X., Segura, B., & Dreher, J.C. (2013). Processing of primary and secondary rewards: A quantitative meta-analysis and review of human functional neuroimaging studies. *Neuroscience and Biobehavioral Reviews*, 37(4), 681–696.
64. Shi, L., Sun, J., Wei, D., & Qiu, J. (2019). Recover from the adversity: Functional connectivity basis of psychological resilience. *Neuropsychologia*, 122, 20–27.
65. Sierra-Mercado, D., Padilla-Coreano, N., & Quirk, G. J. (2011). Dissociable roles of prelimbic and infralimbic cortices, ventral hippocampus, and basolateral amygdala in the expression and extinction of conditioned fear. *Neuropsychopharmacology: official publication of the American College of Neuropsychopharmacology*, 36(2), 529–538.
66. Southwick, S.M., & Charney, D.S. (2012). The science of resilience: Implications for the prevention and treatment of depression. *Science*, 338, 79–82.

67. Suridjan, I., Boileau, I., Bagby, M., Rusjan, P.M., Wilson, A.A., Houle, S., & Mizrahi, R. (2012). Dopamine response to psychosocial stress in humans and its relationship to individual differences in personality traits. *Journal of Psychiatric Research*, 46(7), 890–897.
68. Taliáz, D., Loya, A., Gersner, R., Haramati, S., Chen, A., & Zangen, A. (2011). Resilience to chronic stress is mediated by hippocampal brain-derived neurotrophic factor. *The Journal of Neuroscience*, 31(12), 4475–4483.
69. Ulrich-Lai, Y.M., Christiansen, A.M., Ostrander, M.M., Jones, A.A., Jones, K.R., Choi, D.C., Krause, E.G., Evanson, N.K., Furay, A.R., Davis, J.F., Solomon, M.B., de Kloet, A.D., Tamashiro, K.L., Sakai, R.R., Seeley, R.J., Woods, S.C., & Herman, J.P. (2010). Pleasurable behaviors reduce stress via brain reward pathways. *Proceedings of the National Academy of Sciences of the United States of America*, 107(47), 20529–20534.
70. Vale, W., Spiess, J., Rivier, C., & Rivier, J. (1981). Characterization of a 41-residue ovine hypothalamic peptide that stimulates secretion of corticotropin and beta-endorphin. *Science*, 213, 1394–1397.
71. Vertes, R.P. (2004). Differential projections of the infralimbic and prelimbic cortex in the rat. *Synapse*, 51(1), 32–58.
72. Wu, G., Feder, A., Cohen, H., Kim, J.J., Calderon, S., Charney, D.S., & Mathé, A.A. (2013). Understanding resilience. *Front. Behavioral Neuroscience*, 7, 10.